

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-220-42  
Relating to Certification of New Motor Vehicles

JAGUAR CARS, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1995 model-year Jaguar Cars, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: SJC6.0V8GFFK Displacement: 6.0 Liters (366 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Secondary Air Injection  
Dual Three Way Catalytic Converters (three)  
Dual Heated Oxygen Sensors (two)  
Sequential Multiport Fuel Injection  
On-Board Diagnostic II

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards (alternative in-use compliance standards in parentheses) for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25 (0.32)	3.4 (5.2)	0.4 (n/a)
100,000	0.31 (n/a)	4.2 (n/a)	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.17	1.7	0.1
100,000	0.22	2.4	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That, based on a separate compliance plan submitted by the vehicle manufacturer, the listed vehicle models are permitted alternative in-use compliance as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the submitted alternative in-use compliance plan satisfies the requirement that a maximum of 60 percent of the manufacturer's projected sales of 1995 model-year California-certified passenger cars and light-duty trucks will be subject to alternative in-use compliance as stipulated in the above-referenced standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19<sup>th</sup> day of September, 1994.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

17.00.00.00 cont'd

E.O. # A-220-42 Page 1 of 1

.09.01.01 1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: Jaguar Cars Ltd

Engine Family: SJC6.0V8GFFK

Evap Std: 50K X Full Useful Life with R/L \_ Evap Family: RJC1142AYM00

Exh Std: Tier-0 \_ Tier-1 X TLEV \_ LEV \_ ULEV \_ ZEV \_; EPA Tier-0 \_ Tier-1 X

Veh Class(es): PC X LDT1 \_ LDT2 \_ MDV1 \_ MDV2 \_ MDV3 \_ MDV4 \_ MDV5 \_

Single Cert Std for Muti-Class Eng Fam: N/A

Exh Cert Fuel(s): Ind X Ph2 \_ Diesel: 13 CRR 2282 \_ or 40CFR86.113-90 \_ or -94 \_  
M85 \_ CNG \_ LPG \_ Other \_\_\_\_\_

Fuel Type(s): Dedicated X Flex-Fuel \_ Dual-Fuel \_ Gasoline X Diesel \_ M85 \_  
CNG \_ LNG \_ LPG \_ Other \_\_\_\_\_

Hybrid: Type A \_ B \_ C \_ , APU Cycle On/Off

Engine Configuration: V12 Displacement: 6.0 Liters 366 Cubic Inches

Engine: Front X Mid \_ Rear \_ Drive: FWD \_ RWD X 4WD-FT \_ 4WD-PT \_

Exhaust ECS & Special Features: AIR:2HO2S(2):2TWC(3):SFI, OBD2

Engine Code	Vehicle Models	Trans A- Auto M- Man	ETW	DPA	ECM (ICM) Part No.	EGR System Part No.	Catalyst Part No.
-------------	----------------	----------------------------	-----	-----	--------------------------	---------------------------	----------------------

6.0SFC-95 (50ST)	XJ12	A	4500	7.7	LNA1410LB	N/A	D/P: LCA U/F: LDB
---------------------	------	---	------	-----	-----------	-----	----------------------

17.00.00.00 cont'd

E.O. # 12-220-47 Page 1 of 1

.09.01.02 1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: Jaguar Cars Ltd

Engine Family: SJC6.0V8GFFK

Evap Std: 50K  Full Useful Life with R/L  Evap Family: RJC1142AYM00

Exh Std: Tier-0  Tier-1  TLEV  LEV  ULEV  ZEV ; EPA Tier-0  Tier-1

Veh Class(es): PC  LDT1  LDT2  MDV1  MDV2  MDV3  MDV4  MDV5

Single Cert Std for Muti-Class Eng Fam: N/A

Exh Cert Fuel(s): Ind  Ph2  Diesel: 13 CRR 2282  or 40CFR86.113-90  or -94   
M85  CNG  LPG  Other \_\_\_\_\_

Fuel Type(s): Dedicated  Flex-Fuel  Dual-Fuel  Gasoline  Diesel  M85   
CNG  LNG  LPG  Other \_\_\_\_\_

Hybrid: Type A  B  C  APU Cycle Auto

Engine Configuration: V12 Displacement: 6.0 Liters 366 Cubic Inches

Engine: Front  Mid  Rear  Drive: FWD  RWD  4WD-FT  4WD-PT

Exhaust ECS & Special Features: AIR:2HO2S(2):2TWC(3):SFI *0802*

Engine Code	Vehicle Models	Trans A- Auto M- Man	ETW	DPA	ECM (ICM) Part No.	EGR System Part No.	Catalyst Part No.
-------------	----------------	----------------------------	-----	-----	--------------------------	---------------------------	----------------------

6.0SFC -95/1 (50ST)	XJ12	A	4500	7.7	LNA1410NA	N/A	D/P: LCA U/F: LDB
---------------------------	------	---	------	-----	-----------	-----	----------------------

Running change #6.0-95/11 introduces an ECM re-calibrated to address driveability concerns when vehicles are being operated on low RVP (<7.0psi) fuel.