State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-663 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That Ford Motor Company 1996 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: TFM4.028G1GK Displacement: 4.0 Liters (244 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converters (two)
Dual Heated Oxygen Sensors
Heated Oxygen Sensor
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	<u>Miles</u>	Non-Methane Hydrocarbons	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	Carbon <u>Monoxide (20°F)</u>	
3751-5750	50,000	0.32	4.4	0.7	12.5	
	100,000	0.40	5.5	0.97	n/a	

The certification exhaust emission values for this engine family in grams per mile are (The value in parentheses is the actual certification value before rounding off.):

Loaded Vehicle Weight(lbs.)	_Miles_	Non-Methane <u>Hydrocarbons</u>			Carbon Monoxide (20°F)	
3751-5750	50,000	0.10	0.5	0.2 (0.15)	3.0	
	100,000	0.11	0.6	0.15	n/a	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 13 day of September 1995.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

Mfgr. F	ORD MOTOR COMPANY	Exh	aust Engi	ne Fam	ily: <u>TFM4.0</u>	28G1GK		
Engine Co	de Types: CA <u>X</u> 49S	50S Eva	porative	Emissi	ons Family:_	TFM1045AYP	BA	
Exh Std:	Tier-0 Tier-1_X	TLEV LEV_	ULEV_	ZI	EV EPA T	IER-0 7	rier-1	
Evap Std:	50K <u>X</u> Useful Life	with R/L	In-Use Ex	ch Std:	Full In Us	<u>X</u> Alt :	In Use	
Veh Class	(es): PC LDT1	LDT2_X MDV	1 MDV:	2 1	ADV3 MDV	4 MDV5		
Single Ce	rt Std for Multi-Clas	s Eng Fam: N	<u>/A</u> (spe	ecify:	N/A, LDT1,M	OV1,MDV2,M	OV3,MDV4)	
Exh Cert	Fuel(s): Indo X Ph2	Diesel:	13 CCR 228	32 (or 40CFR 86.	L13-90	or -94	
Fuel Type	(s): Dedicated F Gasoline X Di	LPG Clex Fuel	Dual-Fuel	LPG	Other (specify)		
Hybrid:	Type A B C	, APU Cycl	e (eg,	Otto,	Diesel, Turb	ine)		
Values/Cv	nfig <u>V-6</u> Displ l: <u>2</u> Front <u>X</u> Mid Rea	Rat	ed HP: 1	60 a	4200 RPM		T	
	t Control System and Special Features TWC(2) SFI, HO2S, EGR, 24625 (Use abbreviations per SAE J1930 SEP91)							
Engine Co 'also lis A/49ST/5	de Vehicle Models t (if coded see OST attachment)	Trans. Type A-Automatic M-Manual	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.	
658NR00A/	N Aerostar Wgn AWD	A4			F69F-CA	F69E-AA	F69A-APA	
	EWS EWS		4500 4500*					
658QR00A/		н	4250	10.2	F69F-DA	и	Ħ	
	EWS EWS		4250*	11.2				

* with air conditioning

ENGINE FAMILY: TFM4.028G1GK ISSUED: REVISED: AUG 2 1995

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY AND MEDIUM-DUTY TRUCKS

	Mfgr. <u>FORD N</u>	MOTOR COMPANY	Exh	aust Engl	ne ram	11y: <u>1FM4.0</u>	ZOGIGK	
	Engine Code Ty	/pes: CA <u>X</u> 49S	_ 50S Eva	porative	Emissi	ons Family:_	<u>TFM1045AYP</u>	ВА
	Exh Std: Tier	0 Tier-1_X_	TLEV LEV	ULEV_	zı	EV EPA T	IER-0	TIER-1
	Evap Std: 501	K <u>X</u> Useful Life	with R/L	In-Use Ex	kh Std	: Full In Us	e Alt :	In Use
	Veh Class(es)	: PC LDT1	LDT2 <u>X</u> MDV	1 MDV	2 1	MDV3 MDV	4 MDV5	
	Single Cert St	td for Multi-Clas	s Eng Fam: <u>N</u>	<u>/A</u> (sp	ecify:	N/A, LDT1,M	DV1,MDV2,MI	OV3,MDV4)
	Exh Cert Fuel	(s): Indo <u>X</u> Ph2	Diesel: LPG	13 CCR 228	32 (ecicy)	or 40CFR 86.	113-90	or -94
	<pre>Fuel Type(s):</pre>	Dedicated F Gasoline_X Di	lex Fuel	Dual-Fuel			specify)	
	Hybrid: Type	A B C	, APU Cycl	e (eg,	Otto,	Diesel, Turb	ine)	
	Valves/Cvl:	<u>V-6</u> Displ	Rat	ed HP: _l	<u>60 a</u>	<u>4200</u> RPM		
	Engine: From	t <u>X</u> Mid_ Rea	r Dri	.ve: Fwd_	RW	D <u>X</u> 4WD-FT	<u>X</u> 4WD-P	T
	Exhaust Contro	ol System and Spe	cial Features	TWC(2)SF	I.2H02	S. EGR HOZ	5	
				(Use ab	brevia	tions per SA	Æ J1930 SE	P91)
	Engine Code	Vehicle Models	Trans. Type	ETW	DPA	Ignition	EGR	Catalytic
L	also list	(if coded see	A-Automatic M-Manual	or Test Wt	or or up	(ECM/PCM)	System Part No	Part No.
	CA/4951/3051	attachment)	M-Manual	<u> </u>	ļ	<u>l</u>	<u> </u>	
	658NR05A/N	Aerostar Wgn AWD	A4			F69F-CB	F69E-AA	F69A-APA
		EWS EWS		4500 4500*	12.7			
		LWD						Ħ
	658QR05A/N	Aerostar Wgn RWD	Ħ	4250	10.2	F69F-DB	Ħ	₩
		EWS		4250*				

^{*} with air conditioning