State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-325-2 Relating to Certification of New Motor Vehicles

GFI CONTROL SYSTEMS, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That GFI Control Systems, Inc. 1996 model-year exhaust emission control systems are certified as described below for medium-duty vehicles:

Fuel Type: Dual-Fuel Compressed Natural Gas (CNG) or Gasoline

Engine Family: TG94.968GFJA <u>Displacement</u>: 4.9 Liters (300 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter
Oxidation Catalytic Converter
Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Secondary Air Injection
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Test Weight	<u>Miles</u>	Non-Methane	Carbon	Nitrogen	Carbon	
(lbs.)		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	<u>Monoxide (20°F)</u>	
5751-8500	50,000	0.39	5.0	1.1	12.5	
	120,000	0.56	7.3	1.53	n/a	

The certification exhaust emission values for this engine family operated on CNG in grams per mile are: (The values in parentheses are for gasoline.)

Test Weight	Miles	Non-Methane	Carbon	Nitrogen	Carbon	
(lbs.)		Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>	Monoxide (20°F)	
5751-8500	50,000 120,000	0.36 (0.28) 0.43 (0.34)		0.6 (0.4) 0.78 (0.49)	(3.9) n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", pursuant to provisions in the said standards and test procedures applicable to small-volume manufacturers.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT. FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _

day of February 1996.

R. B. Summerfield Assistant Division Chief

Mobile Source Division

199_6 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Manufacturer	GFI Control Sys	tems, Inc	_ Exh Eng	g Fam: <u> </u>	<u> [G94.968GFJA</u>	Evap Fam: The	M1045AYMBB		
All Eng Codes in Eng Fam: CA 49S 50S_x AB965									
Exh Std: CA	Tier-1 <u>x</u> TL	EV	LEV	ULEV_	ZEV	_; US EP/	\ Tier-1 <u>x</u>		
Evap Std: 50	OK <u>x</u> Useful Li	fe with R,	/L I	n-Use Ex	ch Std: Full	In UseA	lt In Use <u>x</u>		
Veh Class(es)): PC LDT1_	LDT2	MDV	1 M	MDV2 MDV3	MDV4	MDV5		
Single Cert S	Single Cert Std for Multi-Class Eng Fam:(specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)								
Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel_x Bi-Fuel Gasoline_x Diesel									
	CNG_x_ LNG LPG M85 Other (specify)								
Emiss Test Fu	uel(s): Indo <u>x</u>	Ph2	CNG <u>x</u> Li	PG M	185 Other	(specify)			
	Diesel:	13 CCR 22	282	40 CF	R 86.113-90	_ 40 CFR 8	36.113-94		
Service Accum	m: Std AMA	Mod AMA	Mfr /	ADP	Other (speci	fy) <u>Mfr.'s</u> /	<u>Assigned DFs</u>		
NMOG Test Pro	ocedure: N/A <u>x</u>	Std	Equiv_	F	R/L Test Proc:	SHEDF	ot Source		
Hybrid: Type	e A B C,	APU Cyc	le (e.g.,	Otto, [Diesel, Turbin	e): <u>n/a</u>			
	guration: <u>I-6</u>								
Valves per Cy	ylinder: <u>2</u>		Rate	d HP:	150	<u>@ 3400</u>	RPM		
Engine: From	nt <u>x</u> Mid	Rear	Drive	e: FWD_	RWD <u>x</u>	4WD-FT	4WD-PT		
Exhaust ECS	(e.g., MFI, EGR,	TC, CAC):	TWÇ,	OC, HO2	S(2), EGR, AII	R, SFI	201)		
			(u:	se abbre	eviations per	SAE J1930 SEI	91)		
Engine_Code		Trans.	ETW	DPA	Ignition	EGR	Catalytic		
	(if coded see attachment)	(M5, A4 etc.)	or Test Wt.	or RLHP	Part No.	System Part No.	Converter Part No.		
0.17 13017 0001									
6-52G	Ford E250	L4	6500	16.2	V9-160	F6TE-EA	F6UA-AJ		
5 524	, ,, , , , , , , , , , , , , , , , , , ,			17.8					
6-52N	E250	L4	6500	16.2	V9-160	F4TE-AA	F6UA-AJB		
0 0211				17.8					
6-72V	F250	L4	6500	16.2	V9-160	F4TE-AA	F6TA-AKB		
0 ,21	1200		0000	16.2 ¹ 17.8 ²		, ,, _			
6-72W	E350	L4	6500	16.2	V9-160	F4TE-AA	F6UA-AJB		
0 / 2 !!	2000			17.8					
				L A/c					
<u> </u>				W/o A/c Z with A/c					

Date Issued:

Revisions: