

File

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-96
Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1996 model-year Fuji Heavy Industries, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: TFJ2.2VJGKEK Displacement: 2.2 Liters (135 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalytic Converters (two)
- Heated Oxygen Sensors (two)
- Sequential Multiport Fuel Injection
- Exhaust Gas Recirculation (Automatic Transmission Models Only)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.16	1.6	0.2	4.8
100,000	0.18	1.8	0.2	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust-emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the 50,000-mile evaporative emission standards applicable to 1980 through 1994 model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That, based on the evaporative emission phase-in compliance schedule submitted by the vehicle manufacturer, the listed vehicle models shall not be subject to the running loss and useful life standards set forth in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.1) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines").

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

FUJI HEAVY INDUSTRIES, LTD.

EXECUTIVE ORDER A-2-96
(Page 3 of 3)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 22nd day of June 1995.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

E.O # A-2-96

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Fuji Heavy Industries Ltd. Exh Engine Family: TFJ2.2VJGKEK (System #1)
 Evap Std: 50K x Useful Life with R/L Evap Engine Family: TFJ1030BYMA3
 Exh Std: Tier-0 Tier-1 x TLEV LEV ULEV ZEV ; EPA Tier-0 Tier-1 x
 Veh Class(es): PC x LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Exh Cert Fuel(s): Indo x Ph2 Diesel: 13 CCR 2282 or 40 CFR 86.113-90 or -94
 M85 CNG LPG Other (specify)
 Fuel Type(s): Dedicated x Flex-Fuel Dual-Fuel Gasoline x Diesel M85
 CNG LNG LPG Other (specify)
 Hybrid: Type A B C , APU Cycle (e.g., Otto, Diesel, Turbine)
 Engine Configuration: HO4 Displacement: 2.2 / Liters 135 / Cubic Inches
 Engine: Front x Mid Rear Drive: FWD RWD 4WD-FT x 4WD-PT
 Exhaust ECS (eg., EGR, MFI, TC, CAC): HO2S(2), TWC(2), SFI
 (use abbreviations per SAE J1930 SEP91)

Engine Code (CA/49ST/50ST)	Vehicle Models	Trans. Type: A-Auto M-Man.	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
T2.2BPM (50ST)	IMPREZA 2D AWD Base	M-5	3000	6.7	Electronic Control	None	Fuji's Part No. Front: 20805AA670 Rear: 20805AA570
T2.2BPMA (50ST)	IMPREZA 2D AWD Base		3000	7.4	Unit: Fuji's Part No. 22611AC460		
	IMPREZA 2D AWD L				22611AC461 (R/C #96-7)		
	IMPREZA 2D AWD LX				22611AC462 (R/C #96-15)		
	IMPREZA 4D AWD L						
	IMPREZA SW AWD Outback		3125	7.5			
			8.6				

The vehicles with 49ST engine code are not listed in above table.

Date Issued: 3/22/'95
 Revisions: 016-10/09/'95
 023-5/17/'96

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: Fuji Heavy Industries Ltd. Exh Engine Family: TFJ2.2VJGKEK (System #2)
 Evap Std: 50K x Useful Life with R/L _____ Evap Engine Family: TFJ1030BYMA3
 Exh Std: Tier-0 _____ Tier-1 x TLEV _____ LEV _____ ULEV _____ ZEV _____ ; EPA Tier-0 _____ Tier-1 x
 Veh Class(es): PC x LDT1 _____ LDT2 _____ MDV1 _____ MDV2 _____ MDV3 _____ MDV4 _____ MDV5 _____
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)
 Exh Cert Fuel(s): Indo x Ph2 _____ Diesel: 13 CCR 2282 _____ or 40 CFR 86.113-90 _____ or -94 _____
 M85 _____ CNG _____ LPG _____ Other (specify) _____
 Fuel Type(s): Dedicated x Flex-Fuel _____ Dual-Fuel _____ Gasoline x Diesel _____ M85 _____
 CNG _____ LNG _____ LPG _____ Other (specify) _____
 Hybrid: Type A _____ B _____ C _____, APU Cycle (e.g., Otto, Diesel, Turbine) _____
 Engine Configuration: H04 Displacement: 2.2 / _____ Liters 135 / _____ Cubic Inches
 Engine: Front x Mid _____ Rear _____ Drive: FWD _____ RWD _____ 4WD-FT x 4WD-PT _____
 Exhaust ECS (eg., EGR, MFI, TC, CAC): EGR, HO2S(2), TWC(2), SFI
 (use abbreviations per SAE J1930 SEP91)

Engine Code (CA/49ST/50ST)	Vehicle Models	Trans. Type: A-Auto M-Man.	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
T2.2BPAA (50ST)	IMPENZA 2D AWD L	A-4	3125	7.6	Electronic Control Unit: Fuji's Part No. 22611AC460	EGR Valve: Mitsubishi K005T75071, AA530 Fuji's Part No. 14710AA530	Fuji's Part No. Front: 20805AA670 Rear: 20805AA570
	IMPENZA 2D AWD LX						
	IMPENZA 4D AWD L						
	IMPENZA 4D AWD LX						
	IMPENZA SW AWD LX						
T2.2BJAA (50ST)	IMPENZA SW AWD Outback	A-4	3250	8.0	22611AC461 (R/C #96-7)		
				8.5	22611AC462 (R/C #96-15)		
	LEGACY 4D AWD L	A-4	3250	7.4	22611AB414		
	LEGACY SW AWD L		3375	7.8	22611AB802		

#The vehicles with 49ST engine code are not listed in above table.

Date Issued: 3/22/'95
 Revisions: 007-6/15/'95
 016-10/09/'95
 023-5/17/'96