Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-117-A Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Audi AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

<u>Fuel Type (Certification Fuel)</u>: Gasoline (Indolene)

Engine Family: WADXVO1.8322 <u>Displacement</u>: 1.8 Liters (109 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensor (two) Turbocharger Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>	
50,000	0.125	3.4	0.4	0.015	10.0	
100,000	0.156	4.2	0.6	0.018	n/a	

The TLEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.067	1.6	0.1	0.001	3.7
100,000	0.073	1.7	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 21 day of October 1997

R. B. Summerfield, Chief

Mobile Source Operations Division

PAGE NO.

.o.# 16.55.-017-A

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDUM-DUTY VEHICLES

and the companies of th

Manufacturer	: AUDI AG		Exh Er	ng Fam	: <u>WADXV01.832</u>	2 Evap Fam:	WADXR0140232	
All Engine C	odes in Engine E	Family:	CA	49S_	50S_X_AE	965ORVR:	Yes X No	
Exh Std: CA	Tier-1TLE		LEV	1	ULEVSUL	EV; US	EPA Tier-1 X	
Exh Std: CA Tier-1 TLEV X LEV ULEV SULEV ; US EPA Tier-1 X Veh Class(es): PC X LDT1 LDT2 MDV1 MDV2 MDV3 MDV4 MDV5								
Single Cert	Std for Multi-Cl	.ass Eng	Fam: N	V/A (s	pecify: N/A, L	DT1, MDV1, MD	V2, MDV3, MDV4)	
Fuel Type(s): Dedicated X Flex-Fuel Dual-Fuel Bi-Fuel Gasoline X Diesel								
CNG LNG LPG M85 Other (specify)								
Exh Emiss Test Fuel(s): Indo X CBG CNG LPG M85 Other (specify)								
							FR 86.113-94	
	Emission Test Pr							
Service Accur	m: Std AMA <u>X</u>	Mod Al	4A	Mfr A	ADP Other	(specify)		
NMOG Test Pro	ocedure: N/A	Std_X	Eq	puiv	R/L Test	Proc: SHED	_ Pt Source_X_	
Engine Confi	g. <u>L4 Turbo</u>	Displace	ement:	1	.8 Liter	s <u>109</u>	Cubic Inches	
Valves per C	ylinder: <u>5</u>				Rated HP	:150@	3700 RPM	
Engine: From	nt X Mid	Rear		Drive:	FWD X RW	D 4WD-FT	X 4WD-PT	
Exhaust ECS	(e.g., MFI, EGR,	TC, CAG	C, etc.)	SFI / TWC /	HO2S (2) / tur.	bocharger. /CAC	
				(ι	se abbreviati	ons per SAE 1	930 JUN93)	
Engine Code	Vehicles Models	Trans.	ETW	DPA	Ignition	EGR	Catalytic	
(also list	(if codded see attachment)	Type (M5, A4	or	or		System	Converter	
CA/ 4931/ 3031)	accacriment,	ect.)	WT	RLHP	Part No.	Part No.	Part No.	
AEB WE	A4	M5	3105		000 007 557 %			
" "	A	L5	3125 3250	5.7	8D0 907 557 N	n.a. "	8D0 131 702 BC	
<i>"</i>	A4 Quattro	M5Q	3375	6.8	,,	"	,,	
"	an gaacero	L5Q	3500	6.8		"	"	
"	Passat	M5	3375	6.1	"	,,	,,	
"		L5	3500	6.8		**	"	
"	Passat Wagon	м5	3375	6.1	"		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
"		L5	3500	6.B	"	"	"	
	İ							
Date Issued: 09-03-97								
Revisions:								