

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER P-10-86  
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Ford Motor Company federally certified exhaust emission control systems are certified for sale in California as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: WFMXV04.6DCA Displacement: 4.6 Liters (280 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

- Dual Three Way Catalytic Converters (three)
- Dual Heated Oxygen Sensors (two)
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.25	3.4	0.4	10.0
100,000	0.31	4.2	0.6	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.14	2.9	0.1	3.9
100,000	0.19	4.0	0.1	n/a

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emission credits for its estimated California sales of federally certified 1998 model vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles for Sale in California" (Title 13, California Code of Regulations, Section 1960.5).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gases (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations,

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 8<sup>th</sup> day of September 1997.

  
R. B. Summerfield, Chief  
Mobile Source Operations Division

## 1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: FORD MOTOR COMPANYEng. Family: WFMXV04.6DCAPass Car: X (PC) Light-Duty Truck:     (T1/T2)Med-Duty Vehicle:     (M1/M2/M3/M4/M5)Standards Type: T-1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Vehicle Type: (FFV, HEV (type A/B/C))    Fuel Type: INDOLENE CLEAR Evaporative Family: WFMXE0045AAAEquip. Std: 506  
ORVR: NOEngine Config: V-8 Liter (CID): 4.6L (280)Engine: Front X Mid     Rear     Drive: FWD     RWD X 4WD-FT     4WD-PT    Exhaust ECS & Special Features: (incl. CARB, MFI 2TWC(3) <sup>(2)</sup> 2HO2S/ EGR/ SFI  
(Use abbreviations per SAE J1930 May91)

Engine Code (Cert Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
820AR05N	MUSTANG	A	3875	8.0	F8ZF-VB	F6ZE-CA	F8ZC-BA
820BR05N	MUSTANG	A	3875	8.0	F8ZF-XB	F6ZE-CA	F8ZC-BA
820CR05N	MUSTANG	A	3875	8.0	F8ZF-YB	F6ZE-CA	F8ZC-BA
820DR05N	MUSTANG	A	3875	8.0	F8ZF-ZB	F6ZE-CA	F8ZC-BA
820AR05A	MUSTANG	A	3875	8.0	F8ZF-VB	F6ZE-CA	F8ZC-BA
820BR05A	MUSTANG	A	3875	8.0	F8ZF-XB	F6ZE-CA	F8ZC-BA
820CR05A	MUSTANG	A	3875	8.0	F8ZF-YB	F6ZE-CA	F8ZC-BA
820DR05A	MUSTANG	A	3875	8.0	F8ZF-ZB	F6ZE-CA	F8ZC-BA
820AR05N	MUSTANG	A	3750	8.0	F8ZF-VB	F6ZE-CA	F8ZC-BA
820BR05N	MUSTANG	A	3750	8.0	F8ZF-XB	F6ZE-CA	F8ZC-BA
820CR05N	MUSTANG	A	3750	8.0	F8ZF-YB	F6ZE-CA	F8ZC-BA
820DR05N	MUSTANG	A	3750	8.0	F8ZF-ZB	F6ZE-CA	F8ZC-BA
820AR05A	MUSTANG	L4	3750	8.0	F8ZF-VB	F6ZE-CA	F8ZC-BA
820BR05A	MUSTANG	L4	3750	8.0	F8ZF-XB	F6ZE-CA	F8ZC-BA
820CR05A	MUSTANG	L4	3750	8.0	F8ZF-YB	F6ZE-CA	F8ZC-BA
820DR05A	MUSTANG	L4	3750	8.0	F8ZF-ZB	F6ZE-CA	F8ZC-BA

Due to the unavailability of Calif. evap emissions parts this Model type (auto. trans. only) in the Fed engine family is being sold under the provisions of the Young Bill for an approx. 1-2 month period.

20.09.17.02 -2

Date Issued: AUG 25 1997  
Revised: