(Page 1 of 3)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-325-10 Relating to Certification of New Motor Vehicles

GFI CONTROL SYSTEMS, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year GFI Control Systems, Inc. exhaust emission control systems are certified as described below for medium-duty vehicles:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Dual-Fuel Compressed Natural Gas (CNG) or Gasoline (Indolene)

Engine Family: WG9XA05.4JGN <u>Displacement</u>: 5.4 Liters (330 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Dual Three Way Catalytic Converters (two)
Dual Heated Oxygen Sensors (two)
Exhaust Gas Recirculation
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gases (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are: (The standards in parentheses are for gasoline.)

Test Weight (lbs.)	Miles	NMOG	CO	N0x	нсно	_CO (20°F)
5751-8500	50,000	0.195 (0.39)	5.0 (5.0)	0.6 (0.6)	0.022 (0.022)	n/a (12.5)
	120,000	0.280 (0.56)	7.3 (7.3)	0.9 (0.9)	0.032 (0.032)	n/a

The CNG certification exhaust emission values set forth for NMOG reflect application of a reactivity adjustment factor (RAF) for CNG-fueled medium-duty LEVs, and the addition of the product of the methane exhaust emission value and a RAF for methane emission of CNG-fueled medium-duty LEVs.

Reactivity Adjustment Factor for NMOG Mass Emission: 0.43

Reactivity Adjustment Factor for Methane Mass Emission: 0.0047

The certification exhaust emission values for this engine family in grams per mile are: (The values in parentheses are for gasoline.)

Test Weight (lbs.)	Miles	NMOG	<u> </u>	NOx	НСНО	CO (20°F)
5751-8500	50,000	0.043 (0.21)	4.1 (1.6)	0.2 (0.2)	0.001 (0.0002)	n/a (5.8)
	120,000	0.050 (0.23)	4.7 (1.7)	0.2 (0.2)	0.001 (0.0002)	n/a

BE IT FURTHER RESOLVED: That the manufacturer shall not be subject to the phase-in requirement as specified in Title 13, California Code of Regulations, Section 1960.1(h)(2) Endnote (10)(d) applicable to small-volume manufacturers of medium-duty vehicles.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 21

R. B. Summerfield, Chief

Mobile Source Operations Division

GF I

EO#A-325-10

Air Resources Board Supplemental Data Sheet Passenger Cars, Light Duty Trucks and Medium Duty Vehicles Model Year 1998

			MIOG	er Year	1998		7	
Exh Std: CA Veh Class(es): Single Cert Sta Fuel Type(s):	CFI CONTROL. Codes in Engine Fam. Tier-1 TLEV PCLDT1_ Codard for Multi-Cla DedicatedFlev CNG_X_LNG_ TFuel(s): Indo_X	LEVLDT2_ass Eng Fan	49s50s XULEV MDVI_ mily:_N/A Dual Fuel_X	SULE MDV (specify:	WG9XA05.4.JGN 965	ORVR: Y US EPA T MDV4 MDV2, MD Diesel	osNo <u>X</u> ier-1 MDV5 V3, MDV4)	• -
Evaporative Em Service Accum: NMOG Test Pro Engine Configur Valves Per Cylir	Diesel; 1: sissions Test Proced Std AMA coedure: N/A sation: V8 der: 2	3 CCR 228; lure: Calif Mod AMA Sid X Displac	2 40 (fornisX Mfr Equiv :ement:	FR 86.11 ADP R 5.4	Other (i 3-9040 CF ederal Other (specify) /L Test Proc: SHI	specify) R 86.113-90 CNG: Assign ED Pt So 	Gas adfs cl arce X ubic Inches	s: o from PORD.
Exhaust BCS (e.g	X Mid	RearCAC):	2TV	(C (2), 2)	RWD X 4W. 102S(2), EGR. S) 118 per SAE J1930	D-FT4WE	RPM -PT	
Engine Code	Vehicle Models	Trans.	ETW	DPA	Tomisto		<u> </u>	_

Engine Code (also list CA/49st/50st)	Vehicle Models (if coded see attachment)	Trans. (M5, A4 etc.)	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM)	EGR System	Catalytic Converter
MAAFI/ 8-46M	E-250/350 Van	A4			Part No.	Part No.	Part No.
GFI025PA	GVWR 8050	A4	8000 lbm	17 hp	F8UF-12A650 - SB A2-625 K1-122	F75E-9D475-CA	F7UA-5E212-KC
							ļ