

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-417  
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Chrysler Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type: Gasoline

Engine Family: XCRXT0201230 Displacement: 3.3 Liters (201 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Exhaust Gas Recirculation  
Three Way Catalytic Converter  
Heated Oxygen Sensors (two)  
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The non-methane organic gas (NMOG), carbon monoxide (CO), oxides of nitrogen (NOx), and formaldehyde (HCHO) LEV certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
3751-5750	50,000	0.100	4.4	0.4	0.018	12.5
	100,000	0.130	5.5	0.5	0.023	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for NMOG reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lbs.)	Miles	NMOG	CO	NOx	HCHO	CO (20°F)
3751-5750	50,000	0.086	0.5	0.1	0.002	3.4
	100,000	0.106	0.6	0.1	0.002	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles", and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29<sup>th</sup> day of June 1998.



R. B. Summerfield, Chief  
Mobile Source Operations Division

1999 MODEL YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
 PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

E.O. # A-9-417  
 Page 1 of 1

Manufacturer: Chrysler Corporation Exh Eng Fam: XCRXT0201230 Evap Fam: XCRXE0101G2A  
 Eng Codes in Eng Fam: CA X 49S      50S      AB965      ORVR: YES      NO X  
 Std: CA Tier-1      TLEV      LEV X ULEV      SULEV     ; US EPA Tier-1      Veh  
 Class(es): PC      LDT1      LDT2 X MDV1      MDV2      MDV3      MDV4      MDV5       
 Single Cert Std for Multi-Class Eng Fam: N/A (Specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Fuel Type(s): Dedicated X Flex-Fuel      Dual-Fuel      Bi-Level      Gasoline X Diesel       
                   CNG      LNG      LPG      M85      Other (specify)       
 Emis Test Fuel(s): Indo      CBG X CNG      LPG      M85      Other(specify)       
                   Diesel: 13 CCR 2282      or 40 CFR 86.113-90      or 40 CFR 86.113-94       
 Evaporative Emission Test Procedure: California      Federal X  
 Service Accum: Std AMA      Mod AMA X Mfr ADP      Other (Specify)       
 NMOG Test Procedure: N/A      Std      Equiv X R/L Test Proce: SHED      Pt Source X  
 Engine Configuration: V-6 Displacement:      / 3.3 Liters      / 201 Cubic Inches  
 Valves per Cylinder: 2 Rated HP:      162 @ 4800 RPM  
 Engine: Front X Mid      Rear      Drive: FWD X RWD      4WD-FT      4WD-PT       
 Exhaust ECS (eg., EGR, MFI, TC, CAC): EGR, HO2S(2), SFI, TWC, OBDII  
 (use abbreviations per SAE J1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. Type M5 A4	ETW or Test Wt.	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Converter Part No.
CA-100 (CA)	NSHL, KL-52	A4	4000	S E E  A T T A C H M E N T	04727245AA	04287189	04809444AA
	NSHH52.53 NSHK, KL-53 NSKL, KP-53 NSYP52		4250				
	NSKH, KP-53 NSYP53		4500				

Date Issued: 01/10/98

Revisions: \_\_\_\_\_

MODELS COVERED BY CERTIFICATE

Vehicle MFR: CHRYSLER

Engine Family: XCRXT0201230  
Evaporative Fam: XCRXE0101G2A

Certificate #:

Model ID	Car Line	California Sales
MSKH52	Caravan 2WD	YES
MSKL52	Caravan 2WD	YES
MSXP52	Caravan LE 2WD	YES
MSKL53	Grand Caravan LE 2WD	YES
MSXP53	Grand Caravan LE 2WD	YES
MSKH53	Grand Caravan SE 2WD	YES
MSYP53	Town & Country 2WD	YES
MSYP52	Town & Country LX 2WD	YES
NSHL53	Voyager 2WD	YES
NSHH53	Voyager LE 2WD	YES
NSHH52	Voyager SE 2WD	YES
NSHL52	Voyager SE 2WD	YES

Model Codes

NS K P 53

--- Body Style  
12=113" Wb Van  
13=119" Wb Van  
52=113" Wb Wagon  
53=119" Wb Wagon

--- Price Class  
H=High Line  
P=Premium  
L=Low Line

--- Model  
K=Dodge D=Dodge AWD  
H=Plymouth P=Plymouth AWD  
Y=Chrysler C=Chrysler AWD

--- Body Code  
NS=Minivan

