State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-836-1 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

<u>Fuel Type</u>: Gasoline

Engine Family: XGMXV02.4027 Displacement: 2.4 Liters (145 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Three Way Catalytic Converter Heated Oxygen Sensor Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

| Miles | Non-Methane Organic Gas | Carbon <u>Monoxide</u> | Nitrogen <u>Oxides</u> | <u>Formaldehyde</u> | Carbon <u>Monoxide (20°F)</u> |
|---------|----------------------------|---------------------------|---------------------------|---------------------|----------------------------------|
| 50,000 | 0.075 | 3.4 | 0.2 | 0.015 | 10.0 |
| 100,000 | 0.090 | 4.2 | | 0.018 | n/a |

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.94

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.94 RAF for 1999 model-year LEVs. The LEV certification exhaust emission values for this engine family in grams per mile are:

| <u>Miles</u> | Non-Methane Organic Gas | Carbon <u>Monoxide</u> | Nitrogen <u>Oxides</u> | <u>Formaldehyde</u> | Carbon <u>Monoxide (20°F)</u> |
|--------------|----------------------------|---------------------------|---------------------------|---------------------|----------------------------------|
| 50,000 | 0.048 | 1.0 | 0.1 | 0.001 | 3.1 |
| 100,000 | 0.053 | 1.5 | 0.2 | 0.001 | n/a |

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(6.2) ("Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty vehicles and Engines").

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-6-836 dated June 11, 1998, is superseded and replaced by Executive Order A-6-836-1.

Executed at El Monte, California this ______ day of October 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

25321134

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| MFR: GENERAL N | MOTORS CORP | . ENGINE FAM | ILY: XGMXV02.402 | 7 EVAP | FAMILY: XGM | XR0124912 |
|------------------|----------------|------------------------|------------------|--------------|------------------|-------------------|
| ALL ENGINE COD | ES IN ENGINE I | FAMILY: CA(X) | 49S() 50S() | AB965 () | ORVR: YES | (X) NO() |
| EXH STD: CA TIE | ER-1() TLE | <pre>V() LEV(X)</pre> | ULEV() SULE | V(); U. | S. EPA TIER-1 | () |
| VEH CLASS(ES): | PC(X) LD | T1() LDT2() | MDV1() MDV | 2() MDV3 | () MDV4 (|) MDV5() |
| SINGLE CERT STA | ANDARD FOR M | IULTI-CLASS ENGI | NE FAMILY: NA | | | |
| FUEL TYPE(S): D | EDICATED (X) | GASOLINE (X); | EXH EMIS TES | T FUEL(S): I | NDOLENE() | CBG(X) |
| EVAP EMIS TEST | PROCEDURE: | CALIF () FE | ED(X) | | | |
| SERVICE ACCUM | JLATION: STD | AMA () MFR A | DP(X); NMOG | TEST PROCE | DURE: NA() | EQUIV(X) |
| R/L TEST PROCE | DURE: PT SO | URCE(X) | | | | |
| ENGINE CONFIGU | RATION: 14() | () V6() V8(|) DISPL | ACEMENT: 2 | 2.4 LITERS / 14: | 5 CU, IN. |
| | VAL | /ES / CYLINDER: | 2() 4(X) | RATE | ED HP: 150 @ | 5600 RPM |
| ENGINE LOCATIO | N: FRONT(X) | 1 | DRIVE: FWD(X) | RWD() | 4WD-FT() | 4WD-PT() |
| EXHAUST EMISSION | ON CONTROL S | YSTEM: SFI, TWO | C, O2S, HO2S | | | |
| RLHP / DPA VALUE | ES: SECTION (| 8.13.02.00 | | | | |
| NGINE CODE | | | | FOLIN | EGR | CATALYTIC |
| & LETTER | LOC | VEH MODELS | TRANS | TEST | | CONVERTE |
| DERIVATIVES*1 | (C/F/NW) | (SEE PAGE 1) | (M5,A4.ETC.) | WEIGHT | PART NO. | PART NO. |
| 1,21 | С | 2NE37 2NE69 | A4 | 3375 | NA | 25 178564. |

| *1 | Base engine codes are the same as letter derivatives unless otherwise noted. | Refer to PCM/VCM part number page |
|----|--|-----------------------------------|
| | for additional engine code letter derivative information. | |

| CARLINE NAME | CARLINE CODE |
|------------------|--------------|
| PONTIAC GRAND AM | 07025 |
| OLDSMOBILE ALERO | 06020 |

3NL37 3NL69 3NK37 3NK69

ISSUED: ML-XP149

REVISED: ML-XR064, ML-XP158, ML-XR077

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MFR: GENERAL MOTORS CORP.

ENGINE FAMILY: XGMXV02.4027

EVAP FAMILY: XGMXR0124912

| ENGINE CODE & LETTER DERIVATIVES*1 | LOC (C/F/NW) | VEH MODELS (SEE PAGE 1) | TRANS (M5,A4,ETC.) | EQUIV. TEST <u>WEIGHT</u> | EGR SYSTEM PART NO. | CATALYTIC CONVERTER PART NO. |
|--|-----------------|----------------------------|-----------------------|---------------------------------|---------------------------|------------------------------------|
| 2,22 | С | 1JF37 2JB37 1JF69 | A4 | 3125 | NA | 25178564, 25321134 |
| | | 2JB69 2JD37 | | 3250 | | • |
| | | 1JF67 2JB67 | | 3375 | | |
| 5,25 | | 1ND69 3NB69 3NG69 | | | | |
| 12,32 | | 1JF37 2JB37 | M5 | 3125 | | |
| | | 2JD37 2JB67 1JF67 | | 3250 | | |

| CARLINE NAME | CARLINE CODE |
|--------------------|--------------|
| CHEVROLET CAVALIER | 03160 |
| PONTIAC SUNFIRE | 07060 |
| CHEVROLET MALIBU | 03130 |
| OLDSMOBILE CUTLASS | 06030 |

ISSUED: ML-XP149

REVISED: ML-XR064, ML-XR077

^{*1} Base engine codes are the same as letter derivatives unless otherwise noted. Refer to PCM/VCM part number page for additional engine code letter derivative information.

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET **PCM AND CALIBRATION PART NUMBERS**

MFR: GENERAL MOTOR'S CORP. ENGINE FAMILY: XGMXV02.4027 EVAP FAMILY: XGMXR0124912

| ENGINE CODE | PCM/VCM PART NUMBER | ENGINE CALIB | OPER CALIB | TRANS CALIB |
|-------------|------------------------|-----------------|------------|-------------|
| 1,5 | 16204850 | 09351143 (CHSW) | NA | NA · |
| 1A | | 09367533 (CRLW) | | |
| 2 | • | 09350653 (CHMC) | | |
| 2A | | 09365383 (CPRD) | | |
| 5A | | 09365423 (CPRK) | | |
| 12 | | 09350603 (CHLX) | | |
| 12A | | 09365353 (CPRA) | | |
| 21 | | 9368523 (CRYZ) | | |
| 22 | | 9368583 (CRZH) | | |
| 25 | | 9368463 (CRYW) | | |
| 32 | | 9368553 (CRZC) | | |

ISSUED: ML-XP149

REVISED: ML-XR064, ML-XR064A, ML-XR077