

EXECUTIVE ORDER A-7-203  
Relating to Certification of New Motor Vehicles

VOLKSWAGEN AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Volkswagen AG exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: XVWXV02.0223 Displacement: 2.0 Liters (121 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection  
Secondary Air Injection  
Three Way Catalytic Converter  
Heated Oxygen Sensors (two)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.125	3.4	0.4	0.015	10.0
100,000	0.156	4.2	0.6	0.018	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gas (NMOG) reflect application of a 0.98 RAF for 1999 model-year TLEVs. The TLEV certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Organic Gas</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Formaldehyde</u>	<u>Carbon Monoxide (20°F)</u>
50,000	0.069	1.8	0.1	0.001	5.8
100,000	0.069	1.8	0.1	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6<sup>TH</sup> day of May 1998.

*Raphael Sannicini*

for R. B. Summerfield, Chief  
Mobile Source Operations Division

1999 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDOM-DUTY VEHICLES

Manufacturer: VOLKSWAGEN Exh Eng Fam: XVWXV02.0223 Evap Fam: XVWXE0090233  
 All Eng Codes in Eng Fam: CA 49S 50S X AB965 ORVR: YES     No X  
 Exh Std: CA Tier-1     TLEV X LEV     ULEV     ZEV    ; US EPA Tier-1      
 Evap Std: 50K     Useful Life with R/L X In-use Exh Std: Full In Use X Alt In Use      
 Veh Class(es): PC X LDT1     LDT2     MDV1     MDV2     MDV3     MDV4     MDV5      
 Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)  
 Fuel Type(s): Dedicated X Flex-Fuel     Dual-Fuel     Bi-Fuel     Gasoline X Diesel      
                   CNG     LNG     LPG     M85     Other (specify)      
 Emiss Test Fuel(s): Indo     Ph2 X CNG     LPG     M85     Other (specify)      
                   Diesel: 13 CCR 2282     40 CFR 86.113-90     40 CFR 86.113-94      
 Evaporative Emission Test Procedure: California     Federal X  
 Service Accum: Std AMA X Mod AMA     Mfr ADP     Other (specify)      
 NMOG Test Procedure: N/A     Std X Equiv     R/L Test Proc: SHED     Pt Source X  
 Engine Config. 4 / in line Displacement: 2.0 Liters 121 Cubic Inches  
 Valves per Cylinder: 2 Rated HP: 115 @ 5,400 RPM  
 Engine: Front X Mid.     Rear     Drive: FWD X RWD     4WD-FT     4WD-PT      
 Exhaust ECS (eg., EGR, MFI, TC, CAC, etc.) SFI / AIR / TWC / HO2S(2)  
 (use abbreviations per SAE 1930 JUN93)

Engine Code (also list CA/49ST/50ST)	Vehicles Models (if coded see attachment)	Trans. Type A-auto M-man.	ETW or Test WT	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
ABA-T 50ST	Jetta	M	3,000	6.9	037 906 259E 037 906 259N 037 906 259AA	-	1HM 131 701 Q
ABA-T 50ST	Golf	M	2,875	6.9	037 906 259E 037 906 259N 037 906 259AA	-	1HM 131 701 Q
ABA-T 50ST	Cabrio	M	3,125	8.0	037 906 259Q 037 906 259T	-	1HM 131 701 Q
ABA-T 50ST	Golf	A	3,000	6.3	037 906 259E 037 906 259N 037 906 259AA	-	1HM 131 701 Q
ABA-T 50ST	Jetta	A	3,125	6.3	037 906 259E 037 906 259N 037 906 259AA	-	1HM 131 701 Q
ABA-T 50ST	Cabrio	A	3,125	7.6	037 906 259Q 037 906 259T	-	1HM 131 701 Q

Date Issued: 02-03-98

Revisions: \_\_\_\_\_