State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-18-93 Relating to Certification of New Motor Vehicles

VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1999 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for passenger cars:

Emission Standard Category: Low-Emission Vehicle (LEV)

Fuel Type (Certification Fuel): Gasoline (Indolene)

Engine Family: XVVXV2.43PA2 Displacement: 2.3 Liters (142 Cubic Inches) 2.4 Liters (149 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Sequential Multiport Fuel Injection Heated Oxygen Sensors (two) Three Way Catalytic Converter Turbocharger Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The LEV certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon Monoxide (20°F)	
50,000 100,000	0.075 0.090	3.4 4.2	0.2	0.015 0.018	10.0 n/a	

The LEV certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane Organic Gas	Carbon <u>Monoxide</u>	Nitrogen Oxides	<u>Formaldehyde</u>	Carbon <u>Monoxide (20°F)</u>
50,000	0.048	1.1	0.03	0.001	4.8
100,000	0.052	1.2	0.04	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average NMOG exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet average compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the manufacturer is certifying the listed vehicle models with a partially complying on-board diagnostic system for the aforementioned model year pursuant to Title 13, California Code of Regulations, Section 1968.1(m)'(6.2) "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog Index Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the "California Refueling Emission Standards and Test Procedures for the 1998 and Subsequent Model Motor Vehicles," Title 13, California Code of Regulations, Section 1978, and the listed models comply with those standards.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _______ day of August 1998.

R. B. Summerfield, Chief

Mobile Source Operations Division

1999 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Page 1

Manufacturer: VOLVO (AR CORP. E	xh Eng Fa	m: <u>XVV</u>	(V2.43 PAZ E	vap Fam: XVVX	RØ133PA1
All Engine Codes in Engine Familiy: CA	49S	_ 50s <u>/</u>	_ AB965,	ORVR: YES	X NO
Exh Std: CA Tier-1 TLEV LEV	v_X	LEV	SULEV,	US EPA	Liet-MVCEN V
Veh Class(es): PC X LDT1 LDT2_	MDV1	MD	V2 MDV3_	MDV4_	_ XDV5
Single Cert Std for Multi-Class Eng Fam:	: N/A (SP	ecify:	N/A, LDTI, MI	OVI, MDV2, M	DV3, MDV4)
Fuel Type(s): Dedicated X Flex-Fuel_	Dual-	Fuel	Bi-Fuel	Gasoline 🔨	Diesel
CNG LNG LPG }	185 0	ther (s	pecify)		
niss Test Fuel(s): Indo X CBG	_ CNG	LPG	Ot	her (specif	Α)
Diesel: 13 CCF	2282	40 CF	R 86.113-90	40 CFR 86	.113-94
Evaporative Emission Test Procedure: Ca	alifornia		fed eral_X		
Service Accum: Std AMA Mod AMA	_ Mfr A	DP	Other (specif	(A)	Z
Test Procedure: N/A Std X	Equiv_	_ R/	L Test Proc:	SHED Pt	Source
Engine Configuration: 7-5 Displaceme	ent: <u>2,3</u>	12.7	Liters 144	5460/cu	oic inches
Valves per Cylinder: 4	Rated	HP: 43	6/190	3 100/3/2	AND DT
Engine: Front Mid Rear	Drive:	FWD	RWD	#MD-F.L	44D_tT
Exhaust ECS (e.g., MFI, EGR, TC, CAC):	1.1102	abbrev	iations per Si	AE J1930 JUN	93) —
					Catalytic
Engine Code Vehicle Models Trans.	erw	OF	Ignition (ECM/PCM)	System	Converter
X53:1 (SDS) S70/V76/C70 M5	3625	6.9	9125601	. N/A	9470013
733.1 (303) 340/V+0/C70 (13)	ردس	7.1			
	3750	7.4	- 1		•
	4000	7.6			
	7000		10000	- KU	GL 3dd 42
X53:2 (50st) 876/V76/C76 L4	3625	6.5	9125601	1VA	9470013
X33:2 (80st) 370/ 470/ 640 14	J0~	6.8			
		067		! !	
	3750	7.2 7.3	1		
		7.5	· .		
-)	4000	7.7	1 1 1		_
		7.6	1 		
V 56:2 (Dt) S70/V70/C70 L4	3625	6.5	9125601	N/A.	9470013
X56:2 (Dot) S70/V70/C70 L4	2623	66			
	000	6.8	1		
	3750	7.5			1
	! !	7.6			1
	4000	7,7		[1	! !
		<u> </u>	<u>i</u> .	<u> </u>	

Date Issued:

Revisions: