

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-342  
Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 2000 model-year Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for light-duty trucks:

Emission Standard Category: Transitional Low-Emission Vehicle (TLEV)

Fuel Type: Gasoline

Engine Family: YNSXT03.325A Displacement: 3.3 Liters (200 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Dual Three Way Catalytic Converters (Two)
- Dual Heated Oxygen Sensors (Two)
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The TLEV certification exhaust emission standards for this engine family in grams per mile are (Title 13, California Code of Regulations, Section 1960.1):

Loaded Vehicle Weight (lb)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Formaldehyde	Carbon Monoxide (20°F)
3751-5750	50,000	0.160	4.4	0.7	0.018	12.5
	100,000	0.200	5.5	0.9	0.023	n/a

Reactivity Adjustment Factor (RAF) for NMOG Mass Emission: 0.98

The certification exhaust emission values set forth for non-methane organic gases (NMOG) reflect application of a 0.98-RAF for 2000 model-year TLEVs. The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight (lb)	Miles	Non-Methane Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Formaldehyde	Carbon Monoxide (20°F)
3751-5750	50,000	0.066	0.7	0.2	0.001	6.6
	100,000	0.067	0.8	0.2	0.001	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet-average NMOG exhaust mass emission requirements set forth in Title 13, California Code of Regulations, Section 1960.1 ("California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles.")

BE IT FURTHER RESOLVED: That under the submitted NMOG fleet-average compliance plan, if the manufacturer incurs an NMOG debit for the aforementioned model-year based on the projected NMOG fleet-average exceeding the value required by the above-referenced standards and test procedures, all NMOG debits incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running-loss and useful-life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent-Model Motor Vehicles;" and that the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model-year (Title 13, California Code of Regulations, Section 2235).

BE IT FURTHER RESOLVED: That the listed models also comply with the Board's high-altitude requirements and highway emission standards, and with the Inspection and Maintenance emission standards in place at the time of certification as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control and Smog-Index Label Specifications" for the aforementioned model-year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic-System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" (Title 13, California Code of Regulations, Section 1968.1) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the vehicle manufacturer has demonstrated compliance with the exhaust emission standards at 50 degrees Fahrenheit as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent-Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28<sup>th</sup> day of June 1999.



R. B. Summerfield, Chief  
Mobile Source Operations Division

17.11.01 2000 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: YNSXT03.325A Evap Fam: YNSXE0110MBA

All Engine Codes in Engine Fam: CA X 49S \_\_\_ 50S \_\_\_ AB965 \_\_\_ , ORVR : Yes \_\_\_ No X

Exh Std: CA Tier-1 \_\_\_ TLEV X LEV \_\_\_ ULEV \_\_\_ SULEV \_\_\_ , US EPA Tier-1 \_\_\_

Veh Class(es): PC \_\_\_ LDT1 \_\_\_ LDT2 X MDV1 \_\_\_ MDV2 \_\_\_ MDV3 \_\_\_ MDV4 \_\_\_ MDV5 \_\_\_

Single Cert Std for Multi-Class Eng Fam: N/A (specify: N/A, LDT1, MDV1, MDV2, MDV3, MDV4)

Fuel Type(s): Dedicated X Flex-Fuel \_\_\_ Dual-Fuel \_\_\_ Bi-Fuel \_\_\_ Gasoline X Diesel \_\_\_

CNG \_\_\_ LNG \_\_\_ LPG \_\_\_ M85 \_\_\_ Other (specify) \_\_\_\_\_

Exh Emiss Test Fuel(s): Indo \_\_\_ CBG X CNG \_\_\_ LPG \_\_\_ M85 \_\_\_ Other (specify) \_\_\_\_\_

Diesel: 13 CCR 2282 \_\_\_ 40 CFR 86.113-90 \_\_\_ 40 CFR 86.113-94 \_\_\_

Evaporative Emission Test Procedure : California \_\_\_ Federal X

Service Accum: Std AMA X Mod AMA \_\_\_ Mfr ADP \_\_\_ Other (specify) \_\_\_\_\_

NMOG Test Procedure: N/A \_\_\_ Std X Equip \_\_\_ R/L Test Proc: SHED \_\_\_ Pt Source X

Engine Configuration: V6 Displacement: 3.3 Litters 199.8 Cubic Inches

Valves per Cylinder: 2 Rated HP: 170 @ 4800 RPM

Engine: Front X Mid \_\_\_ Rear \_\_\_ Drive: FWD \_\_\_ RWD X\* 4WD-FT X\* 4WD-PT X\*

\*RWD is applicable to the Pathfinder 2WD only

4WD-FT is applicable to the QX4 only

4WD-PT is applicable to the Pathfinder only

Exhaust ECS (eg., EGR, MFI, TC, CAC): 2TWC(2)/2HO2S(2)/EGR/SFI

(use abbreviations per SAE J1930 JUN93)

Continued on next page

Issue Date : 06/09/99

Revision Date :

17.11.01 2000 MODEL-YEAR AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
PASSENGER CARS, LIGHT-DUTY TRUCKS AND MEDIUM-DUTY VEHICLES (cont'd)

Manufacturer: NISSAN MOTOR CO., LTD. Exh Eng Fam: YNSXT03.325A Evap Fam: YNSXE0110MBA

Engine Code (also list CA/49ST/50ST)	Vehicle Models (if coded see attachment)	Trans. (M5,A4 etc.)	ETW or Test Wt	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalytic Converter Part No.
AV33ECA1 (CA)	NISSAN PATHFINDER 2WD XE	L4	4250	14.6	MEC07-131	EGR VALVE VASA005	Mani. (RH) 0W5 (LH) 0W5 Underfloor (RH) 1W6 (LH) 1W6
	NISSAN PATHFINDER 2WD LE						
	NISSAN PATHFINDER 2WD SE			15.7			
	NISSAN PATHFINDER 4WD XE		4500				
	NISSAN PATHFINDER 4WD LE			16.6			
	NISSAN PATHFINDER 4WD SE						
	INFINITI QX4 4WD LE		4750	16.1	MEC07-161		
	AV33ECM1 (CA)		NISSAN PATHFINDER 2WD SE	M5	4250		
NISSAN PATHFINDER 4WD SE	4500	16.6					

Issue Date : 06/09/99

Revision Date :