HONDA MOTOR CO., LTD.

EXECUTIVE ORDER A-023-0309
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODE YEAI		T GROU	Р	VEHICLE TYPE		AUST EMISSION DARD CATEGORY	FUEL TYPE Sasoline					
2002	2 2HN	(V02.0VB	Р	Passenger Car		II" Low Emission Vehicle (LEV II LEV)						
No.	EVAPORATIVE FAMILY (EVAP)		No.	SPECIAL FEATURE EMISSION CONTROL SYS	S & TEMS (ECS)	TWC = 3-way catalytic converter WUTWC = warm-up TWC ADSTWC = adsorber TWC OC = oxidation						
1	2HNXR00	* * * * * * * * * * * * * * * * * * *			A/FS, SFI, OBD	(F)	catalytic converter O25 = ovugen concer					
2	*					·	A/FS= air fuel ratio sensor PAIR = pulsed AIR					
3	*				*	TC/SC = turbo/super charger CAC = charge air cooler						
4	*		4		*		OBD (F) / OBD (P) = on-board diagnosis; full / partial compliance (prefix) 2 = parallel (2) (suffix) = series					
EVAI No.	ECS No.	ENGIN SIZE (VEHICLE NAKES & MODELS S	EHICLES SUB.	JECT TO SFTP	ABBREVIATIONS:					
1	1 2.0					Agura RSX						
*	*	*				-						
*	*	*										
*	*	*				*						

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows. Any debit in the manufacturer's compliance plan for "NMOG Fleet Average" (passenger cars and light-duty trucks) or "Vehicle Equivalent Credit" (medium duty vehicles) shall be equalized as required. The 50° Fahrenheit standards and CERT levels are listed below or compliance has been met based on the manufacturer's submitted compliance plan in lieu of actual testing.

NMOG FLEET AVERAGE [g/mi]			G [g/mi] AF = 0.94	CH4 = methane NMOG = non-CH4 organic gas NMHC = non-CH4 hydrocarbon CO = carbon monoxide NOx = oxides of nitrogen HCHO = formaldehyde PM = particulate matter RAF = reactivity adjustment factor											
CERT	STD	CH4 RAF = *		90 [g/mi]		NOx [g/mi]			HCHO [mg/mi]			PM [g/mi]		Hwy NOx [g/mi]	
0.053	0.068	CERT	STD	CERT STD CER		CERT	S	TD	CERT	STD	CER	RT STD		CERT	STD
	@ 50K	0.033	0.075	0.6	3.4	0.04	0	.05	1	15	*		*	0.01	0.07
K = 1000 miles	@ 120K	0.040	0.090	0.9	4.2	0.05	0.	0.07	1	18	*	*	*	0.02	0.09
	@ 50°F, 4K	*	./	*	*			•			*		*	*	+
CO [g/mi] @ 20°F, 50K g = gram mg = milligram			NMHC+NOx [g/mi] NMHC+NOx [g/mi] (composite) [US06]			/mi]	CO [g/mi] NMHC			C+NOx [9	+NOx [g/mi] CO [g/mi] SC03] [SC03]				
CERT	ERT STD		mi = mile		STD	CERT	S	TD	CERT	STD	CERT		TD	CERT	STD
3.4	.4 10.0		@ 4K			0.02	0.	14	0.5	8.0	0.01	0	.20	2.2	2.7
F = degree	Fahrenheit		@ 120K		•	*		٠	*	*	*		*	*	•
@ 100K	EVAPORATIVE FAI		MILY 1	EVAPORATIVE		FAMILY 2 E'		VAPORATIVE FAMILY		-Y 3	3 EVAPOR		ATIVE FAMILY 4		
100K	3-D 2-D	RL	ORVR	3-D	2-D	RL 0	RVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR
CERT	1.1	0.0	0.10		.	• /	*	*	*	* .	*	*	*	. *	*
STD	2.0 2.5	0.0	0.20		• 7			*	*	*	*	*	*	*	
2-D , 3-D [g/f	test] = 2 day, 3-	lay diurna	and hot-soal		RL [g/mi] =	running lo	SS .		ORVR [g/ga	llon of fue	I dispense	d] = on-be	oard refu	eling vapor	recovery

BE IT FURTIMER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 (labeling), 1968.1 or 1968.1(m)(6.2) (on-board diagnostic systems; Jull of partial compliance), 2035 et seq. (emission control warranty), 2235 (fuel tank fill pipes and openings), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this _/8 day of June 2001. _

R. B. Summerfield, Chief Mobile Source Operations Division