## VOLKSWAGEN AG

EXECUTIVE ORDER A-007-0229-1 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODI		TEST GROUP			VEHICLE TYPE C=passenger car; LDT=light-dui DV=medium-duty vehicle; LVW= vehicle weight; ALVW=adjusted	y truck;	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=ultra LEV; SULEV=super ULEV)			EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefled natural gas; LPG=liquefled petroleum gas)					
200		3VWXV02.0223			PC		ULEV			100K / 100K Gasoline						
No.		EVAPORATIVE FAMILY (EVAF)				No.	SPECIAL FEA EMISSION CONTROL			* = not applicable	OC	OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing WU= warm-up cat. O2S/HO2S=oxygen sensor/heater				
1	3VWX	R01	10234	1			R, SFI, OBD (	AF	S/HAFS=air-fuel ratio s	ensor/heated AFS EGR=exhaust						
2		*			*					gas recirculation AIR/PAIR=secondary air injection/pulsed AIR MFI/SFI= multiport fuel injection/sequential MFI						
3	•			3	*					I= throttie body injectic	n TC/SC=furbo /eupor obayeau					
4		•				*		NCA	C=charge air cooler C gnostic prefix 2=para	)BD (F) / (P)=full /partial on-board						
EVAF No.		ECS ENGINE VEHICLE VEHICLES SUBJECT TO SIZE (L) MAKES & MODELS STANDARDS ARE UNDE			ABBREVIATIONS: *											
1	1		2.0		Volkswagen: J	etta, Jetta	tta Wagon, Jetta Wagon GLS, Golf, New Beetle, New Beetle Convertible									
*	*	,	*		2 DOWN DECID CONVENIENCE											
*	*	1	*													
*		* *			*											

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]			NMOG @ RAF=0.94 CH4 RAF = *		NMOG or							H4 hydrocai RAF=reactiv					
CER	11/1/00		NMHC	NMHC STD	mg=millig		- [String-ior	ıning loss 000 miles	OKVK	gyganon	uispensedi	=on-board r	efueling vap piemental fe	IOT TECOVER	/ CECram		
0.05	6	0.062		[g/mi]		[g/mi]		x [g/mi]	ŀ	нсно [	mg/mi]	PM [	g/mi]	Hwy NC	x [g/mi]		
ALC: The second			[3]	[3,]		CERT	STD	CERT	STI	D C	ERT	STD	CERT	STD	CERT	STD	
	1.1	@ 50K	0.014	•	0.040	1.0	1.7	0.1	0.2	2	1	8	*	*	0.03	0.3	
	1,120	@ UL	0.017	•	0.055	1.2	2.1	0.1	0.3	3	1	11	*	*	0.04	0.4	
	@ 50	°F & 4K	0.026	*	0.080	0.6	1.7	0.1	0.2	:	1	16	•	*	*	*	
@ 20	CO [g/mi] @ 20°F & 50K				NMHC+NOx [g/mi] (composite)				NMHC+NOx [g/mi] [US06]				HC+NOx	CO [g/mi] [SC03]			
50					CERT	STD	CERT	STD	CERT	STD	CE				CERT	STD	
CERT	2.3	1.44	figer (	SFTP 1	*	*	*	*	0.10	0.14	0.	8 8.0	0.15	0.20	1.3	2.7	
STD	10.0	10		SFTP 2	*	•	*	*	*	*	•	*	-	*	*	-	
@ UL			ATIVE FAM	IILY 1	EVAPORATIVE FAMILY 2				EVAPORATIVE FAMILY 3				E'	EVAPORATIVE FAMILY 4			
	3-D	2-0	RL	ORVR	3-D	2-D	RL !	ORVR	3-D	2-D	RL	ORVE		2-D	RL	ORVR	
CERT	1.0	0.8	0.02	0.05	*	*	•	*	*	*:	*	*	*	+ 2-0	*	OKVK	
STD	2.0	2.5	0.05	0.20	· ·	*  -	*	•	*	*	*	•	-	+	*	-	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order A-007-0229 dated May 9, 2002.

Executed at El Monte, California on this 23 20 day of September 2002.

Allen Lyons, Chief

Mobile Source Operations Division