BAYERISCHE MOTOREN WERKE AG

EXECUTIVE ORDER A-008-0167 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for

MODEL YEAR 2004		TEST GROUP				VEHICLE TYPE (PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)	EXHAUST EMISSION STANDARD CATEGORY (LEV=low emission vehicle; TLEV= transitional LEV; ULEV=ultra LEV; SULEV=super ULEV) ULEV			XHAUST & ORVR / EVAPORATIVE FUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ liquefled natural gas; LPG=liquefled petroleum gas)		
		4BMXV03.0SMG			PC					0K / 100K (EVAF 1)			
No.	EVA	POR	ATIVE		-	SPECIAL FEATUR		V	100	0K / 150K (EVAF 1)	Gasoline		
_			EVAF)	1	0.	EMISSION CONTROL SYS	ES & TEMS (ECS)	* = not appli					
-		BMXR0136E46			ı	2TWC, 2HAFS, 2HO2S, SFI, AIR, OBD (P)				WU= warm-up cat. O2S/H	cat. ADSTWC=adsorbing TWO		
2	4BM	BMXR0090E60			2	7,217,410,21	ensor/heated AFS EGR=exhau						
3		*			3			AIR MEI/SEI- multi-	ensor/neated AFS EGR=exhau R=secondary air injection/pulse				
4		*		-			*			TBI= throttle body Intents	ide injection/sequential MFI		
EVAF				4			*	TBI= throttle body injection Tc/Sc_furbo /super ch CAC=charge air cooler OBD (F) / (P)=full /partial on diagnostic prefix 2=parallel (2) artistic /partial on					
No.	–	CS lo.	ENGIN			VEHICLE	VEHICLES SUBJE	*1		diagnostic prefix 2=paral	lei (2) suffix=series		
4	- 1	10.	SIZE (L	.)		MAKES & MODELS S	TANDARDS ARE	CI TO SETP	ΔΙ	BBREVIATIONS:			
- 1		1	2.5			81	MV- 3251 325C1	3050' C	2 2	SUILE VIA PIONS:			
1		1 3.0					BMW: 325i, 325Ci, 325Ci Convertible, 325i Sport Wagon BMW: 330i, 330Ci, 330Ci Convertible						
_2		1	3.0				vertible						
*		*	*	_				BMW 530					
								*					

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

AVE	IOG FL RAGE	EET g/mil	NMOG @ CH4 R	RAF = *	NMOG or	CH4=meth	ane NMC	G=non-CH	4				to testi				
CER	RT	STD	NMOG CERT	NMHC CERT	NMHC STD	mg=milligr	am mi	=form aldeh RL [g/mi]=ru = m ile K=	yde PM= nning loss 1000 miles	S ORVR	[g/gailor	dispensed	=on-board	refueling va	2/3 D [g/t	est]=2/3 d	
0.04	CONTRACTOR OF	0.053	[g/mi]	[g/mi]	[g/mi]	CERT	g/mi]	CER	Ox [g/mi]		HCHO (mg/mi]	PM [plemental f	ederai test p	rocedure x [g/mi]	
		@ 50K	0.012	*	0.040	0.7	1.7	0.05			ERT	STD	CERT	STD	CERT	STD	
		@ UL	0.013	*	0.055	0.8			0.2		0	8	*	*	0.01	0.3	
	@ 50°	F & 4K	0.014	*	0.080		2.1	0.1	0.:	3	0	11	*	*	0.01	0.4	
co [g/mi]	SETP 1 =	@ AK ISIII E	3/ III 53/	1	0.7	1.7	0.05			1	16	*	*	*	*	
@ 20 50	°F&	SFTP 1 = @ 4K (SULEV, ULEV, LEV) or 50K (Tier 1, TLEV) SFTP 2 = @ UL (Tier 1, TLEV)			NMHC+NOx [g/mi] (composite) CERT STD		(composite)		[g/mi]	C+NOx [US06]	(O [g/mi] [US06]		HC+NOx ni] [SC03]	CO	[g/mi] 003]	
ERT	1.3	re en rieme		SFTP 1	**	310	CERT	STD	CERT	STD	CEI	RT STE			CERT	STD	
STD	10.0			SFTP 2					0.12	0.14	2.4	8.0	0.07	0.20	0.8	2.7	
	E\	/APORA	TIVE EAM					*	*	*	*	*	*	*	*	•	
UL	3-D	/APORATIVE FAM		ORVR	3-D		RATIVE FAMILY 2		EVAPORATIVE FA			VILY 3	EV	EVAPORAT		IVE FAMILY 4	
ERT	1.0	1.9	0.02	0.07	0.23			ORVR	3-D	2-D	RL	ORVE	₹ 3-D	2-D	RL	ORVR	
TD	2.0	2.5	0.05	0.20	0.50		0.02	0.12	*	*	*	*	*	*	#	- CKVA	
			1 3.00	0.20	0.30	0.65	0.05	0.20	*	*	*	*	*	*	*		

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this

Allen Lyons, Chief

Mobile Source Operations Division