

DAIMLERCHRYSLER CORPORATION

EXECUTIVE ORDER A-009-0622
New Passenger Cars, Light-Duty Trucks
and Medium-Duty Vehicles

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL TEST GROUP 2004 4CRXT03.82N0			(T03.82N		VEHICLE TYPE PC=passenger car; LDT=light-duty tr iIDV=medium-duty vehicle; LVW=loa vehicle weight; ALVW=adjusted LV LDT: 3,751-5,750 pounds LVV	ruck; CATEGOR vehicle; W) ULEV=uitra	TLEV= transitional LEV; LEV; SULEV=super ULE	ion EVAPORATIVE	FUEL TYPE (CNG/LNG=compressed/ liquefied natural gas; LPG=liquefied petroleum gas) Gasoline (Tier 2 Unleaded)						
No.	EVAF FAMI	LY (E	VAF)	No.	SPECIAL FEATU EMISSION CONTROL S	RES &	* = not applicable	OC/TWC=oxidizing/3-way	cat. ADSTWC=adsorbing TWC						
1	4CRXI	4CRXR0177GCA			TWC, SFI, H	02\$(2), EGR, OBD	関AFS/MA/-S=air-fuel ratio s	SERSOF/Hasted AFS FGDwaybarras							
2		•				*	-剛uas recirculation AIR/FA	RESECONDARY Sir injection/outlead							
3		•				*	M I BIR throtte body injection	t fuel injection/sequential MFI on _TC/SC≃turbo /super charger							
4	*			4		*	diagnostic prefix 2=para	OBD (F) / (P)=full /partial on-board liel (2) suffix=series							
EVA		CS	ENGIN		VEHICLE	VEHICLES SUBJ	ECT TO SETP								
No.	N	0.	SIZE (L	.)	MAKES & MODELS	STANDARDS AR		ABBREVIATIONS:							
1		1 3.5			Chrysler Pacifica, Chrysler Pacifica AWD										
*	,	*	ŧ				*								
*	1	*	÷												
*	1	*	*	_											

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bidual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

						*	*		*		4	*				
CERT	0.9	2-D	0.001	0.08	3-D	2-D		ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RL	ORVR
@ UL	EV 3-D	APORA1							PRATIVE FAMILY 3			EVAPORATIVE FAMILY 4				
STD	12.5		2012 204	TP @ UL	0.21	1.04	*	*	* .	*	7.0	14.6	*		0.8	4.9
CERT	2.4			TP @ 4K	**	,	*	*	0.11	0.25	0.2	10.5	0.12	0.27	0.6	3.5
50		OF112=	@ UL (Tier		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CER1	STD	CERT	STD
@ 20	°F& 🖩	LEV	@ 4K (SULE) or 50K (Tie	er 1, TLEV)	NMHC+NO (comp	osite)	(comp	osite)	NMHC [g/mi] [CO	[g/mi] \$06]		HC+NOx i] [SC03]		[g/mi] 203]
Ec. A	@ 50°F		*					*	*	1.4		*	*	*	*	•
		@ UL	0.115	• •	0.130	0.9	4.2	0.1	0.3			18	*	+	0.03	0.4
		@ 50K	0.100	*	0.100	0.5	3.4	0.1	0.2	*	'	15	*	*	0.01	0.3
			[g/mi]	[g/mi]		CERT	STD	CERT	STD			STD DTE	CERT	STD	CERT	STD
0.05	6 0.	CERT CERT		STD [g/mi]	mig-man	[g/mi]	111110 17-10	[g/mi]	- L=dedi	ees Fahre HO [mg	enneit	SFTP=supp PM [c	olemental fe	deral test pr Hwy NO	ocedure	
CER			NMHC	diurnai+i mg=milli	IOT-SOUR IV	<u>- լկ/ուսյ∞քկո</u> ւ	ning loss	URVK 19/	gallon dis	pensed]=	on-board r	efueling vap	OF recovery	g=gram		
AVE	NMOG FLEET NMOG @ RAF=* AVERAGE [g/mi] CH4 RAF = *			NMOG or			3=non-CH4 o maldehyde									

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.1 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 2774 day of January 2003.

Allen Lyons, Chief

Mobile Source Operations Division