

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

					,									
MODI		TEST GROUP			MI	VEHICLE TYPE C=passenger car; LDT=light-duty truck; DV=medium-duty vehicle; LVW=loaded vehicle weight; ALVW=adjusted LVW)	STANDA (LEV=low em transitional l	JST EMISSION ARD CATEGORY hission vehicle; TLEV= LEV; ULEV=ultra LEV; V=super ULEV)	EXHAUST / EVAPORATIVE USEFUL LIFE (UL) (miles) FUEL TYPE (CNG/LNG=compressed liquefied natural gas; LPG=liquefied petroleum gas)					
			XXV02.4VE0			PC	L	EV II LEV	EXH: 120K EVAF1/ORVR: 150K/120K EVAF2& 3/ORVR: 100K/100K	Gasoline (Tier 2 Unleaded)				
No.			PORATIVE LY (EVAF)			SPECIAL FEATURES EMISSION CONTROL SYSTE		* = not applicable	OC/TWC=oxidizIng/3-way	cat. ADSTWC=adsorbing TWC				
1	5CRX	XR0101GBB			1	HO2S(2), TW	C, SFI, OBD(F)	AFS/HAFS=air-fuel ratio se	D2S=oxygen sensor/heated O2S ensor/heated AFS_EGR=exhaust					
2	5CRX	XR0130GBA			2		*		gas recirculation AIR/PAIF AIR MFI/SFI= multiport	R=secondary air Injection/pulsed fuel injection/sequential MFI				
3	5CRX	XR0101GBA			3	,	k	TBI= throttle body injection	TC/SC=turbo /super charger BD (F) / (P)=fuil /partial on-board					
4		*			4		k	diagnostic prefix 2=parali	el (2) suffix=series					
EVAF No.		ECS ENGINE No. SIZE (L)					ECT TO SFTP	ABBREVIATIONS:						
1		1 2.4				Chrysler: PT Cruiser, PT Cruiser Convertible/Caprio								
2		1 2.4			Chrysler: Sebring Convertible, Sebring; Dodge Stratus									
3		1 2.0			Dodge Neon/SRT-4/SX 2.0									
*		* *												
*		*	*					*	D					

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required. (For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMO	OG FLEET		NMOG @	RAF=*	<u> </u>	CH4=met	hane NMOC	=non-CH4	organic	nas NMHC	=non-C	H4 hydroca	rhon CO=c	arbon mono	vida NOve	ovides of
AVERAGE [g/mi]			CH4 RAF = *		NMOG or	nitrogen	HCHO=for	maidehyde	. PM≡na	rticulate n	natter	RAF=reacth	rity adjustm	ant factor	2/3 D [a/tact	7=2/3 day
CER			NMOG	NMHC	NMHC STD	mg=millig	ot-soak Ki ram mi=	. Į g/mij ≠rur mile K=1	nning los: 000 mile:	s ORVR[g/galloi grees F	dispensed] ahrenheit	on-board r= SFTP≖sup	efueling vap plemental fe	or recovery	g=gram rocedure
0.046	0.04	9	CERT [g/mi]	CERT [g/mi]	[g/mi]		[g/mi]		x [g/mi]	ŀ	ICHO	[mg/mi]	PM [Hwy NO	
**************************************						CERT	STD	CERT	· \$1	D C	ERT	STD	CERT	STD	CERT	STD
	@ !	50K	0.039	*	0.075	0.4	3.4	0.03	0.0	05	*	15	*	*	0.01	0.07
	@	UL	0.039	•	0.090	0.4	4.2	0.03	0.0	07	*	18	*	*	0.01	0.09
	@ 50°F &	4K	*		*	•	*	*	1		*	*	*	*	*	*
CO [@ 20	°F &	LEV)		er 1, TLEV)	NMHC+NO (comp				NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]	NM [g/n	HC+NOx ij [SC03]		[g/mi] C03]	
50	50K SFTI		2 = @ UL (Tier 1, TLEV)		CERT	STD	CERT	STD	CERT	STD	CE	RT ST	CER	T STD	CERT	STD
CERT	1.4		SI	TP @ 4K	*	*	*	*	0.10	0.14	2	.8 8.0	0.02	0.20	0.2	2.7
STD	10.0	AT.	SF	TP @ UL	*	*	*	*	*	*		* *	th:	*	*	*
@ UL	EVA	ORAT	TIVE FAM	EVAPORATIVE FAMILY 2			EVAPORATIVE FAMILY 3				E	EVAPORATIVE FAMILY 4				
	3-D	2-D	RL.	ORVR	3-D	2-D	RL	ORVR	3-D	2-D	RI	. ORVI	R 3-D	2-D	RL	ORVR
CERT	0.48	0.49	0.000	0.13	0.7	0.7	0.001	0.03	0.8	1.3	0.00	0.03	*	*	*	*
STD	0.50	0.65	0.05	0.20	2.0	2.5	0.05	0.20	2.0	2.5	0.0	5 0.20	. *	*	*	*

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order. This Executive Order hereby supersedes Executive Order A-009-0648-1 dated July 22, 2004.

Executed at El Monte, California on this ______ day of September 2004.

Allen Lyons, Chief

Mobile Source Operations Division