

TOYOTA MOTOR CORPORATION

EXECUTIVE ORDER A-014-0686 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 1 of 2

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515-39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODE YEAI		TEST GROUP			VEHICLE TYPE PC=passenger car; LDT=light-di truck; MDV=medium-duty vehic LVW=loaded vehicle weight; ALVW=adjusted LVW)	uty STANDA le; (LEV=low em transitional t	ST EMISSION RD CATEGORY Ission vehicle; 'LEV= EV; ULEV=ultra LEV; /=super ULEV)	EXHAUST & ORVR / EVAPORATIVE USEFUL LIFE (UL) (miles)	FUEL TYPE (CNG/LNG=compressed/ ilquefied natural gas; LPG=ilquefied petroleum gas)				
2011	ı	BTYXV02.4HC3			Passenger Car	. LE	V II SULEV	150K / 150K	Gasoline plus Battery-Assist				
No.		APORATIVE No			SPECIAL FEAT EMISSION CONTROL		OC/TWC=oxidizing/3-way cat. ADSTWC=adsorbing TWC WU= warm-up cat. O2S/HO2S=oxygen sensor/heated O2S AFS/HAFS=air-fuel ratio sensor/heated AFS EGR=exhaust						
1	BTY	YXR0160E42		1	WU-TWC, TW	C, AFS, HO2S, SFI, (gas recirculation AIR/PAIR=secondary air injection/pulsed						
2		•				*	AIR MF//SFI= multiport fuel injection/sequential MFI TBI= throttle body injection TC/SC=turbo /super charger CAC=charge air cooler OBD (F) / (P)=full /partial on-board diagnostic prefix 2=parallel (2) suffix=series						
3		•				*							
EVAF No.		ECS No.	ENGINE SIZE (L)			VEHICLES SUB. STANDARDS AF		ABBREVIATIONS:					
1		1 2.4			Toyota Camry Hybrid								
*		*	* *				•		•				

The exhaust and evaporative emission standards (STD) and certification emission levels (CERT) for the listed vehicles are as follows (compliance with the 50 °F testing requirement (for TLEV, LEV, ULEV, SULEV) may have been met based on the manufacturer's submitted compliance plan in lieu of testing). Any debit in the manufacturer's "NMOG Fleet Average" (PC and LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

NMOG FLEET AVERAGE [g/mi]			NMOG @ RAF = * CH4 RAF = *		NMOG or	nitrogen	HCHO=for	maldehyde	PM=par	ticulate ma	atter R.	AF=reactiv	rity adjustm	arbon mond ent factor : efueling vap	2/3 D [g/test]=2/3 day	
CER	T S	TD	NMOG	NMHC	NMHC STD [g/mi]	mg=milligi		mile K=1	000 miles	F≖dég	rees Fah	renhelt	SFTP=sup	olemental fe	deral test pi	rocedure	
0.027	, ,	0.035	CERT [g/mi]	CERT [g/mi]		CO [g/mi]			NOx [g/mi]		HCHO [mg/mi]		PM [g/mi]		Hwy NOx [g/ml]		
	′ '					CERT	STD	CERT	STI) CE	RT	\$TD	CERT	STD	CERT	STD	
14 P. 18	44 (₫ 50K	*	•	*	*	•	*	*	1		*	*	*	*	•	
(建設		@ UL	800.0	*	0.010	0.1	1.0	0.004	0.0	2	*	4	*	0.01	0.01	0.03	
	@ 50°F	& 4K	*	•	•	•	*	*	•	,	•	*	*	*	*	•	
CO [@ 20	g/mi] 🛔	SFTP 1 = @ 4K (SULEV, ULEV, LEV) or 50K (Tier 1, TLEV)			NMHC+NOx [g/ml] CO [g (composite) (compo				NMHC+NOx [g/mi] [US06]			CO [g/mi] [US06]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
50			= @ UL (Tier		CERT	STD	CERT	STD	CERT	STD	CER	TST	CER'	T STD	CERT	STD	
CERT	0.4	TEN 1713	ON SOME	SFTP 1	*	*	*	*	0.01	0.14	2.0	8.0	0.00	5 0.20	0.01	2.7	
STD	10.0	AND AND		SFTP 2	*	•	*	*		*	*	*	. *	*	*	*	
@ UL	EVAPORATIVE FAMILY 1				EVAPORATIVE FAMILY 2			EVAPORATIVE FAMILY 3			E	EVAPORATIVE FAMILY 4					
	3-D	2-0	RL	ORVR	3-D	2-D	RL.	ORVR	3-D	2-D	RL	ORV	R 3-D	2-D	RL	ORVR	
CERT	0.22	0.1	2 0.01	0.03	•	*	*	*	*	+	*	*	*	*	*	*	
STD	0.35	0.3	5 0.05	0.20	*	*	*	*	*	*	*	•	•	*	*	*	

BE IT FURTHER RESOLVED: That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED: That the listed vehicle models have been certified as an advanced technology (AT) partial zero emission vehicle (PZEV)—Type E Hybrid Electric Vehicle (HEV) and are granted a baseline PZEV allowance of 0.2 and additional PZEV allowances under 13 CCR Section 1962.1(c).

BE IT FURTHER RESOLVED: The test group listed in this Executive Order is certified conditionally on the manufacturer providing test data to determine the greenhouse gas (GHG) emissions for the listed test group, expressed in grams per mile of carbon dioxide-equivalent (g/mi CO2-e), as required in section E.2.5.2 of the California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, as amended August 4, 2005 (the Test Procedures). Manufacturer shall provide the required data within 45 days after the date of the Executive Order unless (a) an extension is granted by the Executive Officer, or (b) the manufacturer demonstrates to the satisfaction of the Executive Officer that it is exempt from determining GHG emissions for the listed test group under section E.2.5.3 (Intermediate Volume Manufacturers) or E.2.5.4 (Small Volume Manufacturers) of the Test Procedures. Failure to comply with the certification requirement to determine the GHG emissions for the listed test group may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement therein, the manufacturer is not required to determine GHG emissions for any medium-duty vehicles in the listed test group that are not medium-duty passenger vehicles.



TOYOTA MOTOR CORPORATION

EXECUTIVE ORDER A-014-0686 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 2 of 2

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

15 day of March 2010. Executed at El Monte, California on this _

Annette Hebert, Chief Mobile Source Operations Division