



Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Div. 26, Part 5, Chap. 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 & 39516 and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED:

That the following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

MODEL YEAR	TEST GROUP	VEHICLE TYPE	EXHAUST EMISSION STANDARD CATEGORY	USEFUL LIFE (miles)		INTERMEDIATE IN-USE COMPLIANCE (*=N/A or full in-use; A/E=exh. / evap. intermediate in-use)		FUEL TYPE
				EXH / ORVR	EVAP	EXH	EVAP	
2013	DGMXT06.0396	MDV: 8501-10000# GVW, 10001-14000# GVW	USEPA Bin 8 Counted as ARB LEV2 ULEV	120K	150K	*	*	Flexible Fuel: Ethanol (E85) / Gasoline (Tier 2 Unleaded)
No.	ECS & SPECIAL FEATURES			EVAPORATIVE FAMILY (EVAF)		DISPLACEMENT (L)		
1	2TWC, TWC, 2HO2S(2), SFI, OBD(F)			DGMXR0223841		4.8, 6.0		
*	*			DGMXR0223842				
*	*			*				
*	*			*				

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

BE IT FURTHER RESOLVED:

That the exhaust, the evaporative emission standards, and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50⁰ Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's "NMOG Fleet Average" (PC or LDT) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

BE IT FURTHER RESOLVED:

That for the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model PC, LDT and MDV).

BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended March 29, 2010 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volume-manufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during model-years (MY) 2012 through 2015.

BE IT FURTHER RESOLVED:

The listed vehicle models are federally certified, and are certified under the provisions of 13 CCR Section 1961(a)(14) and the incorporated test procedures. The manufacturer has elected to certify the test group listed above to section 1.(b) of the proposed California Environmental Label Specifications for 2009 and Subsequent Model Year Passenger Cars, Light Duty Trucks and Medium-Duty Passenger Vehicles, considered by the California Air Resources Board (ARB or the Board) at a public hearing conducted on January 26-27, 2012 (California Specifications). The aforementioned test group is certified conditionally upon final approval of the California Specifications. In the event the California Specifications do not



become effective, the manufacturer agrees to immediately, upon notification by ARB, (1) cease use of the label meeting section 1.(b) of the California Specifications, and (2) place a label meeting the California Environmental Label Specifications for 2009 and Subsequent Model Year Passenger Cars, Light Duty Trucks and Medium-Duty Passenger Vehicles, adopted May 2, 2008, on vehicles in production.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations. The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this 20 day of April 2012.

Annette Hebert, Chief
Mobile Source Operations Division

ATTACHMENT

EXHAUST AND EVAPORATIVE EMISSION STANDARDS AND CERTIFICATION LEVELS

(For bi-, dual- or flexible-fueled vehicles, the STD and CERT in parentheses are those applicable to testing on gasoline test fuel.)

NMOG FLEET AVERAGE [g/mi]		NMOG @ RAF= CH4 RAF =		NMOG or NMHC STD [g/mi]	CO [g/mi]		NOx [g/mi]		HCHO [mg/mi]		PM [g/mi]		Hwy NOx [g/mi]	
CERT	STD	NMOG CERT [g/mi]	NMHC CERT [g/mi]		CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
*	*	0.037 (0.058)	*		0.100 (0.100)	0.7 (1.4)	3.4 (3.4)	0.03 (0.04)	0.14 (0.14)	1 (*)	15 (15)	*	0.02 (0.02)	*
	@ 50K	0.037 (0.058)	*	0.100 (0.100)	0.7 (1.4)	3.4 (3.4)	0.03 (0.04)	0.14 (0.14)	1 (*)	15 (15)	*	0.02 (0.02)	*	*
	@ UL	0.049 (0.070)	*	0.125 (0.125)	0.9 (1.6)	4.2 (4.2)	0.05 (0.06)	0.20 (0.20)	1 (*)	18 (18)	*	0.02 (0.02)	*	*
	@ 50°F & 4K	*	*	*	*	*	*	*	*	*	*	*	*	*

CO [g/mi] @ 20°F & 50K		NMHC+NOx [g/mi] (composite)		CO [g/mi] (composite)		NMHC+NOx [g/mi] [US06]		CO [g/mi] [US06]		NMHC+NOx [g/mi] [SC03]		CO [g/mi] [SC03]	
CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD	CERT	STD
*	(6.8)	*	*	*	*	*	*	*	*	*	*	*	*
	SFTP @ miles	*	*	*	*	*	*	*	*	*	*	*	*
	SFTP @ miles	*	*	*	*	*	*	*	*	*	*	*	*

Evaporative Family	3-Days Diurnal + Hot Soak (grams/test) @ UL		2-Days Diurnal + Hot Soak (grams/test) @ UL		Running Loss (grams/mile) @ UL		On-Board Refueling Vapor Recovery (grams/gallon) @ UL	
	CERT	STD	CERT	STD	CERT	STD	CERT	STD
DGMXR0223841	0.65	1.00	0.45	1.25	0.000	0.05	*	*
DGMXR0223842	0.65	1.00	0.45	1.25	0.000	0.05	*	*
*	*	*	*	*	*	*	*	*
*	*	*	*	*	*	*	*	*

* = not applicable; UL=useful life; PC=passenger car; LDT=light-duty truck; MDV=medium-duty vehicle; ECS= emission control system; STD= standard; CERT= certification; LVW=loaded vehicle weight; ALVW=adjusted LVW; LEV=low emission vehicle; ULEV=ultra LEV; SULEV=super ULEV; TWC/OC=3-way/oxidizing catalyst; ADSTWC=adsorbing TWC; WU=warm-up catalyst; NAC=NOx adsorption catalyst; SCR-U/SCR-N= selective catalytic reduction-urea/ammonia; NH3OC=SCR-U/SCR-N ammonia slip catalyst; CTOX/PTOX= continuous/periodic trap oxidizer; HO2S/O2S=heated/oxygen sensor; AFS/HAFS=air- fuel ratio sensor / heated AFS; NOXS= NOx sensor; RDQS=reductant quality sensor; EGR=exhaust gas recirculation; AIR=secondary air injection; PAIR=pulsed AIR; SF/MPFI= sequential/ multiport fuel injection; DFI=direct fuel injection; TC/SC= turbo/super charger; CAC=charge air cooler; OBD (F)(P)(B)=full/partial/both on-board diagnostic; DOR=direct ozone reducing; prefix 2=parallel; (2) suffix=series; CNG/LNG= compressed/liquefied natural gas; LPG=liquefied petroleum gas; E85="85%" Ethanol ("15%"gasoline) Fuel;

2013 MODEL YEAR: VEHICLE MODELS INFORMATION

MAKE	MODEL	EVAPORATIVE FAMILY	ECS NO.	ENGINE SIZE (L)	INTERMEDIATE IN-USE COMPLIANCE (*=N/A or full in-use; A/E=exh. / evap. intermediate in-use)		PHASE-IN STD.	OBD II
					EXH	EVAP		
CHEVROLET	G2500 EXPRESS 2WD PASS	DGMXR0223841	1	4.8	*	*	*	Full
CHEVROLET	G2500 EXPRESS 2WD CARGO	DGMXR0223841	1	4.8	*	*	*	Full
CHEVROLET	G2500 EXPRESS 2WD PASS MDPV	DGMXR0223841	1	4.8	*	*	*	Full
CHEVROLET	G3500 EXPRESS 2WD PASS	DGMXR0223841	1	4.8	*	*	*	Full
CHEVROLET	G3500 EXPRESS 2WD CARGO	DGMXR0223841	1	4.8	*	*	*	Full
CHEVROLET	G3500 EXPRESS 2WD PASS MDPV	DGMXR0223841	1	4.8	*	*	*	Full
GMC	G2500 SAVANA 2WD PASS	DGMXR0223841	1	4.8	*	*	*	Full
GMC	G2500 SAVANA 2WD CARGO	DGMXR0223841	1	4.8	*	*	*	Full
GMC	G25 SAVANA 2WD PASS MDPV	DGMXR0223841	1	4.8	*	*	*	Full
GMC	G3500 SAVANA 2WD PASS	DGMXR0223841	1	4.8	*	*	*	Full
GMC	G3500 SAVANA 2WD CARGO	DGMXR0223841	1	4.8	*	*	*	Full
GMC	G35 SAVANA 2WD PASS MDPV	DGMXR0223841	1	4.8	*	*	*	Full
CHEVROLET	C25 SILVERADO 2WD	DGMXR0223841	1	6.0	*	*	*	Full



CHEVROLET	C35 SILVERADO 2WD	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G2500 EXPRESS 2WD PASS	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G2500 EXPRESS 2WD CARGO	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G2500 EXPRESS CONV 2WD CARGO MDPV	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G2500 EXPRESS 2WD CARGO MDPV	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G2500 EXPRESS 2WD PASS MDPV	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G3500 EXPRESS 2WD PASS	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G3500 EXPRESS 2WD CARGO	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G3500 EXPRESS 2WD PASS MDPV	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G3500 EXPRESS 2WD CARGO MDPV	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	G3500 EXPRESS CONV 2WD CARGO	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	K25 SILVERADO 4WD	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	K35 SILVERADO 4WD	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	K35 SILVERADO 4WD LONG BOX	DGMXR0223841	1	6.0	*	*	*	Full
GMC	C25 SIERRA 2WD	DGMXR0223841	1	6.0	*	*	*	Full
GMC	C35 SIERRA 2WD	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G2500 SAVANA 2WD PASS	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G2500 SAVANA 2WD CARGO	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G2500 SAVANA CONV 2WD CARGO MDPV	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G2500 SAVANA 2WD CARGO MDPV	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G25 SAVANA 2WD PASS MDPV	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G3500 SAVANA 2WD PASS	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G3500 SAVANA 2WD CARGO	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G35 SAVANA 2WD PASS MDPV	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G3500 SAVANA 2WD CARGO MDPV	DGMXR0223841	1	6.0	*	*	*	Full
GMC	G3500 SAVANA CONV 2WD CARGO	DGMXR0223841	1	6.0	*	*	*	Full
GMC	K25 HD SIERRA 4WD	DGMXR0223841	1	6.0	*	*	*	Full
GMC	K35 SIERRA 4WD LONG BOX	DGMXR0223841	1	6.0	*	*	*	Full
GMC	K35 SIERRA 4WD	DGMXR0223841	1	6.0	*	*	*	Full
CHEVROLET	C35 SILVERADO 2WD	DGMXR0223842	1	6.0	*	*	*	Full
CHEVROLET	C35 SILVERADO 2WD LONG BOX	DGMXR0223842	1	6.0	*	*	*	Full
CHEVROLET	K35 SILVERADO 4WD	DGMXR0223842	1	6.0	*	*	*	Full
CHEVROLET	K35 SILVERADO 4WD LONG BOX	DGMXR0223842	1	6.0	*	*	*	Full
GMC	C35 SIERRA 2WD LONG BOX	DGMXR0223842	1	6.0	*	*	*	Full
GMC	C35 SIERRA 2WD	DGMXR0223842	1	6.0	*	*	*	Full
GMC	K35 SIERRA 4WD LONG BOX	DGMXR0223842	1	6.0	*	*	*	Full
GMC	K35 SIERRA 4WD	DGMXR0223842	1	6.0	*	*	*	Full