## California Environmental Protection Agency

# **Ø** Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1867

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 1 of 4

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code (HSC), Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by HSC Sections 39515 and 39516 and Executive Order G-14-012;

IT IS ORDERED AND RESOLVED: The following exhaust and evaporative emission control systems produced by the manufacturer are certified as described below. Production vehicles shall be in all material respects the same as those for which certification is granted.

TEST GROUP INFORMATION																
MODEL YEAR	- I	TEST GROUP			VEHICLE CLASS(ES)					FUEL CATEGORY				FUEL TYPE		
2015	FFMXT02.72JP				LDT2					DEDICATED SINGLE FUEL VEHICLE				GASOLINE		
USEFUL LIFE (miles)						VEHICLE EMISSION CATEG				GORY INTERIM / INT			TE	TERMEDIATE IN-USE STD		
EXH/ORVR EVAP					FTP			S	SFTP FTP			SFTP		SFTP		
150000 150000					LE	EV3 t	ULEV70 LEV 3 CO			COMPOSITE		NMOG+NO:	X	NMOG+NOX		
SPECIAL FEATURES & EXHAUST EMISSION CONTROL SYSTEMS								L		OBD S	STATUS		T	ENGINE DISPLACEMENT (L)		
1 2TWC, 2WR-HO2S, 2HO2S, TC, CAC, DFI									FULL		ALL MODELS					
*	*									PARTIAL *				2.7		
*	*							PA	RTIAL WITH *							
EVAPORATIVE & REFUELING (EVAP/ORVR) FAMILY INFORMATION																
EVAP	EVAP / ORVR FAMILY EVAPORATIVE STD CATEGOR							GORY	, EVAP EMISSION STD VEHICLE CLASS			SPECIAL FEATURES				
FFMXR0135NBB					LEV 2					LD	LDT2 *			*		
EMISSION CREDIT INFORMATION																
DASE	ALLOWANCE FOR TEST GROUP							1	NMOG CREDIT FOR NON-PZEV ZERO- EVAP				STE	FOR WORK		
BASEI	BASELINE PZEV AT PZ														_	
* *					*				N			И				N
NMOG AND FLEET AVERAGE INFORMATION																
NMOG I	RAFICHARAFI			MOG/NMHC RATIO HCHO/I		HCHO/NM	MHC RATIO		O PC+LDT (0-		X FLEET STD 0-3750 LVW) g/mi)	-3750 LVW)		NMOG+NOX FLEET STD LDT (3751 LVW-8500 GVWR) + MDPV (g/mi)		
*		*		1.10			k		0.100			I	0.119			

See the Attachment for Vehicle Models, Evaporative Family, Engine Displacement, Emission Control Systems, Phase-In Standards, OBD Compliance, Emission Standards and Certification Levels, and Abbreviations.

**⊘** Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1867

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 2 of 4

## BE IT FURTHER RESOLVED:

The exhaust and evaporative emission standards and the certification emission levels for the listed vehicles are as listed on the Attachment. Compliance with the 50° Fahrenheit testing requirement may have been met based on the manufacturer's submitted compliance plan in lieu of testing. Any debit in the manufacturer's NMOG+NOx Fleet Average (PC or LDT or MDPV) or "Vehicle Equivalent Credit" (MDV) compliance plan shall be equalized as required.

### BE IT FURTHER RESOLVED:

For the listed vehicle models, the manufacturer has attested to compliance with Title 13, California Code of Regulations, (13 CCR) Sections 1965 [emission control labels], 1968.2 [on-board diagnostic, full or partial compliance], 2035 et seq. [emission control warranty], 2235 [fuel tank fill pipes and openings] (gasoline and alcohol fueled vehicles only), and "High-Altitude Requirements" and "Inspection and Maintenance Emission Standards" (California 2015 and Subsequent Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2017 and Subsequent Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for PC, LDT and MDV).

#### BE IT FURTHER RESOLVED:

The test group listed in this Executive Order is certified conditionally on the manufacturer providing data to demonstrate compliance with California's greenhouse gas fleet average emission standard (CA GHG Standard) specified in Title 13, California Code of Regulations, (13 CCR) Section 1961.1 and the incorporated California 2001 through 2014 Model Criteria Pollutant Exhaust Emission Standards and Test Procedures and 2009 through 2016 Model Greenhouse Gas Exhaust Emission Standards and Test Procedures for Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles, amended December 6, 2012 (CA Test Procedures). The manufacturer has elected, under 13 CCR Section 1961.1(a)(1)(A)(ii) and under Section E.2.5.1(ii) of the CA Test Procedures, to demonstrate compliance with the CA GHG Standard by demonstrating compliance with the National greenhouse gas program (National GHG Program). Therefore, the test group listed in this Executive Order is certified conditionally further on the manufacturer complying with the requirements specified in said provisions in 13 CCR, and Sections E.2.5.1(ii) and H.4.5(b) and H.4.5(c) of the CA Test Procedures (among other things, concerning data and information submission, timing, and format as specified by the Executive Officer). Failure to comply with the certification requirements to demonstrate compliance with CA GHG Standard by demonstrating compliance with the National GHG Program under said provisions in 13 CCR and CA Test Procedures may be cause for the Executive Officer to revoke the Executive Order. Vehicles in the revoked Executive Order shall be deemed uncertified and subject to penalties authorized under California law. Notwithstanding the requirement herein, a manufacturer that becomes, after MY2009, a large-volume manufacturer, as defined in 13 CCR Section 1900, is not required to comply with the CA GHG Standard until the beginning of the fourth model-year from becoming a large-volume manufacturer. Additionally, notwithstanding the requirement herein, a small-volume manufacturer, independent low-volume manufacturer, or intermediate volumemanufacturer, as defined in 13 CCR Section 1900, is not required to comply with CA GHG Standard during modelyears (MY) 2012 through 2015.

Vehicles certified under this Executive Order shall conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Annette Hebert, Chief

Emissions Compliance, Automotive Regulations and Science Division

FORD MOTOR COMPANY

Executive Order: A-010-1867 New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles Page 3 of 4

# **Om Air Resources Board**

UNLEADED

,						A	TTAC	НМ	ENT	,							
	EXHA	UST	AND	EVAPO	RATI	VE EMIS	SION	STAI	NDAR	OS ANI	CERT	IFIC	ATION	LEVELS	3		
		EXH	AUST EI	MISSION	STAN	DARDS A	ND CER	TIFIC	ATION L	EVELS	(FTP, HW	FET,	50°F, 20°	°F)			
	FUE	EL TY	ad OF	noxide; justment RVR [g H	NOx: ox factor; C/gallo	MOG: non-( kides of nitr 2DHS/3DH n dispense rees Fahre	rogen; H IS [g HC d]: on-b	ICHO:	formald 2/3 day efueling	ehyde; F s diurnal vapor re	M: particu +hot-soak covery; g:	late ; RL gram	matter; R/ [g HC/mi]: n; mg: milli	F: reactive running I	vity oss;		
				NMOG+NOx (g/mi)		CO (g/mi)			N (g	HCH (mg/n				M mi)			
				ERT	STD	CERT	ST	D	CERT	STD	CER	Т	STD	CERT	STD		
FTP@5	0K	*		*	*	*	*		*	*	*		*	*	*		
ETPMIII I		OLINE- V3 E10		.030	0.070	0.2	1.	7	*	*	*	4		*	0.01		
50°F @	4K	*	100	*	*	*	*		*	*	*		*				
				-	UEL T	/DE			N	MOG+N	Ox (g/mi)			CO (g/mi	)		
				FUEL TYPE					CE	RT	STD		CERT		STD		
HWFE	T @ 50K			*				*		*							
HWFET @ UL				GASOLINE-LEV3 E10					0.004 0.0		0.070	70					
20°F @ 50K GA			GAS	ASOLINE-COLD CO LOW OCTANE								0.8		12.5			
			SF	TP EXH	AUST	MISSION	STAND	ARDS	AND C	ERTIFIC	ATION L	EVEL	S				
177		1 1 1				US06	06			SC03			COMPOSITE				
11	FUEL T	YPE		NMOG- (g/n		CO (g/mi)		M /mi)	NMOG+NOx (g/mi)		CO NI (g/mi)		OG+NOx (g/mi)	CO (g/mi)	PM (mg/mi)		
				*	*				*		*	in die					
@ 4K	*		STD	*		*			*		*						
		BII		T *		*	* 1		*		*	. (	0.030	0.3	*		
@ UL				STD		*		*	,	*		*		0.140		4.2	*
											6	0.100					
		WH	IOLE VE	HICLE E		RATIVE EN						ATIO	N LEVEL	S			
EVAPORATIVE ELLEI		1151 71	DE			HOLE VEHICLE EVAP						RL	(g/mi) @	UL			
	FAMILY		UEL TY			(g/test) @	FEL	CE	2DHS (g/test)		@ UL		CER		STD		
FFMXR0135NBE			ASOLINE TIER 2	R 2 0.36		0.65	*		34	0.85	*			2			
			UNLEADI														
(	DRVR / F	UEL	ONLY / C	ANISTE	RBLE	ED EVAPO	DRATIVI							ION LEVI	ELS		
	EVAPORATIVE FAMILY		ORVR (	g/gallon)	@ UL	EIIEI	30			TEST	2DHS	& CANISTER E 2DHS RIG TE (g/test) @ U		EST BLEED CANIS			
.,		FUEL TYPE		E CER	CERT STD				(g/test) @ UL ERT STD		CERT		STD	CERT	STD		
FFMXR0135NB		GA	SOLINE TIER 2				*		*	*	*	1	*	*	*		

California Environmental Protection Agency

**O** Air Resources Board

FORD MOTOR COMPANY

Executive Order: A-010-1867

New Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles

Page 4 of 4

: not applicable; #: pounds; UL; useful life; PC; passenger car; LDT; light-duty truck; LDT1; LDT<6000#GVWR,0-3750#LVW; LDT2; LDT<6000#GVWR,3751-5750#LVW; LDT3: LDT 6001-8500#GVWR,3751-5750#ALVW; LDT4: LDT 6001-8500#GVWR,5751-8500#ALVW; MDV: medium-duty vehicle; MDV4: MDV 8501-10000#GVWR; MDV5: MDV 10001-14000#GVWR; MDPV: mediumduty passenger vehicle; ECS: emission control system; CERT: certification; STD: standard; FEL: family emission limit; GVWR: gross vehicle weight rating: LVW: loaded vehicle weight; ALVW: adjusted LVW; LEV: low emission vehicle; ULEV: ultra LEV; SULEV: super ULEV; ZEV: zero-emission vehicle; PZEV: partial ZEV; AT PZEV: advanced technology PZEV; TZEV: transitional ZEV; TWC/OC: 3-way/oxidizing catalyst; ADSTWC: adsorbing TWC; HAC: HC adsorbing catalyst; WU: warm-up catalyst; NAC: NOx adsorption catalyst; SCR-U or SCRC/SCR-N or SCRC-NH3: selective catalytic reduction-urea/ammonia; NH3OC: ammonia oxidation catalyst; CTOX/PTOX: continuous/periodic trap oxidizer; DPF: diesel particulate filter (active); GPF: PM filter for sparkignited engine; HO2S/O2S: heated/oxygen sensor; WR-HO2S or AFS: wide range/linear/heated air-fuel ratio sensor; NOXS: NOX sensor; PMS: PM sensor; RDQS: reductant quality sensor; NH3S: ammonia sensor; EGR: exhaust gas recirculation; EGRC: EGR cooler; AIR/AIRE: secondary air injection (belt driven)/(electric driven); PAIR: pulsed AIR; SFI/MFI: sequential/multiport fuel injection; DFI/IFI: direct/indirect fuel injection; TC/SC: turbo/super charger; CAC: charge air cooler; F/P/\$: full/partial/partial with fines on-board diagnostic; DOR: direct ozone reducing; HCT: hydrocarbon trap; BCAN: bleed carbon canister; prefix 2: parallel; (2) suffix: series; CNG/LNG: compressed/liquefied natural gas; LPG: liquefied petroleum gas; E85: "85%" ethanol ("15%"gasoline) fuel; E10: "10%" ethanol ("90%"gasoline) fuel; A: automatic (with lockup); M: manual transmission; SA: semi-automatic transmission; CV: continuously variable transmission; SCV: selectable continuously variable transmission; AM: automated manual transmission; AMS: automated manual-selectable transmission; OT; other transmission

2015 MODEL YEAR: VEHICLE MODELS INFORMATION												
MAKE	MODEL	VEH CLASS	ENGINE (L)	TRANS TYPE	EVAPORATIVE FAMILY	EXH ECS	OBD	PZEV TYPE				
FORD	EDGE AWD	LDT2	2.7	SA6	FFMXR0135NBB	1	F	*				
FORD	EDGE FWD	LDT2	2.7	SA6	FFMXR0135NBB	1	F	*				