FINAL REGULATION ORDER

Note: Strikeout indicates deleted text; underline indicates inserted text.

Amend Title 17, California Code of Regulations, section 94011 to read:

§ 94011. Certification of Vapor Recovery Systems of Dispensing Facilities.

The certification of gasoline vapor recovery systems at dispensing facilities (service stations) shall be accomplished in accordance with the Air Resources Board's CP-201, "Certification Procedure for Vapor Recovery Systems at Gasoline Dispensing Facilities" which is herein incorporated by reference. (Adopted: December 9, 1975, as last amended August 2, 2004 February 9, 2005.

The following test procedures (TP) cited in CP-201 are also incorporated by reference.

TP-201.1 – "Volumetric Efficiency for Phase I Systems" (Adopted: April 12, 1996, as last amended October 8, 2003)

TP-201.1A – "Emission Factor For Phase I Systems at Dispensing Facilities" (Adopted: April 12, 1996, as last amended February 1, 2001)

TP-201.1B – "Static Torque of Rotatable Phase I Adaptors" (Adopted: July 3, 2002, as last amended October 8, 2003)

TP-201.1C – "Leak Rate of Drop Tube/Drain Valve Assembly" (Adopted: July 3, 2002, as last amended October 8, 2003)

TP-201.1D – "Leak Rate of Drop Tube Overfill Prevention" (Adopted: February 1, 2001, as last amended October 8, 2003)

TP-201.1E – "Leak Rate and Cracking Pressure of Pressure/Vacuum Relief Vent Valves" (Adopted: October 8, 2003)

TP-201.2 – "Efficiency and Emission Factor for Phase II Systems" (Adopted: April 12, 1996, as last amended October 8, 2003)

TP-201.2A – "Determination of Vehicle Matrix for Phase II Systems" (Adopted: April 12, 1996, as amended February 1, 2001)

TP-201.2B – "Flow and Pressure Measurement of Vapor Recovery Equipment" (Adopted: April 12, 1996, as last amended October 8, 2003)

- TP-201.2C "Spillage from Phase II Systems" (Adopted: April 12, 1996, as last amended February 1, 2001)
- TP-201.2D "Post-Fueling Drips from Nozzle Spouts" (Adopted: February 1, 2001, as last amended October 8, 2003)
- TP-201.2E "Gasoline Liquid Retention in Nozzles and Hoses" (Adopted: February 1, 2001)
- TP-201.2F "Pressure-Related Fugitive Emissions" (Adopted: February 1, 2001, as last amended October 8, 2003)
- TP-201.2G "Bend Radius Determination for Underground Storage Tank Vapor Recovery Components" (Adopted: October 8, 2003)
- TP-201.2H "Determination of Hazardous Air Pollutants from Vapor Recovery Processors" (Adopted: February 1, 2001)
- TP-201.2I "Test Procedure for In-Station Diagnostic Systems" (Adopted: October 8, 2003)
- TP-201.2J "Pressure Drop Bench Testing of Vapor Recovery Components" (Adopted: October 8, 2003)
- TP-201.3 "Determination of 2 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" (Adopted: April 12, 1996, as last amended March 17, 1999)
- TP-201.3A "Determination of 5 Inch WC Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities" (Adopted: April 12, 1996)
- TP-201.3B "Determination of Static Pressure Performance of Vapor Recovery Systems of Dispensing Facilities with Above-Ground Storage Tanks" (Adopted: April 12, 1996)
- TP-201.3C "Determination of Vapor Piping Connections to Underground Gasoline Storage Tanks (Tie-Tank Test)" (Adopted: March 17, 1999)
- TP-201.4 "Dynamic Back Pressure" (Adopted: April 12, 1996, as last amended July 3, 2002)
- TP-201.5 "Air to Liquid Volume Ratio" (Adopted: April 12, 1996, as last amended February 1, 2001)
- TP-201.6 "Determination of Liquid Removal of Phase II Vapor Recovery

Systems of Dispensing Facilities" (Adopted: April 12, 1996, as last amended April 28, 2000)

TP-201.6C – "Compliance Determination of Liquid Removal Rate" (Adopted: July 3, 2002)

TP-201.7 – "Continuous Pressure Monitoring" (Adopted: October 8, 2003)

NOTE: Authority cited: Sections 39600, 39601, 39607 and 41954, Health and Safety Code. Reference: Sections 39515, <u>41952</u>, 41954, 41956.1, 41959, 41960 and 41960.2, Health and Safety Code.