

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<p>Specifications that follow are minimum basic requirements. Bidder must list any deviations from these specifications. If bidder claims item "Meets or Exceeds" specifications, documentation must be provided with bid to substantiate claim. Failure to do so will result in rejection of your bid and/or product for non-compliance.</p>	
<p><b>2008 or newer conventional school bus</b> capable of supporting the specified 57-passenger body in a proper and safe manner. Blue Bird BBCV 3310 model chassis or equal.</p> <p>Bidder must be a valid franchised dealer for units bid.</p> <p>Vehicles bid shall meet <b>all current FMVSS and State</b> standards for school buses in affect at time of manufacture.</p>	<p>YEAR: 2008 or Newer            CHASSIS MFG: Blue Bird            MODEL: 3310            BODY MFG: Blue Bird            MODEL: BBCV            CAPACITY: 57</p>
<p><b>VEHICLE DIMENSIONS:</b>            G.V.W.R. - 31,000 lbs minimum.            Wheelbase shall not exceed 273".            Overall length (excluding bumpers) 470".            Overall height 124" maximum.            Overall width 96" (excluding mirrors)            Headroom 76" minimum.</p>	<p>G.V.W.R.: 31,000#            WHEELBASE: 273"            BODY LENGTH: 3310            OVERALL LENGTH: 467"            OVERALL HEIGHT: 124"            OVERALL WIDTH: 96"            HEADROOM: 77"</p>
<p><b>AXLES:</b>            Front - 12,000 lbs. With oil lubed bearings            Include Hubcaps w/ window seals.            Rear - 21,000 lbs. Single speed with 5.29 ratio.            With petroleum lubed bearings.</p>	<p>COMPLY</p>
<p><b>BRAKES - SERVICE:</b>            Dual, full air system. 16.1 CFM minimum gear driven air compressor. Air source from filtered charge air at engine intake. Air tanks located between frame rails. Provide a heated automatic reservoir drain valve on wet tank. Provide automatic slack adjusters, front and rear, and a Bendix AD-9 air dryer.</p> <p style="padding-left: 40px;">Front - Brake Q-Plus lining 15" X 5".            Rear - Brake Q-Plus lining 16 5" X 7".</p>	<p>COMPLY</p>
<p><b>BRAKES - EMERGENCY/PARKING:</b>            Internal expanding, transmission mounted, 9" diameter x 3" wide.            Operated with hand control application at driver's left.</p>	<p>COMPLY</p>
<p><b>BUMPERS:</b>            Front - Smooth, one piece, 1/4" thick steel plate.            Rear - 3/16" thick steel plate. 14" wrap around at corners with double "A" frame bracing.            Front &amp; Rear bumpers are die-formed, 12" high with 90-degree flanges, top and bottom.</p>	<p>COMPLY</p>
<p><b>COOLING SYSTEM:</b>            Charge air and down-flow radiator mounted in tandem at vehicle front. Largest available from manufacturer. 25" diameter nylon cooling fan with nine (9) blades equipped with a "Fully-On" or "Fully-Off" electromagnetic fan clutch driven by polyvee fan belt with spring loaded tensioner. Fan controlled by Engine ECM. Provide -34F anti-freeze. Cooling hoses shall be silicone.</p>	<p>COMPLY</p>

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<p><b>CONTROLS - DRIVER'S AREA:</b></p> <ul style="list-style-type: none"> <li>a. Electronic operated Throttle</li> <li>b. Air brake pedal.</li> <li>c. Key type starter and stop switch.</li> <li>d. Headlight switch with rheostat dimmer for instrument lights.</li> <li>e. Headlight dimmer switch column mounted.</li> <li>f. Hazard signal switch column mounted.</li> <li>g. Directional signal switch self canceling.</li> <li>h. Driver switch panel located left side below driver window for easy access. Switches to be rocker design. Backlit design.</li> <li>i. Hand applied Parking brake valve with warning light.</li> <li>j. Incremental hi-idle switch.</li> <li>k. Cruise control.</li> <li>l. Entrance door control, wired battery hot.</li> <li>m. Transmission selector.</li> </ul>	COMPLY
<p><b>DRIVELINE:</b>            Spicer SPL series with protective guard around shaft with lubed for life components 3½" diameter shaft.</p>	COMPLY
<p><b>ELECTRICAL SYSTEM:</b>            Alternator - 12 volt 200 amp Bosch or equal.            Battery - Two (2) 12 volt, 8D, 2600 CCA combined. Batteries to be mounted on slide-out tray in skirt compartment with key lock.            Body wiring is color and number coded throughout. Wiring is protected by automatic re-setting circuit breakers (directional/hazard circuit may be fused).            Exterior electrical access below driver's window with outside latch with a keyed lock. Multiplex chassis wiring with LED readout in drivers dash area.</p>	COMPLY
<p><b>ENGINE:</b>            Cummins ISB, 240 Horsepower, 620 ft. lb. of torque diesel engine.            Engine shall meet all current emission standards at time of manufacture.            VGT exhaust brake to also be included.</p>	COMPLY
<p><b>EXHAUST SYSTEM:</b>            4" O.D. 16 gauge aluminized steel tubing from engine turbo-charge to in line muffler. Stainless steel muffler with catalytic converter and diesel particulate filter. Wide band exhaust clamps used at all joints.            Tailpipe to exit through rear bumper.</p>	COMPLY
<p><b>FILTERS:</b>            Oil filter - Full flow disposable.            Air filter - Dry type.            Primary fuel filter/water separator Racor 490 heated w/primer pump or equal.            Secondary Fuel filter - Mounted on engine, supplied by engine manufacturer.</p>	COMPLY
<p><b>FUEL TANK:</b>            100-gallon fuel capacity with fuel tanks located between frame rails. A locking fuel filler door and sender inspection plate shall also be provided.</p>	COMPLY

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<b>HORN:</b> Dual electric with non-glare horn button emblem.	COMPLY
<b>INSTRUMENTS AND GAUGES - DRIVER'S AREA:</b> a. Speedometer with 7 digit odometer. b. Resettable trip odometer. c. Engine hourmeter. d. Voltmeter gauge. e. Fuel level gauge. f. Oil pressure gauge. g. Coolant temperature gauge h. Air pressure gauge. i. Low pressure warning light and buzzer for dual air brake system. j. High beam indicator. k. Right and left directional indicators. l. Engine warning light and buzzer for low oil pressure/high engine temperature. m. Ammeter gauge. n. Transmission temperature gauge	COMPLY
<b>SHOCK ABSORBERS:</b> Two front and two rear.	COMPLY
<b>STEERING:</b> Full power Ross TAS-55 integral unit with 20.4 to 1 ratio. 18" diameter, two-spoke, padded tilt telescoping steering column.	COMPLY
<b>SUSPENSION:</b> Front - 10,000 lb. Capacity. Hendrickson "Softek" variable rate, tapered springs with Anti-Wear liner with maintenance free rubber bushings.  Rear - 21,000 lb. Capacity. 3" wide, 2-stage, flat leaf springs (2), variable rate with maintenance free, rubber bushed radius leaf permitting axle adjustments for dog tracking.	COMPLY
<b>TIRES:</b> Six (6) Michelin 11R 22.5 G tubeless XZE LRG.	COMPLY
<b>TRANSMISSION:</b> Allison 3000 PTS Gen 4 Series automatic transmission with Transynd fluid.	COMPLY
<b>VALVES:</b> Brass gate valves to isolate coolant circulation to heaters from engine.	COMPLY
<b>WHEELS:</b> Six (6) 22.5" X 8.25", 10 stud hub pilot disc, single front, dual rear.	COMPLY


**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<p><b>COMPARTMENTS:</b> Provide locking emergency equipment compartment in upper header over windshield.</p>	COMPLY
<p><b>CONSTRUCTION:</b> Body parts must be rustproofed after fabrication and before assembly</p> <p>Floor panels shall be 14 gauge steel, welded and riveted at each joint with 1/8" steel backing bar and 3/16" angle iron reinforcement. The main floor cross members shall be full width of floor</p> <p>14 gauge hat-shaped body bows one piece from floor line on one side to floor line on other side. Bows shall end upon floor for maximum rollover strength. Bows shall not extend below floor level.</p> <p>Body sheet metal shall be fastened with buck rivets on exterior and blind rivets on interior. Sheet metal screws not acceptable.</p> <p>16 gauge exterior side panels shall be one piece from windowsills to bottom of skirt.</p> <p>Four protective rub rails at window level, seat level, near floor level and bottom of skirt. Riveted to body.</p> <p>Interior side panels shall be aluminized from windowsill to top of seat rail with mar-resistant finish.</p> <p>One-piece roof panels from window top on one side to window top on other side for maximum strength. Spliced roof sheet not acceptable. Rain visors to be embossed in roof panels over each window.</p>	COMPLY
<p><b>EMERGENCY EXITS:</b> Rear and left side emergency doors. Retainers to keep exit doors open shall be provided. Include header pads, vandal locks, buzzer and pilot light. Rear door shall have upper and lower tint glass.</p>	COMPLY
<p><b>ENTRANCE DOOR:</b> Air operated, outward opening entrance door. Include header pad and security lock.</p>	COMPLY
<p><b>FLOOR COVERING:</b> 1/2" plywood over 14-gauge steel, screwed down. Black rubber floor, smooth under seats and ribbed in aisle and entrance steps; Steps shall have white nosing. Aluminum aisle trim over joints in floor covering, full body length. Molded rubber covers required over rear interior wheel housings. Rounded rust proofed galvanized steel cove molding applied where floor meets wall.</p>	COMPLY
<p><b>GLASS:</b> Windshield-Shaded, four piece flat safety glass 2,200 square inches. Side Windows-12" split sash aluminum frames. All glass to be tempered, tinted to allow 30% light transmission. Drivers Window and Entrance door-All glass to be laminated and tinted. LH side emergency door-Glass to be tempered and tinted.</p>	COMPLY

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<b>HEATER AND DEFROSTER:</b> a. 90,000 BTU front heater and defroster. b. Two (2) 6" auxiliary defroster fans. c. 50,000 BTU rear floor mount heater. d. Goodyear Hi-Miler heater hoses with constant torque clamps.	COMPLY
<b>INSULATION:</b> Body to be insulated with 1-1/2" of polyester/fiberglass in roof, roof bows, sides and ends. Provide sound deadening spray and perforated headlining panels full length.	COMPLY
<b>LIGHTING:</b> a. Sealed beam Halogen headlights. b. Two combination stop/tail lights; 4" right and left rear license panel stop/tail lights in combination with 7" stop/tail lights with clear red lens. c. 7" rear amber directional lights. d. Front fender mounted directional lights. e. Front and rear side directional lights. e. Eight lamp warning system with hoods, wired battery hot. f. 5" back-up lights. g. Armored clearance, cluster and side marker lights, wired battery hot. h. Daytime running lights. i. Two rows of dome lights on separate switches for front and rear half, wired battery hot. j. Driver's dome light on separate switch. k. Stepwell light. l. Required reflectors. m. Specialty Mfg electric operated solid state stop arm with reflectorized blade and flashing incandescent lights. n. All other lighting required to meet California standards.	COMPLY
<b>MIRRORS:</b> Interior - 6" X 30". Exterior - Mirrors shall conform to FMVSS 111. Rosco "Avia" 9" x 17" mirrors with index brackets (wrench free adjustment), flat and convex in a single frame, mounted to provide driver maximum view. Include Rosco "Hawkeye" 10.8" x 12.5" elliptical crossview mirror with tinted band. All mirrors to be heated.	COMPLY
<b>MUD FLAPS:</b> Behind front and rear wheels. Rear rubber fenders to be provided.	COMPLY
<b>PAINT AND LETTERING:</b> Exterior - Yellow. Roof - White. Rub Rails - Black. Interior - White. Wheels - Yellow. Bumpers - Black. All exterior body paint to be polyurethane. Lettering to California standards, supplied to vendor after award of bid to include district name, CA number and bus number. Reflectorized vinyl marking all emergency exits, 1.75" around rear, 2" at sides of bus full length.	COMPLY

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<p><b>RADIO:</b>  AM/FM/CD/PA radio system with eight (8) deluxe interior speakers and outside speaker RH side under hood.  Provide pre-wire for future two-way radio installation. (Radio not provided)</p>	COMPLY
<p><b>SAFETY EQUIPMENT:</b></p> <ul style="list-style-type: none"> <li>a. 24 unit first aid kit.</li> <li>b. 10 BC fire extinguisher.</li> <li>c. Triangle warning devices in container.</li> <li>d. 6" X 30" sun visor</li> <li>e. CHP certificate holder.</li> <li>f. Back-up alarm with 112 db.</li> <li>g. Hand held stop sign and bag type holder.</li> <li>h. Noise suppression switch</li> <li>i. Accessory power socket w/cap.</li> </ul>	COMPLY
<p><b>SEATS (Passenger):</b>  45" LH &amp; 30" RH seats, designed and installed to meet all requirements of FMVSS 222. Brown fireblock vinyl upholstery. <b>Flip seat</b> at side emergency door. All passenger seats shall have 3pt belts as required by California law. Safety barriers with offset legs required in front of right and left front seats, upholstered to match seats. Provide aluminized modesty panel under right and left barriers.</p> <p>SP: 6762 BBCV 3310</p>  <p>BP: 5001525 BBCV 3310</p>	COMPLY
<p><b>SEATS (Driver's):</b>  Bostrom Routemaster Plus air suspension driver's seat with dual shocks, certified per FMVSS 222. Seat shall have a 19 5" wide cushion with 4 position tilt adjustment, high back, 18 degree back angle adjustment, adjustable lumbar support, 7" fore and aft adjustment, air suspension with 6" vertical travel for isolation and drivers height/weight adjustment with fingertip push/pull control valve, vinyl suspension cover skirt. Seat shall be upholstered in brown vinyl &amp; fabric. Include driver's seat belt.</p>	COMPLY
<p><b>STEPWELL:</b>  Three (3) step stainless steel entrance angled toward center aisle with rubber covered steps to meet National Standards. A handrail shall be installed at rear (left side) of stepwell.</p>	COMPLY
<p><b>TOW HOOKS:</b>  Front and rear tow hooks shall be provided</p>	COMPLY
<p><b>UNDERCOATING:</b>  Body shall be fully undercoated under floor, skirt panels and wheel wells prior to mounting on chassis.</p>	COMPLY

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<p><b>VENTILATION:</b>            Static non-closing vent installed in forward body section on roof. Two (2) Specialty "ProLo" roof vent/emergency exits shall be provided with exterior release.</p>	COMPLY
<p><b>WINDSHIELD WIPERS:</b>            Two-speed electric intermittent operated, bottom mounted wet arm wipers. One-gallon plastic windshield washer reservoir.</p>	COMPLY
<p><b>WARRANTY:</b>            Enclose a copy of bus manufacturer's limited warranty.</p> <ol style="list-style-type: none"> <li>1. Five (5) years or 100,000 miles:               <ol style="list-style-type: none"> <li>a. Chassis frame and Cross members.</li> <li>b. Body shell - floor, side walls, roof, front and rear sections, including rust-through.</li> <li>c. Interior and exterior body paint adhesion.</li> <li>d. School bus seat and barrier frames.</li> </ol> </li> <li>2. Four (4) years or 50,000 miles:               <ol style="list-style-type: none"> <li>a. Front axle assembly, including king pins, I-beam, bushings, spindles, excluding brakes and wheel ends.</li> <li>b. Rear axle assembly and differential, excluding brakes and wheel ends.</li> </ol> </li> <li>3. Two (2) years or 24,000 miles:               <ol style="list-style-type: none"> <li>a. Suspension excluding pins and bushings.</li> <li>b. Driveshafts, support bearings and universal joints.</li> </ol> </li> <li>4. Twelve (12) months or 12,000 miles:               <ol style="list-style-type: none"> <li>a. All original components not covered above, except diesel engines and automatic transmissions, wheelchair lifts, air conditioners, tires, and batteries, which are covered by their manufacturers.</li> </ol> </li> <li>5. Five (5) years or 100,000 miles:               <ol style="list-style-type: none"> <li>a. Cummins engine standard limited warranty.</li> </ol> </li> <li>6. Five (5) years or Unlimited miles:               <ol style="list-style-type: none"> <li>a. Allison transmission standard limited warranty.</li> </ol> </li> </ol>	COMPLY  SEE MANUFACTURER ' S STANDARD WARRANTY STATEMENTS ENCLOSED

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
<b>ADDITIONAL AVAILABLE OPTIONS:</b>	
1 ) Engine, Cummins ISB, 220 horsepower and 520 lb ft (Requires option 3.) Allison 2500 transmission)	Deduct \$ (1,145)
2.) Engine, Caterpillar C7, 230 horsepower and 660 lb ft. (Requires Allison 3000 or Option 4.) Allison 2500 w/SEM)	Add \$ 6,701
3.) Transmission, Allison 2500 PTS Gen 4 automatic (Requires engine Option 1.)	Deduct \$ (4,146)
4.) Transmission, Allison 2500 PTS w/SEM (Requires engine ISB 240hp/620 or option 2.)	Deduct \$ (4,084)
5.) Rear Air Ride Suspension ILO spring	Add \$ 1,229
6.) Front Air Ride Suspension ILO spring (Requires Option 5.) Rear air ride suspension)	Add \$ 686
7.) Engine block heater	Add \$ 120
8.) Electric air drains in driver's compartment	Add \$ 840
9 ) Hydraulic brakes ILO Air brakes	Deduct \$ (1,143)
10.) Silicone heater hoses w/CT clamps ILO Std	Add \$ 131
11 ) 270 amp alternator ILO Std	Add \$ 672
12 ) Battery disconnect switch	Add \$ 134
13.) 60 gallon fuel capacity ILO 100 gallon	Deduct \$ (283)
14 ) HEATER: 14a.) Heavy duty heater pump 14b.) 40K BTU rear wall mount heater 14c.) 80K BTU rear wall mount heater	Add \$ 308 Add \$ 447 Add \$ 633
15.) 5/8" Marine Plywood ILO Std	Add \$ 379
16 ) Blue, Tan, Green Dark Grey, rubber flooring in lieu of standard Black	Add \$ 265
17.) Altro flooring at entrance & stepwell	Add \$ 160
18.) 16 Ga. Extended side panels w/25 3/4" skirts	Add \$ 809
19 ) Manual operated entrance door ILO Air	Deduct \$ (229)
20.) Electric operated entrance door ILO Air	Add \$ 564
21.) 2 pc. tint/shaded windshield ILO Std	Add \$ 93

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL
22.) Heated/Remote mirrors ILO heat only	Add \$ 291
23.) LED LIGHTS: 23a.) Package: Including tail and brake, directional front & rear & sides, Clearance/marker & backup lights. 23b.) LED 8way warning lights 23c.) LED stop arm	Add \$ 1,515 Add \$ 1,374 Add \$ 311
24.) Strobe light w/pilot	Add \$ 180
25.) Fog lights in front bumper	Add \$ 314
26.) DRIVER SEATS: 26a.) National Air drivers seat 26b.) Bostrom (or) National Manual drivers seat	Deduct \$ (164) Deduct \$ (178)
27.) Barrier ILO Flip seat @ SED	Deduct \$ (675)
28.) Activity seats w/fabric upholstery & 3pt belts	Add \$ TBD
29.) Student Safety Seats 36" w/3 pt belts - ILO 45" & 30" SEAIS	Add \$ WASH - NO CHARGE
30.) Student safety seats w/3 pt belts <u>with</u> child restraint positions: 30a.) 30" Each 30b.) 36" Each 30c.) 45" Each	Add \$ 616 Add \$ 958 Add \$ 878
31.) 39" Student Safety Seats w/3 pt belts ILO 45" & 30" seats	Add \$ 1,205
32.) Blue, Brown, Green, Grey, Burgundy, Black fireblock seat upholstery	Add \$ NO CHARGE
33.) SPECIAL NEEDS EQUIPMENT: 33a.) Flat floor without rear wheel housings (Requires Option 5.) Rear air ride suspension and (Requires Option 29.) 255/70R Low profile tires) 33b.) Lift door/buzzer/interlock/pad kit & Braun lift 33c.) Lift door/buzzer/interlock/pad kit & Ricon lift 33d.) Wheelchair position, L-Track Each 33e.) Wheelchair tracks, LH full length 33f.) Wheelchair tracks, RH full length 33g.) Q-Straint QRT retractable W/C tiedowns Each set (Includes Lap & Shoulder belts) 33h.) Surelok Retractable W/C tiedowns Each set (Includes Lap & Shoulder belts)	Add \$ 39 Add \$ 5,469 Add \$ 5,355 Add \$ 613 Add \$ 3,279 Add \$ 3,279 Add \$ 509 Add \$ 509
34.) 255/70R tires ILO 11R tires (Requires Option 28a.) Flat floor and (Requires Option 5.) Rear air ride suspension)	Add \$ 193
35.) Aluminum wheels ILO steel wheels	Add \$ 1,898
36.) Interior parcel racks LH & RH sides	Add \$ 1,401

**Oro Grande Elementary School District**  
**Bid No. 3**  
**57-PASSENGER CONVENTIONAL SCHOOL BUS**

SPECIFICATION	BIDDER'S RESPONSE - MUST COMPLY OR STATE DEVIATIONS IN FULL				
37.) Luggage Compartments: 37a.) LH double rear overhang compt w/lights 37b.) RH single behind rear wheels compt w/lights 37c.) RH single between wheelwells compt w/lights 37d.) RH double between wheelwells compt w/lights	Add \$ 741 Add \$ 509 Add \$ 498 Add \$ 827				
38.) Air Conditioning: 38a.) 120K BTU Freeblow skirt mount 38b.) 120K BTU Freeblow roof mount 38c.) 120K BTU Ducted skirt mount 38d.) 120K BTU Ducted roof mount  38e.) Transit compressor in lieu of standard dual	Carrier A/C systems Add \$ 7,660 Add \$ 8,780 Add \$ 8,760 Add \$ 9,980  Add \$ 1,940 to pricing above				
39.) GM Propane engine & fuel system ILO diesel	Add \$ 12,200				
40.) Extended 5yr bumper to bumper warranty	Add \$ 2,164				
41.) ENGINE/TRANSMISSION SOFTWARE: Computer software & cable <table style="display: inline-table; vertical-align: middle; margin-left: 20px;"> <tr><td>41a.) Cummins</td></tr> <tr><td>41b.) Caterpillar</td></tr> <tr><td>41c.) Allison</td></tr> <tr><td>41d.) Lap top computer</td></tr> </table>	41a.) Cummins	41b.) Caterpillar	41c.) Allison	41d.) Lap top computer	Add \$ 1,389 Add \$ 2,633 Add \$ 2,052 Add \$ 775
41a.) Cummins					
41b.) Caterpillar					
41c.) Allison					
41d.) Lap top computer					
42.) WHEELBASE OPTIONS:  42a.) 189" - 2311 body 42b.) 217" - 2610 body 42c.) 238" - 2807 body 42d.) 252" - 3011 body 42e.) 273" - 3303 body	Deduct \$ (6,175) Deduct \$ (2,593) Deduct \$ (2,283) Deduct \$ (1,517) Deduct \$ (826)				

**Blue Bird Body Company - Sales Quotation**

53551 - ORO GRANDE BID BBCV 57 DSL - ORO GRANDE ELEMENTARY SCHOOL DIST. 05/01/2008  
 Model Make Engine Whl-Base Capacity St-Oper EST-Order Date  
 BBCV3310S BBCV 273 0 57 CA 2008-05-10

Send as Email

Quoted To: ORO GRANDE ELEMENTARY  
 SCHOOL DIST.  
 SAN BERNARDINO County

Quoted By: A Z Bus Sales /Colton

PO BOX 386  
 ORO GRANDE CA 92368

Quote ID: 53551

Quantity	Base Model/Feature	Description
1	Base Model	Description of the Base Model

Quote ID: 53551 Standard Option

1	0019802	KEY LOCK
1	0025400	STEPWELL, NATL STDS,1990
1	0037401	RETAINER REAR EMERG DOOR
1	0050500	FUEL TANK DOOR,LOCKING
1	0098312	PLYWOOD FLOOR,FIR 1/2IN THICK
1	0098400	PLYWOOD FLOOR SCREWED DOWN
1	0102601	WEAR PLATE,ENT DR,RUBBER,WHITE NOSE
1	0106200	WHEELHOUSING MOLDED
1	0156100	EMERGENCY DOOR ARROWS
1	0192202	DAYTIME RUNNING LIGHTS
1	0223000	DOOR SWITCH,STEPWELL LIGHT
1	0244912	ALUMN I/S PNL,FULL HEM,TEXTURIZED
1	0283603	SEAT BELT, DRS 3-PT,SINGLE,BAR LOCK
1	0328800	4 PC FLAT SHADED W/S
1	0674500	COVER FOR EMERGENCY DOOR SWITCH
1	3000100	ACCESSORY POWER SOCKET W/CAP
1	3005605	HOSE,HTR,HI-MILER,W/CT CLAMPS
1	3010102	WIRING,CL/MK/ID,PARK LGT CONTROLLED
1	3010103	WIRING,CL/MK,CORNER,2 FRONT,2 REAR
1	3010204	LIGHTS,CL/MK,TEAR DRP,2 AMBER,2 RED
1	3010303	LIGHTS,ID,TEAR DROP
1	3010504	LIGHTS,CL/MK,TEAR DROP,INTERMEDIATE
1	3011602	LIGHTS,DIRECTIONALS,REAR,AMBER
1	3012004	LGTS,DIR,FRT,FENDER MNT
1	3012102	WIRING,DIR,REAR
1	3015102	LIGHTS,DOME,6 CANDLEPOWER
1	3017301	LIGHT,4IN STOP/TAIL/LICENSE
1	3017501	LIGHT,7" STOP/TAIL,ROUGH LENS,INCAN
1	3017601	LIGHT,5" BACKUP,INCAN
1	3019301	FLASHER,W/L SYSTEM,WELDON
1	3020014	LIGHTS,WARN,HALOGEN,4 AMBER,4 RED
1	3021001	SWITCH,W/L MASTER,LOC,LH
1	3021003	SWITCH,W/L START,LOC,LH
1	3021009	LIGHTS,PILOT,W/L SYSTEM,LOC,LH
1	3021103	CONTROLS,CONFIG,W/L,OPT #3,8-LGT,LH
1	3021802	SWITCH,W/L,MASTER,GREEN PILOT
1	3022501	SWITCH,W/L START,MANUAL
1	3022802	INDICATOR,W/L SYSTEM,AMBER/RED
1	3029317	STOP ARM,S/S,INC,REFL
1	3029704	WIRING,S/ARM,ELEC,W/LED LGTS

1	3035402	LETTERING,"SCHOOL BUS" 8"71" STROKE
1	3038601	PAINT,GRILLE,AIR INTAKE,YELLOW
1	3039502	PAINT,BACKGROUND,WARN LGT,3" BLACK
1	3040001	PAINT, INTERIOR, ASTRO WHITE
1	3043033	VINYL,REFLECTIVE,RR EMER DR YELLOW
1	3045602	MIRROR,REARVIEW,INT 6X30
1	3048405	MIRROR,CROSSVIEW,ROSCO,MINI HAWKEYE
1	3092102	LATCH,LOCKABLE,ACCESS DOOR
1	3094512	BODY CONSTRUCTION FM/CMVSS 221
1	3097702	DOOR,ENTRANCE,OUTWARD OPENING
1	3101502	DOOR,EMERGENCY,REAR,2 WINDOW
1	3102101	COVERING,FLOOR,RUBBER,BLACK
1	3102402	TRIM,AISLE,ALUMINUM
1	3104901	HANDRAIL,ENT DR,BARRIER 3 25 - 5 25
1	3115602	LIGHT,STEPWELL,14 CANDLE
1	3116013	STEPTREADS,ENT DR,N/ABR,BLK,WHT NSG
1	3116601	MARKER LGT CONTROL,STEPWELL LGT
1	3120103	BUZZER,REAR EMERG DOOR
1	4000007	AXLE,STEER,HENDRICKSON,12000 LB GAW
1	4000512	SUSPENSION,SPRG,REAR,2-STAGE,21000
1	4001828	AXLE,REAR,MERITOR,21000 LB,5 29
1	4004802	LUBRICATION,OIL,PETROLEUM,AXLE
1	4008604	BUMPER,REAR,STEEL
1	4008806	BUMPER,FRONT,STEEL 15IN
1	4009702	COLUMN,STEERING,TILT/TELESCOPING
1	4009801	CRUISE CONTROL
1	4011102	FLUID,TRANSMISSION,SYNTHETIC
1	4011107	FLUID,ANTIFREEZE,COOL-GARD
1	4013502	ALTERNATOR, BOSCH, 200 AMP
1	4017109	GOVERNOR,ROAD SPEED,75 MPH
1	4021509	EXHAUST,PRIMARY,NON-FLEX,CUMMINS
1	4023309	FLTR,FUEL/WATER SEPARATOR,C7/ISB07
1	4028004	GAUGE,SPEEDOMETER, MILES
1	4039014	BALANCE FRONT WHEELS
1	4044004	WHEELS,STEEL,8 25X22 5 DSC,HUB-PILO

Quote ID:	53551	Optional Features
1	0015610	HEAVY DUTY BATTERY CMPT CV-INT
1	0016200	LOCKING EMERG EQUIP CPT UPPER FRT
1	0021701	VANDAL LOCK - REAR EMERGENCY DOOR
1	0021801	VANDAL LOCK - SIDE EMERGENCY DOOR
1	0037402	RETAINER SIDE EMERG DOOR LH
1	0042900	EMERGENCY DOOR LS 28IN
1	0057500	FLAPS FRONT RUBBER
1	0058600	FLAPS REAR WITH BB LOGO
1	0060000	FENDERS REAR RUBBER
1	0075400	TRIANGULAR WARNING DEVICE FLOOR
1	0101400	STEEL FLOOR TRIM
1	0150600	SOUND DEADENING SPRAY COAT 1/16 THK
1	0150702	ACOUSTIC HEADLINING FULL LENGTH
1	0153500	'STOP WHEN RED LIGHTS FLASH'
4	0154900	EMERGENCY DOOR 'PORTE DE SECOURS'
1	0231400	PAINT, YELLOW, ENTRANCE DOOR
1	0233000	WHITE ROOF
1	0233201	DISC WHLS PTD BOTH SIDES YELLOW
1	0238001	PANEL,SIDE, 16 GA, 16 1/4 SKIRT
1	0282713	SHOCK,DUAL,BSTRM SEAT
1	0282718	SEAT,DRVS,BSTRM,AIR,BROWN VINYL/FAB
1	0318100	VISOR, OPAQUE BLACK, LEFT SIDE
1	0344101	WET ARM WINDSHIELD WIPERS (CV)
1	0347012	77 IN HEADROOM CONVENTIONAL
1	3002602	FAN,AUXILIARY,UPPER LEFT,6"
1	3002603	FAN,AUXILIARY,UPPER CENTER,6"
2	3002901	WIRING,VENT,ROOF HATCH,BUZZER
2	3003011	VENT,SPECIALTY,PROLO
1	3005702	SWITCH,NOISE SUPPRESSION,LATCHING
1	3006011	HEATER,50K,LH,REAR,F/M
1	3006030	HEATER GRILLE
1	3010106	WIRING,CL/MK,INTERMEDIATE
1	3010401	SHIELDS,TEAR DROP LIGHTS,4 CLR
1	3010402	SHIELDS,TEAR DROP,6 ID
1	3010403	SHIELDS,TEAR DROP,2 INTERMEDIATE
1	3011702	LIGHT,DIR,SIDE,ARROW 059,FRT
1	3011706	LIGHT,DIR,SIDE,ARROW 059,RR
1	3012103	WIRING,DIR,SIDE,FRONT,BELTLINE
1	3012105	WIRING,DIR,SIDE,REAR,BELTLINE
1	3015501	LIGHT,1 DOME,DRIVERS,SEPERATE SW
1	3015803	DOME,2 ROW/2 SWITCHES,F & R,CONFIG
1	3019605	HOODS,WARNING LIGHTS,INDIVIDUAL
1	3019902	SYSTEM,WARN,8-LGT,N/SEQ
1	3020102	SEQUENCE,W/L SYSTEM,NON-SEQUENTIAL
1	3021007	SWITCH,W/L,EM OVERRIDE,LOC,LH
1	3022204	SWITCH,EMERGENCY OVERRIDE
1	3026009	RADIO,AM/FM/PA CD
1	3026906	SPEAKER,DLX,8 SPKR SYS W/WIRING
1	3026911	REMOTE MIC,DRIVER CONTROLLED
1	3026912	SPEAKER,O/S,UNDER HOOD W/WIRING
1	3028101	WRG,2-WAY RADIO,CTR DASH MNT(07829)
1	3029501	STOP ARM LOCATION,REAR
1	3031002	HORN,BACKING SAFETY,112 DB
1	3031602	WIRING,W/L SYSTEM,10 GA
1	3031801	LIGHT,PILOT,EXIT

1	3032102	LIGHT,SWITCH PANEL,ADDITIONAL CTRL
1	3032502	POWER,BAT CONTROL,WARNING LIGHTS
1	3032503	POWER,BAT CONTROL,CLER/CSTR/ID LGTS
1	3032504	POWER,BAT CONTROL,DOME LIGHTS
1	3032508	POWER,BAT CONTROL,ENTRANCE DOOR
1	3033703	INSULATION,BODY,POLYESTER/FIBER
1	3043036	VINYL,REFLECTIVE,2IN SIDE YELLOW
1	3043037	VINYL,REFLECTIVE,1 75 IN RR YELLOW
1	3043038	VINYL,REFLECTIVE,SD EMER DR YELLOW
2	3043043	VINYL,REFLECTIVE,ROOF HATCH,WHITE
1	3048204	HEATED MIRROR,EXTERIOR,LOW MNT
1	3048308	MIRROR,ROSCO,AVIA,9X17,DETENT
1	3055003	FAK,CALIFORNIA
1	3073101	INSTALLATION,FIRE EXT,DRIVER'S AREA
1	3073304	EXTINGUISHER,FIRE,5 LB,CSA
1	3075601	HOLDER,CERTIFICATE,7-5/8 X 9-1/4
1	3075715	PACKAGE,STATE,CALIFORNIA
1	3078409	PANEL,MODESTY,BARRIER,ENT DOOR
1	3078426	PANEL,MODESTY,BARRIER,DRV,HTR VENT
1	3082006	BARRIER, 30 INCH HIGH BACK
1	3082010	BARRIER, 45 INCH HIGH BACK
12	3084005	SEAT,CEW,STDNT SFTY ST,30
10	3084017	SEAT,CEW,STDNT SFTY ST,45
1	3084055	SEAT,CEW,SSS, FLIP,45
1	3085714	UPH,FIRE BLOCK,BROWN,PASS,PURCH
2	3085728	UPH,BRW,N,PEBBLE TOP TEXTURE,BARRIER
1	3096005	STEPWELL,STAIN STEEL,SEVERE DUTY
1	3097804	DOOR CONTROL,AIR POWERED
1	3098103	LOCK,SECURITY,ENT DOOR
1	3118403	GLASS,RR EMER DR,LWR,DK TINT,TEMP
1	3118503	GLASS,RR EMER DR UPR,DK TINT,TEMP
1	3118703	GLASS,REAR VISION,DK TINT,TEMP
1	3118803	GLASS,ENT DR,LOWER,TINT,LAM
1	3118903	GLASS,ENT DR,UPPER,TINT,LAM
1	3119802	GLASS,SIDE EMER DR,DK TINT,TEMP
1	3120035	WINDOW ASSY,DRVR,GREEN TINT,LAM
1	3120105	BUZZER,L/H SIDE EMERG DOOR
23	3120213	WINDOW,S/S,12",TEMP,TINT
1	4000404	SUSPENSION,SPRG,FRT,SOFTEK 10000
1	4005003	BRAKE,EXHAUST,VGT
1	4005203	ADJ,SLK,AUTO,MERITOR
1	4007006	BRAKES,AIR,MERITOR,5"FRT/7"RR
1	4007601	BRAKES,ANTI-LOCK(ABS),AIR
1	4008101	DRYER,AIR,BENDIX AD-9
1	4008107	VALVE,DRAIN,HTD RESRV,WET TANK,AUTO
1	4010801	HOSES,COOLING,SILICONE
1	4014204	BATTERIES,TWO 8D
1	4016508	TORQUE MGNT,ISB ENG 40179-10,11,12
1	4017910	ENGINE,CUM ISB07,DSL,240HP@620LB-FT
1	4021602	T/PIPE,THROUGH BUMPER
1	4024102	FUEL SYSTEM,DSL,100 GAL BFR RH FILL
1	4028001	GAUGE,TEMPERATURE,ALLISON TRANS
1	4028002	GAUGE,AMMETER,FRONT
1	4029141	TIRES,MICH,11R22.5G,XZE LRG
1	4041101	TOW HOOKS, FRONT
1	4041102	TOW HOOKS, REAR
1	4043210	TRANS,ALLISON,GEN 4,3000PTS,5 SPD

Quote ID: 53551 TOTALS  
 Total Features Price  
 Total Distributor Features Price  
 Total Customer Charge  
 Total Additional Charges  
 Total Base Price  
 Total Price  
 Discount Amount

This discount request has been transferred to the Corporate Finance Department


Quote ID: 53551 Additional Feature Information  
 0154900 EMERGENCY DOOR' 'PORTE DE SECOURS"  
 Color Code A: 907676  
 User Location: Exterior on door over window RED  
 Lettering: "EMERGENCY EXIT"  
 0154900 EMERGENCY DOOR' 'PORTE DE SECOURS"  
 Color Code A: 907676  
 User Location: Interior on door over window RED  
 Lettering: "EMERGENCY EXIT"  
 0154900 EMERGENCY DOOR' 'PORTE DE SECOURS"  
 Color Code A: 907676  
 User Location: Exterior on door over window LSED  
 Lettering: "EMERGENCY EXIT"  
 0154900 EMERGENCY DOOR' 'PORTE DE SECOURS"  
 Color Code A: 907676  
 User Location: Interior on door over window LSED  
 Lettering: "EMERGENCY EXIT"

Quote ID: 53551 Lettering / Bus Number  
 Lettering BLBS Black Lettering  
 6"  
 "ORO GRANDE ELEMENTARY SCHOOL DISTRICT"

Bus Numbers  
 Locations/Color/Size NONE / NONE / NONE inch letters  
 NONE / NONE / NONE inch letters  
 NONE / NONE / NONE inch letters  
 NONE / NONE / NONE inch letters


Quote ID: 53551 Body Plan / Seat Plan Information

Body Plan ID: 5001525



Seat Plan ID: 7839


SP: 7839 BBCV 3310, 57 CAP



Quote ID: 53551

Seat Plan Spacing Chart

SP: 7839 BBCV 3310



Dimensions are to center line of front mounting hole.

Row	RH Seats	LH Seats
1	30CEWSS	45CEWSS
2	30CEWSS	45CEWSS
3	30CEWSS	45CEWSS
4	30CEWSS	45CEWSS
5	30CEWSS	45CEWSSFS
6	30CEWSS	45CEWSSWH
7	30SSOL	45CEWSSWH
8	30SSOL	45CEWSS
9	30CEWSS	45CEWSS
10	30CEWSS	45CEWSS
11	30CEWSS	45CEWSS
12	30CEWSS	

LH Seat Spacing: 32.00, 30.40  
 LH Knee Clearance: 27.87, 26.27  
 RH Seat Spacing: 29.00  
 RH Knee Clearance: 24.87

BBCV 3310

BBCV3310 CEW SS 45 30 FLP

DO NOT SCALE

Capacity	57
Seat Plan #	7839
Wheelbase	273.00


## BID FORM

Date: 5/05/08  
Bidder: A-Z BUS SALES, INC.

To: The Governing Board  
School: Oro Grande Elementary School District  
Address: 19175 Third Street  
Oro Grande, CA 92368  
760-245-9260

Bid No.: 3

The undersigned fully understands that the District forms a contract upon acceptance of this bid. The undersigned, having carefully read the Notice To Bidders as published on April 18, 2008 and April 25, 2008, and the Specifications, hereby proposes to furnish in strict conformity with said documents the following items:

<u>Quantity</u>	<u>Description</u>
<u>One or more</u>	<u>BLUE BIRD BBCV 3310 - 57 PASSENGER</u>
	<u>SCHOOL BUS</u>
Cost (excluding Sales Tax)	<u>\$94,406.00 EACH + SALES TAX</u>
Estimated Delivery Date:	<u>180 DAYS AFTER RECEIPT OF ORDER</u>
Name of Bidder:	<u>A-Z BUS SALES, INC.</u>
Signed by:	<u></u>
Title:	<u>JOHN ROSELLI/NEW BUS SALES MANAGER</u>
Address:	<u>1900 S. RIVERSIDE AVENUE</u>
	<u>COLTON, CALIFORNIA 92324</u>
Telephone:	<u>951-781-7188 X1848</u>
Fax:	<u>951-781-9806</u>
E-mail:	<u>jroselli@a-zbus.com</u>

NOTE: Pursuant to Public Contract Code Sections 20118 and 20652, the Bidding Agency may allow other public agencies in the State Of California (including but not limited to: Orange, San Diego, Riverside, Los Angeles, Monterey, Fresno and Santa Barbara counties) to purchase equipment and supplies under the same terms and conditions. The Bidding Agency waives its rights to require other districts to draw their warrants in favor to this district and authorizes each district to make payment directly to the successful bidder. The Bidding Agency agrees to waive payment of reasonable costs per Public Contract Code Section 20118. We understand the District reserves the right to reject any and all bids, and to waive any irregularity of informalities in any bids or in the bidding.