



Creative Bus Sales, Inc.

13501 Benson Ave., Chino, CA 91710 Ph: (909) 465-5528 Fax: (909) 465-5529

April 23, 2008

Mary Ann Kirastoulis
Director of Purchasing
Escondido Union High School District
302 North Midway Drive
Escondido, CA 92027

Ms. Kirastoulis,

Thank you for inviting Creative Bus Sales to participate in your school bus bid #28-05. I truly appreciate your confidence.

Attached is Creative Bus Sales response to the bid request. We will comply with all aspects of the specifications itemized. However, there is one condition in the Special Bid Conditions (Attachment A, page 1) that the manufacturer that we represent, IC Bus does not do. Item #5 asks for welded body-to-chassis construction. IC Bus mounts the body to the chassis using U-bolts with rubber pads between the body and chassis. The rubber pads reduce vibration and the U-bolts securements allow the body to flex. Body flex is important because of the way bus bodies contort on short but steep inclines, like driveways.

Again, I thank you for the opportunity and know that we would be proud to provide buses for the Escondido Union High School District.

Sincerely,

Joseph Angeli
School Bus Sales Manager

School Buses – Bid #28-05
Escondido Union High School District

BID MANUAL

BID #28-05

SCHOOL BUSES

**By: Escondido Union High School District
PURCHASING DEPARTMENT
302 North Midway Drive
Escondido, CA 92027
(760)291-3223**

March 27th, 2008



Escondido Union High School District

District Service Center

302 North Midway Drive • Escondido, CA 92027-2741
Telephone (760) 291-3200 • FAX (760) 480-3163
Edward J. Nelson, Superintendent

BOARD OF EDUCATION

Pamela Grosso
Dr. Kurt Marler
Jon Petersen
Tina Pope
Charlie Snowder

March 27, 2008

TO: Prospective Bidders of BID NO. 28-05
School Buses

FROM: Mary Ann Kirastoulis
Director, Purchasing

The Escondido Union High School District invites your firm to participate in the bidding of a contract for School Buses.

Bidders shall familiarize themselves with all the bidding conditions and requirements listed within the contract documents. Please note the following:

BID OPENING:

Thursday, April 24th, 2008 @ 4:00 p.m.

Location: Escondido Union High School District, 302 North Midway Drive, Escondido, CA 92027 -
Conference Room #1

SCHOOL DISTRICT CONTACTS:

1. Director Transportation: Robert Berkstresser, Director, Transportation
Telephone: 760-739-7344
e-mail: rberkstresser@euhsd.k12.ca.us
2. Contract Administration: Mary Ann Kirastoulis, Director, Purchasing
Telephone: 760-291-3223
e-mail: mkirastoulis@euhsd.k12.ca.us

RECEIVED MAR 31 2008

School Buses – Bid #28-05
Escondido Union High School District

ESCONDIDO UNION HIGH SCHOOL DISTRICT
Purchasing Department
302 North Midway Dr., Escondido, CA 92027
Phone: 760-291-3223 - Fax: 760-480-3164

DATE: March 27, 2008

SUBJECT: Bid #28-05 FOR: SCHOOL BUSES

BID OPENING: April 24th, 2008 **TIME:** 4:00 p.m.

Please bid your bid price on Bid Form, Page 18 of the contract documents.

The undersigned, doing business under the full and complete legal firm name as set forth below, having examined the Notice to Bidders, Instructions to Bidders, the General Conditions, the Specifications, the Agreement, and all other documents forming a part of the bid package for the above-referenced bid, hereby proposes to perform the Agreement, including all of its component parts, and to furnish all materials called by them for the entire order for the prices set forth in the quotation sheets contained in said bid package. The entire bid package is submitted, together with this Bid Proposal Form.

Submit all bids in a sealed envelope showing the Bid Number, opening date, and opening time. Bid must reach the Purchasing Department at the address, date and time listed in the NOTICE TO BIDDERS.

If further information is desired, please call the Purchasing Department at 760-291-3223.

NOTE: BIDS SUBMITTED BY FAX ARE NOT ACCEPTABLE
This form is to be submitted with your bid.

The undersigned hereby proposes and agrees to furnish and deliver the goods or services as bid in accordance with the terms, conditions, specifications, and prices herein quoted.

NAME OF COMPANY: Creative Bus Sales, Inc.

Legal Status: Corporation

(i.e., sole proprietorship, partnership, corporation)

Tax I.D. Number 33-0388707

(Sole Proprietorship only)

SIGNED BY: *Joseph C. ...*

(Manual signature by authorized legal representative—unsigned bids will be rejected)

TITLE: Sales Manager DATE: 4.21.2008

ADDRESS 13501 Benson Avenue, Chino, CA 91710

PHONE #: 909.465.5528 FAX #: 909.465.5529

NOTICE TO BIDDERS

NOTICE IS HEREBY GIVEN that Escondido Union High School District of San Diego County, California, acting by and through its Governing Board, hereinafter referred to as the DISTRICT, will receive up to, but not later than **4:00 o'clock, p.m. of the 24th, day of April, 2008**, sealed bids for the award of a contract for:

SCHOOL BUSES BID NUMBER 28-05

Bids shall be received in the office of the Purchasing Director of District at 302 North Midway, Escondido, CA 92027-2741, and shall be opened and publicly read aloud at 302 North Midway, Escondido, CA, Conference Room #1.

Each bid must conform and be responsive to this invitation, the Instructions to Bidders, Specifications, and all other documents comprising the pertinent Contract Documents. Copies of contract documents may be obtained **after March 27th, 2008**, at Escondido Union High School District, Purchasing Department, 302 North Midway, Escondido, CA 92027, phone (760) 291-3223.

Each bid shall be accompanied by the security referred to in the contract documents, the non-collusion affidavit, and all additional documentation required by the Instructions to Bidders.

The District reserves the right to reject any or all bids or to waive any irregularities or informalities in any bids or in the bidding.

No bidder may withdraw his bid for a period of **sixty (60)** days after the date set for the opening of bids

Dated - March 27th, 2008

**Pamela Grosso
Clerk of the Governing Board
Escondido Union High School District
of San Diego County, California**

Publication: North County Times
Publication Dates: March 27th, 2008 and April 3rd, 2008

TABLE OF CONTENTS

	Page
Notice to Bidders.....	3
Instructions to Bidders.....	5-9
Bid Form.....	10-11
Non Collusive Bidding Declaration.....	12
General Conditions.....	13-15
Agreement.....	16-17
Bid Sheet.....	18
Bid (Specifications).....	After Page 18
Attachment A – Special Bid Conditions.....	1-2
Attachment B - References	
Attachment C – Contract Renewal Clause	
Attachment D – Warranty Pick-up and Repair Facilities	
Attachment E - Options List and Pricing	

SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

INSTRUCTIONS TO BIDDERS

No bid proposal shall receive consideration by the Escondido Union High School District unless made in accordance with the following instructions:

1. **Quotations:** All prices and quotations must be in ink or typewritten. No pencil figures or erasures are permitted. Mistakes may be crossed out and corrections inserted adjacent thereto and must be initialed in ink by the person signing the bid. No oral, telegraphic, or telephone quotations or modifications will be accepted.

Quote on each item separately. Prices must be stated in units specified hereon or trade standard. Each item must be considered separately and not in combination with other items unless otherwise specified on bid form by the District. In case of error, unit prices will govern and extensions will be corrected.

Bidder shall offer one fixed unit price for each item offered. More than one unit price inserted for any one item may result in the rejection of the bid unless alternate bids are specifically requested.

2. **Requests for Information:** Any questions relative to the bid shall be directed, in writing, to Mary Ann Kirastoulis at the address specified for receipt of bids, via fax at 760-480-3164 or via email: mkirastoulis@euhsd.k12.ca.us. The deadline for submitting questions relative to this bid is April 15th, 2008. No further questions or requests for clarification will be accepted after this date and time. The District shall not be held liable for oral representations made by its officers, employees or agents. All information relative to this bid shall be made in writing in accordance with the instructions outlined above. **Bidders shall not contact any other employee, officer or representative of the district regarding this bid.**
3. **Bid Proposal Form:** Bid proposals must be made on the Quotation Sheets included in this invitation for bid along with the Bid Proposal Form. All items on the form should be filled out. Numbers should be stated in figures, and the signatures of all individuals must be in long hand. The completed form should be without interlineations, alterations, or erasures.
4. **Execution of Agreement:** In addition to the Bid Proposal Form, **all bidders must sign the Agreement included in this invitation for bids, and must return it to the District, together with the Bid Proposal Form and completed Quotation Sheets.**
5. **Identification of Bidder:** Each bid must give the full business address of the bidder and must be signed by the officer authorized to bind the company contractually with his or her usual signature. Bids by partnerships must furnish the full names of all partners and must be signed in the partnership name by a general partner with authority to bind the partnership in such matters. Bids by corporations must be signed with the legal name of the corporation, followed by the signature and designation of the president, secretary, or other person authorized to bind the corporation in this matter. The name of each person signing shall also be typed or printed below the signature. When requested by the District, satisfactory evidence of the authority of the officer signing on behalf of the corporation shall be furnished. **Failure to properly sign required forms may result in rejection of the bid.**

**SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT**

6. **Equal Bids:** Whenever equal bids are received on advertised items, the successful bidder shall be selected as follows:
 - (a) Single Item Bid. The successful bidder shall be randomly selected through a drawing.
 - (b) Multiple Bid. The successful bidder shall be the bidder whose aggregate bid for all items is lowest. If there are equal aggregate bids, the successful bidder shall be randomly selected through a drawing from such equal bidders.
7. **Withdrawal of Bid Proposals:** Bid proposals may be withdrawn by the bidders prior to the time fixed for the opening of bids, but may not be withdrawn for a period of ninety (90) days after the opening of bids. A successful bidder shall not be relieved of the bid submitted without the District's consent or bidder's recourse to Public Contract Code Sections 5100, et seq.
8. **Award of Contract:** The District reserves the right to reject any and all bid proposals, to contract work with whomever and in whatever manner the District decides, to abandon the work entirely, and to waive any informality or nonsubstantive irregularity in the proposals as the interests of the District may require.
9. **Rejection of Bids:** The District reserves the right to accept or reject any and all bids, or any portion or combination thereof, or award on the basis of the total bid.
10. **Amendments:** The terms and conditions contained in the Notice to Bidders, Bid Proposal Form, Instructions to Bidders, General Conditions, Specifications, and Agreement herein may be amended or modified only with the prior written approval of the District.

Any addenda or bulletins issued during the time of bidding shall form a part of the drawings and specifications issued to bidders for the preparation of their proposals and shall constitute a part of the contract documents.
11. **Delivery of Bonds, Certificates, etc.:** OMIT – NOT APPLICABLE TO THIS BID

Unless otherwise specified, the successful bidder shall, within fourteen (14) calendar days after notice by the District, sign and deliver to the District all bonds, other than the bid bond, certificates of insurance, and other required documents. In the event the bidder to whom an award is made fails or refuses to so deliver such documents, the District may declare the bidder's bid deposit or bond forfeited as damages, and may award the work to the next lowest responsible bidder, or may reject all bids and call for new bids.
12. **Evidence of Responsibility:** Upon the request of the District, a bidder shall submit promptly to the District satisfactory evidence showing the bidder's financial resources, the bidder's experience in the type of work being required by the District, the bidder's organization available for the performance of the contract and any other required evidence of the bidder's qualifications to perform the proposed contract. The District may consider such evidence before making its decision awarding the proposed contract. Failure to submit evidence of a bidder's responsibility to perform the proposed contract may result in rejection of the bid.
13. **Taxes:** Unless otherwise specified, taxes shall not be included in the bid prices. The District will compute the state sales and use taxes. Federal excise taxes are not applicable to school districts.

**SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT**

14. **Discounts:** Any discounts which the bidder desires to provide the District must be stated clearly on the bid form itself so that the District can calculate properly the net cost of the bid proposal. Offers of discounts or additional services not delineated on the bid form will not be considered by the District in the determination of the lowest responsible bidder.

Cash discounts of less than twenty (20) days will be considered net. Cash discounts, when given, will be figured from date of receipt of auditable invoices, provided complete delivery and acceptance of the order has been made. If delivery date is later than date of receipt of invoice, billing date will coincide with delivery and acceptance date.

15. **Prices:** Bidders must quote prices F.O.B. the district unless otherwise noted. Prices should be stated in the units specified and bidders should quote each item separately.
16. **Quantities:** The quantities shown are approximate. The District reserves the right to increase or decrease quantities as required.
17. **Container Costs and Delivery:** All costs for containers shall be borne by the bidder. All products shall conform to the provisions set forth in the federal, county, state and city laws for their production, handling, processing and labeling. Packages shall be so constructed to ensure safe transportation to the point of delivery.
18. **Negotiations:** A submittal containing terms such as “negotiable”, “will negotiate”, or similar, will be considered nonresponsive.
19. **Non-collusion Affidavit:** All participants submitting a response to this bid are required to sign the Noncollusion Affidavit contained herein and submit it with the proposal.
20. **Samples and Demonstrations:** On request, samples of the products being bid shall be furnished to the District at no charge. Bidders may be required to demonstrate any item(s) bid. Such demonstration(s) shall be made within the Escondido Union High School District boundaries.
21. **Literature:** Any bidder offering a brand other than those specified shall furnish specification sheets, product information and other pertinent literature with their bid offer.

22. **Bid Security: OMIT – NOT APPLICABLE TO THIS BID**

Unless otherwise specified, bid proposals must be accompanied by a certified cashier's check or bidder's bond for \$2000. The cashier's check or bid bond shall be made payable to the order of the Escondido Union High School District. The bond shall be secured by a surety company satisfactory to District. The cashier's check or bond shall be given as a guarantee that the bidder will perform in accordance with the Agreement if awarded the work. If the bidder fails or refuses to timely submit all required documents or otherwise fails or refuses to perform under the Agreement, the District reserves the right to declare the bid bond forfeited and to pursue all other remedies in law or equity relating to such failure to perform. Failure to provide bid security, or bid security in the proper amount, may result in rejection of the bid.

Bid Security in the amount of \$2000.00, and in one of the following forms, must be submitted with this bid:

Bid Bond
Cashier's Check
Certified Check

SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

23. **Interpretation of Drawings and Documents:** If any person submitting a bid for the proposed contract is in doubt as to the true meaning of any part of the plans, specifications, or other contract documents, or finds discrepancies in, or omissions from the drawings or specifications, he may submit to the Director of Purchasing of the District a request for an interpretation or correction thereof. Any interpretation or correction of the contract document will be made only by Addendum duly issued and a copy of such Addendum will be mailed or delivered to each person receiving a set of such contract documents. The District will not be responsible for any other explanations or interpretations of the contract documents. Any Addenda issued during the time of bidding, or forming a part of the documents loaned to the bidder for the preparation of his bid, shall be made a part of the contract.

24. **Bidders Interested in More Than One Bid:** No person, firm or corporation shall be allowed to make, or file, or be interested in more than one bid for the same work unless special bid conditions indicate otherwise. A person, firm, or corporation who has submitted a sub-proposal to a bidder, or who has quoted prices of materials to a bidder is not thereby disqualified from submitting a sub-proposal or quoting prices to other bidders.

25. **Listing of Materials Required of Bidder:** A binding agreement of this bid is that materials will be furnished exactly as specified or shall be fully equal.

Proof of "equal" shall be the burden and expense of the bidder. Public testing laboratory reports shall be provided if required in the opinion of the District. The District reserves the right to determine the suitability of materials offered and it is hereby agreed that the District's opinion is final.

26. **Acceptable Brands:** The brands and model numbers specified are the only brands and model numbers currently known to meet the District's needs. Bidders may offer other brands and models which will be subject to the District's evaluation. The decision of the District shall be final. If the equipment offered is a make and model other than that which is specified, the bidder must include with their bid offer one copy of the following:

- a) owner/operator manuals and instructions
- b) repair and service manuals

These manuals are to be provided to the District at no cost and will become the sole property of the District.

27. **F.O.B. Point:** All items shall be offered F.O.B. Destination at Escondido Union High School District central receiving location. The District will not pay shipping and handling charges.

28. **Method of Award:** All items shall be awarded on as a lot to the lowest responsive and responsible bidder meeting bid terms, conditions and specifications unless otherwise specified in bid documents.

29. **Evaluation – Demonstration Required:** Within five (5) days of telephonic request by the buyer, the bidder shall arrange for a demonstration of each item offered and requested for evaluation. The award decision of the District shall be based on the ease of operation, service and repair and compliance with all bid specifications listed herein. The decision of the district shall be final.

Failure to arrange such a demonstration within the five (5) working days from the telephonic request of the buyer may result in rejection of the bid.

30. **Warranty Repair Facility:** Bidder shall indicate, in spaces provided on Attachment D, the name, address, and telephone number and contact person of the warranty repair facility location.

**SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT**

- 31. Gratuities:** Bidders shall not provide, offer, imply, or otherwise extend any gratuities, including cash gifts, services, allowances, or enticements in any manner or form, to officers, employees, students, agents, or representatives of the District.

BID FORM

To: Escondido Union High School District, acting by and through its Governing Board, herein called the District:

1. Pursuant to and in compliance with your Notice to Bidders and other documents relating thereto, the undersigned Bidder, having thoroughly familiarized itself with the terms of the Agreement, the Specifications, and all of the Contract Documents, hereby proposed and agrees to perform, within the time stipulated, the Contract, including all of its component parts, and everything required to be performed, all in strict conformity with the specifications and other Contract Documents, including Addenda Nos. _____, _____, _____, and _____, on file at the Purchasing Office of the issuing District for the prices set opposite the articles listed herein.

2. It is understood that the District reserves the right to reject this bid in whole or in parts; to waive information in the bids or bidding, and that this bid shall remain open and not be withdrawn for a period of sixty (60) days from the date prescribed for the opening of this bid.

3. It is understood that the successful bidder will be required to deliver:

SCHOOL BUSES, BID 28-05

This bid is to cover the period of MAY 20th, 2008 through MAY 19th, 2009.

4. It is understood and agreed that if written notice of the acceptance of this bid if mailed, telegraphed, or delivered to the undersigned within sixty (60) days after the opening of the bid, or at any time thereafter before this bid is withdrawn, the undersigned agrees that they will execute and deliver to the Consortium a contract in the form attached hereto in accordance with the bid as accepted, all within five (5) days after the receipt of notification of award, and that performance of the contract shall be commenced immediately by the undersigned bidder upon due execution and delivery to the Consortium Agreement of said Contract Documents.

5. Notice of acceptance or requests for additional information should be addressed to the undersigned at the address stated below.

6. The names of all persons interested in the foregoing proposal as principals are as follows: Anthony Matijevich - President

School Buses – Bid #28-05
Escondido Union High School District

7. The individual signing this Agreement warrants that he or she has the full authority of the entity on behalf of which his or her signature is make.

I Joseph Angeli, the Sales Manager of the bidder, hereby certify under penalty of perjury under the laws of the state of California, that all of the information submitted by the bidder in connection with this bid and all of the representations made herein are true and correct.

Executed on this 21st day of April, 2008 at San Bernardino County, California

Creative Bus Sales, Inc.

Legal name of Bidder

By Joseph Angeli
Authorized Officer or Agent

Joseph Angeli, Sales Manager

Print name & Title

Address 13501 Benson Avenue

City/State/Zip Chino, CA 91710-5232

Toll-free Telephone 800.326.2877

Fax 909.465.5529

e-mail Address joea@creativebussales.com

NON-COLLUSIVE BIDDING DECLARATION
(To be Executed By Bidder and Submitted With Bid)


I, Joseph Angeli declare as follows:

That I am the Sales Manager of Creative Bus Sales, Inc.

the party making the attached bid; that the bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation; that the bid is genuine and not collusive or sham; that the bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid, and has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or that anyone shall refrain from bidding, that the bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder, or to secure any advantage against the public body awarding the contract of anyone interested in the proposed contract; that all statements contained in this bid are true, and, further, that the bidder has not, directly or indirectly, submitted his bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, or paid, and will not pay, any fee to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof to effectuate a collusive or sham bid.

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct.

Executed the 21st day of April, 2008, at Chino, California.



Signature of Bidder

SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

GENERAL CONDITIONS

1. Responsibility for Supplies and Materials

The Bidder shall be responsible for all items to be provided until they are delivered at the designated delivery point, regardless of the point of inspection. After delivery to the District at the designated point and prior to acceptance by the District or rejection and giving notice thereof by the District, the District shall be responsible for the loss or destruction of or damage to the supplies only if such loss, destruction, or damage results from the negligence of officers, agents, or employees of the District acting within the scope of their employment. The Bidder shall bear all risks as to rejected supplies after notice of rejection, except that the District shall be responsible for the loss, or destruction of, or damage to the supplies only if such loss, destruction or damage results from the gross negligence of officers, agents, or employees of the District acting within the scope of their employment.

2. Safety Requirements

The District reserves the right to reject any materials, supplies, and equipment that, in the opinion of the District, is unsafe for its intended use or fails to meet established safety standards. The opinion of the District representative shall be final. All items furnished to the District shall be free of unsafe areas due to design or workmanship. Specifically, all weld areas shall be smooth; exposed pipe or tube ends shall be capped or plugged in such a manner that it leaves only a smooth, protected end; all chains or railings shall be finished smooth and free of any burrs or sharp edges. There shall be no metal, fiberglass, or other fabrications with exposed sharp edges or corners. Any equipment rejected as unsafe shall either be corrected by or returned to the Bidder at no expense to the District. All materials and equipment must comply with OSHA and CALOSHA requirements.

3. Specification Variance

All materials, supplies, and equipment furnished must be in conformity with the specifications and will be subject to inspection and approval of the Purchasing Department. The District reserves the right to reject, at the risk and expense of the Bidder, any portion of any bid which may be defective or fail to comply with specifications. Any such rejection shall not invalidate the remainder of the award.

The District reserves the right to waive minor variations in specifications and evaluate bid offerings and make awards considering the equipment being offered and its ability to perform the task for which it is being procured. Bids varying from District specifications in any major detail are not solicited and may be disqualified. The District's opinion shall be final.

4. Excuse for Nonperformance - Force Majeure Clause

The Contractor shall be excused from performance hereunder during the time and to the extent that is prevented from obtaining, delivering or performing in the customary manner by act of God, fire, strike, partial or total interruption of, loss or shortage of transportation facilities, lockout, commandeering of raw materials, products, plants, or facilities by the government, when satisfactory evidence thereof is presented to the other party providing it is satisfactorily established that the nonperformance is not due to the fault or negligence of the party not performing.

5. Telephone Costs

Contractor shall bear and be liable for all toll or long distance telephone costs incurred by the District in placing orders and following up orders.

6. Assignment

The Bidder shall not assign, convey, or transfer any rights, obligations, or interests hereunder without the prior written consent of the District.

7. Delay Due to Unforeseen Obstacles

All loss or damage arising from any unforeseen obstacle or difficulties which may be encountered in the prosecution of the work, or from any action of the elements, or from any act or omission not authorized by these specifications, on the part of the Bidder, or any agent or person employed by said Bidder, shall be sustained by the Bidder. The Bidder shall have no claim against the District for damages on account of any delays caused by accidents or delays on the part of any transportation company.

8. Default

If the Bidder refuses or fails to perform all or any part of its obligations hereunder, or fails to perform all or any part of its obligations in a timely manner, or if the Bidder should be adjudged a bankrupt, or if he should make a general assignment for the benefit of his creditors, or if a receiver should be appointed on account of his insolvency, or if he or any of his subcontractors should violate any of the provisions of this contract, the District may serve written notice upon him and his surety of its intention to terminate this contract, such notice to contain the reasons for such intention to terminate this contract, and unless within ten (10) days after the serving of such notice, such violation(s) shall cease and arrangements satisfactory to the District for the correction thereof shall have been made, this contract shall, upon the expiration of said ten (10) days, cease and terminate.

SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

9. Indemnification

The Bidder shall maintain, or cause to be maintained, such insurance as will protect him and the District from claims under Workers' Compensation Acts, and such public liability insurance as will protect him and the District from claims for damages for personal injury, including death, and damage to the property, which may arise from operations under this contract, whether such operations be by himself or by any subcontractor or anyone directly or indirectly employed by either of them.

The Bidder agrees to save harmless and to indemnify the District from every claim or demand which may be made by reason of:

(a) Any injury to person or property sustained by the Bidder or by any person, firm, or corporation, employed directly or indirectly by him upon or in connection with his work, however caused; and

(b) Any injury to person or property sustained by any person, firm, or corporation, caused by any act, neglect, default, or omission of the Contractor or any other person, firm or corporation directly, or indirectly employed by him upon or in connection with his work, whether the said injury or damage occurs upon or adjacent to the work, the Bidder at his own cost, expense and risk, shall defend any and all actions, suits, or other legal proceedings, that may be brought or instituted against the District on any such claim or demand, and pay or satisfy the judgment that may be rendered against the District in any such action, suit or legal proceedings or result thereof.

10. Prevailing Law

In the event of any conflict or ambiguity between a) the Instructions to Bidders, General Conditions, Specifications, Agreement, or any other document forming a part of this invitation for bids, and b) state or federal law or regulations, the latter shall prevail. Additionally, all equipment to be supplied or services to be performed under the bid proposal shall conform to all applicable requirements of local, state and federal law.

11. Public Works

OMIT – NOT APPLICABLE TO THIS BID

In entering into a public works contract or a subcontract to supply goods, services, or materials pursuant to a public works contract, the Contractor or subcontractor offers and agrees to assign to the awarding body all rights, title, and interest in and to all causes of action it may have under Section 4 of the Clayton Act (15 U.S.C. Sec. 15) or under the Cartwright Act (Chapter 2 (commencing with Section 16700) of Part 2 of Division 7 of the Business and Professions Code), arising from purchases of goods, services or materials pursuant to the public works contract or the subcontract. This assignment shall be made and become effective at the time the awarding body tenders final payment to the Contractor, without further acknowledgement by the parties.

12. Anti-Discrimination

It is the policy of the District that in connection with all work performed under contracts, there will be no discrimination against any prospective or active employee engaged in the work because of race, color, ancestry, national origin, religious creed, sex, age, or marital status. The Bidder agrees to comply with applicable federal and California laws, including, but not limited to, the California Fair Employment Practice Act, beginning with Labor Code Section 1410, and Labor Code Section 1735. In addition, the Bidder agrees to require like compliance by any subcontractors employed on the work.

13. Governing Law and Venue

In the event of litigation, the bid documents, specifications and related matters shall be governed by and construed in accordance with the laws of the State of California. Venue shall be with the appropriate state or federal court located in San Diego County.

14. Delivery Location

All items ordered shall be delivered to address as indicated on purchase order(s).

All shipments must reference the assigned purchase order number.

15. Delivery Time

Delivery must be made no later than 180 days after receipt of purchase order

16. Method of Ordering

A purchase order(s) will be issued to the successful bidder(s).

SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

17. Invoicing and Payment

Invoices shall be submitted in duplicate to:

Escondido Union High School District
Accounts Payable
302 North Midway Drive
Escondido, California 92027

Each invoice must reference the assigned purchase order number.

The District will issue partial payments.

18. Packing Lists

Each shipment (delivery or pick-up) must be accompanied by a packing list. Each packing list must reference the assigned purchase order number.

19. Warranty Period OMIT. SEE SPECIFICATIONS, PAGE 31-32 OF THE CONTRACT DOCUMENTS

All items shall be warranted against defects in material and workmanship for a period of one year from date of delivery to the District.

20. Warranty Repairs and Loaner Equipment SEE ATTACHMENT A – SPECIAL BID CONDITIONS, ITEMS 3 AND 4

The successful bidder shall be fully responsible for the pickup of equipment requiring warranty repair within 3 working days of telephone request, at the designated District location. All warranty repair pick-ups and returns shall be at the bidder's expense.

All warranty repairs shall be fully completed and the equipment returned to the designated District location by the 15th working day, loaner equipment, of the same make and model, must be provided at no additional expense to the district on the 16th working day.

If the original equipment is not repaired and returned to the designated District location by the 15th working day, loaner equipment, of the same make and model, must be provided at no additional expense to the district on the 16th working day.

21. Manuals

The successful bidder shall be required to provide one (1) manual for each piece of equipment listed herein.

22. Packaging

Bidder must specify unit of packaging for each item.

23. Cooperative Purchasing / Other Agencies Clause

Purchaser hereby authorizes other school districts within the state of California to purchase buses of the specifications as set forth in this bid, pursuant to provisions 20118 and 20652 of the Public Contract Code. Should such a transaction occur, subsequent buyers on this bid shall be directly responsible to the vendor for payment and/or any and all other financial arrangements involving said type of subsequent transactions.

24. Liquidated Damages

In as much as the failure of the Seller to deliver the quantity of the commodity or commodities specified in the contract in accordance with the terms of this announcement will, because of the urgent need for the commodity by the District arising from the present emergent conditions, cause serious and substantial damages to the District, and it will be difficult, if not impossible, to prove the amount of such damages, the Seller agrees to pay to the District liquidated damages and not as a penalty, and shall be in the amount of **\$150.00** per calendar day for each unit awarded which is not delivered in accordance with the terms of this announcement. The parties have computed, estimated and agreed on this sum as an attempt to make a reasonable forecast of probable loss because of the difficulty of estimating with exactness the damages that result.

AGREEMENT

This Agreement is entered into by and between the Escondido Union High School District, hereinafter referred to as "District," and Creative Bus Sales, Inc., hereinafter referred to as "Bidder."

In consideration of the promises and mutual covenants contained herein, it is agreed between the parties as follows:

I. TERM

The term of this Agreement shall be from May 20th, 2008 through May 19th, 2009. All indemnification provisions contained in the Agreement shall survive beyond the expiration of the Agreement, and each additional one-year term.

II - WORK

Bidder shall perform and render all services as prescribed and required by the General Conditions, Instructions to Bidders, Specifications, Notice to Bidders, Bid Proposal Form, and all documents forming a part of the bid package and any other documents signed by both parties relating to the subject matter of the Agreement, all of which are incorporated by reference as though set forth in full herein.

III - NON-FUNDING

Notwithstanding any other provision to the contrary, if for any fiscal year this Agreement the Board of Trustees for any reason fails to appropriate or allocate funds for future payments under this Agreement, the District will not be obligated to pay the balance of funds remaining unpaid beyond the fiscal period for which funds have been appropriated and allocated.

IV - TERMINATION

This Agreement may be terminated by the District upon thirty (30) days written notice to Bidder. The District's right to terminate under this paragraph shall be in addition to any other rights reserved to District under this contract.

V - COMPENSATION

Contractor shall be compensated for the performance of its obligations under this Agreement as specified in the executed Bid Form, incorporated herein by reference.

VI - METHOD OF PAYMENT

Vendor will be paid upon receipt and acceptance of materials and supplies specified by purchase order. For prompt payment, invoices must be accurate in all details, and invoice must be submitted in duplicate to Escondido Union High School District, Accounts Payable, 302 North Midway Drive, Escondido, California 92027.

SCHOOL BUSES - BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

VII - CONTRACT DOCUMENTS

This Agreement shall include the terms and conditions specified in the General Conditions, Instructions to Bidders, Quotation Sheet(s), Notice to Bidders, Bid Proposal Form, and all documents forming a part of the bid package, and any other documents signed by both parties relating to the subject matter of the Agreement, all of which are incorporated by reference as though set forth in full herein.

VIII - ENTIRE AGREEMENT

This Agreement constitutes the entire agreement between the parties. There are no understandings, agreements, or representations not specified within this Agreement. Bidder, by execution of this Agreement, acknowledges Bidder has read the Agreement, understands it, and agrees to be bound by its terms and conditions.

IN WITNESS WHEREOF, this Agreement has been duly executed by the fully authorized representatives.

BIDDER:

Creative Bus Sales, Inc.

DISTRICT:

Escondido Union High School District
302 North Midway Drive
Escondido, CA 92027

By , CFO

By _____
Barry Dragon
Assistant Superintendent
Business Services

(Corporate Seal)

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

BID SHEET

Escondido Union High School District
 Purchasing Department
 302 North Midway Drive
 Escondido, CA 92025

BID Made By:
 (Type your firm name in this
 space)

Creative Bus Sales

Bid No. 28-05

Quantity	Item and Description	Item No.	Mfg/Model	Unit Price	Extension
	SCHOOL BUSES This bid will be awarded to the lowest responsible bidder meeting the District's bid terms, conditions and specifications.				
	Bidder to indicate on specification pages any variance from district requirements.				
2	School Buses, 2008 or newer school bus capable of transporting up to 81 passengers in accordance with SPECIFICATIONS (page 19-33 of the contract documents)	1.	IC Bus model RE3911	Price per unit is \$128,340.00* plus sales tax of \$9,946.35.	\$276,572.70 including sales tax at 7.75%. (Said sum includes all applicable taxes and cost)

* Price is valid for one or more units.

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

SPECIFICATIONS

The school bus furnished shall comply with all current State of California and Federal Motor Vehicle Safety Standards in effect at time of bid. Additionally, the Escondido Union High School District is requiring the following supplementary specifications. **Under specifications furnished, fill in all spaces. Indicate compliance with "Comply" or explain equivalents or exceptions in the space provided.** Equivalency of any exceptions to the items requested will be solely at the discretion of the Escondido Union High School District.

Prior to delivery, the bus shall be prepared for inspection and certification for operation by the California Highway Patrol. Escondido Union High School District will not accept a bus that is not prepared for inspection and certification.

Minimum Specifications Required	Specifications furnished
<p>2008 or newer school bus capable of transporting up to 81 passengers in a proper and safe manner.</p> <p>Acceptable manufacturers include Blue Bird, IC Corp, and Thomas Built.</p> <p>Bidder must be a valid franchised dealer for the unit(s) bid.</p> <p>Bus must be new with transportation miles only.</p> <p>No alternative bids will be accepted.</p>	<p>Year: 2009</p> <p>Manufacturer: IC Bus</p> <p>Model: RE3911</p> <p>Capacity: 74</p>
<p>Vehicle Dimensions</p> <p>G.V.W.R.: Up to 37,600 lbs.</p> <p>Wheelbase: Up to 279"</p> <p>Maximum overall length: Up to 40'</p> <p>Maximum overall width: 8'</p> <p>Maximum overall height: 11'</p> <p>Minimum headroom: 77"</p>	<p>G.V.W.R.: 37,000 lbs.</p> <p>Wheelbase: 276"</p> <p>Overall length: 40'</p> <p>Overall width: 8'</p> <p>Overall height: 11'</p> <p>Headroom: 78"</p>

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Chassis Specifications

Item	Minimum Specifications Required	Specifications furnished
Accelerator Controls	Accelerator to be electrically operated and shall include a dash-mounted fast idle switch which automatically disengages when the transmission is shifted from neutral.	Comply
Air Cleaner	Shall be a single-stage air cleaner, with replacement element. Shall be mounted with in the body and accessed by a door. Air restriction indicator to show when the element needs to be changed.	Comply
Alternator	Shall be 12-volt of not less than 185 amps and provide at least 50% of the rated charge at engine idle. Mounting shall be heavy-duty two-leg type as specified in SAE-J-180. Reference Leece-Neville or equivalent.	Comply
Axle, Front	Shall be heavy-duty "I" beam design. Minimum 14,000 lb. axle capacity with greaseable tie rod ends. Hubs shall be equipped with oil lubrication seals and have a sight glass to view oil level.	Turning Radius: <u>38'8"</u>
Axle, Rear	Shall be a full-floating type and have a minimum gross weight capacity of 23,000 lbs. Axle shall be equipped with oil lubricated wheel bearings, replaceable oil lubrication seals, and include a magnetic drain plug.	Comply
Batteries	Shall be a minimum three 12-volt type Group 31 maintenance-free. A lock shall be provided for the battery box door.	Comply
Brakes	Service brakes shall be a dual full air antilock brake system designed to meet all requirements of FMVSS 121 in effect at time of manufacture. Type: Drum Front: 16.5" x 6" Rear: 16.5" x 8" Brake system shall include a gear driven air compressor with a minimum output of 13.2 CFM, and a minimum of four air reservoirs. Air-operated accessories shall operate from an air tank separate from the brake system. Air reservoir drain valves shall be manually operated and be located within the driver's compartment. Air tanks shall be labeled by function with vinyl lettering. System shall be S-cam design with 20 sq. in. long stroke	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
	front brake chambers, 30 sq. in. long stroke rear brake chambers and automatic slack adjusters. Parking brake shall be minimum 30 sq. in. spring type with dash-mounted control valve. Air dryer shall be a Bendix AD-IP.	Comply
Brakes, auxiliary	Combination Engine compression and exhaust brake	Comply Model and braking HP: Diamond Logic 240 bhp @ 2000 RPM
Cooling System	Radiator to be heavy-duty construction with serpentine fins. Radiator to be mounted on shock absorbing cushions for easy service and extended life. Constant-torque clamps on all radiator hoses.	Comply
Cruise Control	Electronic cruise control	Comply
Design	Type D bus with rear mounted engine. Body and chassis shall be manufactured and warranted by the same manufacturer.	Comply
Drive Line	Spicer Life Series with booted and permanently lubricated slip member. Greaseable U-Joints with double lip seals on end caps. Guard to prevent damage to under carriage of bus in the event of failure.	Comply
Electrical	System shall be 12-volt with negative ground. All chassis circuits shall be protected by manual-reset circuit breakers.	Comply
Engine	285 horsepower minimum; 800 ft. lbs. torque minimum, electronically controlled inline 6-cylinder diesel powered "wet sleeve" engine. Engine emissions must comply with EPA 2007 standards. Maximum speed shall be limited to 65 mph.	Comply
Frame	All welded and bolted construction with grade-8 head bolts and nuts. The main frame shall be a continuous section from the front of the vehicle to aft of the rear axle. Dimensions shall be not less than 10" x 3" x 1/4" with a minimum 50,000 PSI yield strength. Frame rails shall not be notched, tapered, or cutout to provide clearance for engine or stepwell installation.	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
Fuel System	100-gallon fuel tank, fuel/water separator and fuel filler door with lock	Comply
Instrument Panel	<p>Instrument panel shall include:</p> <ul style="list-style-type: none"> • Speedometer/7-digit odometer • Tachometer/Hourmeter • Oil pressure gauge • Water temperature gauge • Fuel gauge • Dual air pressure gauges • Combination directional signal/headlight dimmer switch on steering column. • Hazard warning switch • Audible warning for oil pressure, water temperature provided through stop engine, engine protection circuit. Separate light and tone for low air pressure. <p>Engine compartment instrument panel to include:</p> <ul style="list-style-type: none"> • On/off toggle ignition switch • Starter button with starter interlock switch • Oil pressure gauge 	Comply
Rust proofing	All chassis framing, fasteners, and suspension systems are to be painted with a rust-inhibiting paint after assembly and before body mounting.	Comply
Shock Absorbers	Heavy-duty direct acting double-action piston type; two 2 front and two 2 rear.	Comply
Suspension, Front and Rear	Front suspension to be two-leaf parabolic (taper leaf) type rated at a minimum of 14,000 lbs. Rear air suspension with a capacity of 23,000 lbs.	Comply
Steering	Integral full power with a tilt and telescoping steering column and padded wheel. Steering geometry to provide a 45° steering angle. Flexible power steering lines for reliability and ease of maintenance shall be provided.	Comply
Tires	Single front and dual rear 11R22.5 16-ply radial tubeless type tires.	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
Transmission	Allison PTS3000 5-speed automatic. The transmission shall have a capacity rating compatible with the power output of the engine furnished.	Comply
Wheels	Six 8.25" x 22.5" 10-hole disc hub-piloted wheels. All wheels to be interchangeable.	Comply
Wiring	<p>There shall be at least three inside separate chassis wiring harnesses and two electrical junction boxes. There shall be one electrical box in the engine compartment. One electrical box inside behind the firewall.</p> <p>The wiring harnesses shall be: one for the dash electrical, one for the main chassis electrical, one for the engine electrical.</p> <p>There shall be a junction box in a master control box, sealed and weatherproofed. Outside access shall be through a hinged door located below the driver's window. Detailed wiring diagram to be applied on the inside of door.</p> <p>The use of this method of wiring eliminates the need to remove the entire wiring harness in order to find or repair damaged circuits.</p> <p>All chassis wiring to be color-coded and numbered and shall be routed through convoluted tubing for protection.</p>	Comply

Body Specifications

Item	Minimum Specifications Required	Specifications furnished
Aisle	There shall be a minimum 12" wide center aisle from the entrance door to the rear of the bus. The aisle from the center aisle to the emergency doors shall be a minimum of 12 inches.	Comply
Assist Rail	<p>Back side of stepwell: There shall be a stainless steel assist rail at the entrance door, mounted near the midpoint of the stepwell and extending to near the top of the seat barrier.</p> <p>Front side of stepwell: There shall be a stainless steel assist rail at the entrance door, mounted near the midpoint of the stepwell and extending to heater/dash area.</p>	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
Back-up Alarm	The bus shall be equipped with an automatic back-up alarm installed behind the rear axle. This audible alarm shall be rated at a minimum of 97 dba in accordance with SAE-J-994b.	Comply
Bumper, Front and Rear	Shall be one-piece, formed from 3/16" plate steel. The bumpers shall be a minimum of 9 3/4" high. The bumpers shall be mounted to the chassis frame and include an internal chassis-mounted bumper for additional protection.	Comply
Color	Exterior: Shall be National School Bus Yellow. This paint shall be a baked-on high solids polyurethane. Trim, including bumpers, guardrails, warning light visors, and door handles shall be black. Wheels shall be painted or powder-coated National School Bus Yellow on both sides. Roof shall be painted white with rounded corners. Interior: Shall be baked-on enamel. The area from the bottom of the side windows to the seat rail shall be clear-coated aluminized steel. All metal panels on the bus to be painted shall be primed on both sides prior to assembly.	Comply
Construction	The bus body shall be constructed of prime commercial quality steel or other material with strength at least equal to steel. The bus body shall be constructed to meet or exceed all state and federal school bus requirements in effect at the time of manufacture. Internal skeletal structure shall be welded. Screws, rivets, or huck bolts are not acceptable. All components shall meet or exceed 2001/2002 60% Joint Strength Standards for the United States and Canada.	Comply
Defrosters	Defroster shall be sufficient capacity to keep windshield clear of fog, snow, and ice. The defroster shall include full-length windshield defroster channel for even distribution of heated air to the windshield. The defroster shall be controlled by rotary type controls. The controls shall utilize plastic-coated cables for smooth operation.	Comply
Doors	The service door shall be an air- or electric-operated	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
	<p>outward opening, two-panel door. The three-position door control mechanism shall be located on the dash to prevent accidental opening by students. An emergency opening control valve shall be located above the windshield adjacent to the door.</p> <p>The service door shall be located forward of the front wheels on the right side of the bus. The door shall seal against the bottom step edge and a stationary rubber gasket mounted to the door. No part of the door shall ride in the stepwell when closed. Vertical closing edges of the door shall be equipped with flexible material to protect passengers.</p> <p>The entrance door shall include a vandal lock with a grip handle mounted for convenient door opening.</p> <p>All entrance and exit doors shall be equipped with a full-width 1" x 3" pads located above the door opening.</p> <p>The service door and side emergency doors shall contain drainage holes in the bottom of the door to allow for drainage of condensation and to deter corrosion.</p>	Comply
Electrical	<p>The electrical system shall be 12-volt. The wiring shall be color and number coded and a wiring diagram shall be furnished with each bus.</p> <p>Interior body wiring shall be routed down the left side of the bus, above the side windows, behind a completely removable cover. This cover shall be removable without loosening the side windows.</p> <p>All wires shall be insulated and protected from external damage. The body wires shall be securely fastened to a metal stringer, which runs from the front of the passenger compartment to the back, behind the wiring cover. The wires shall be fastened at intervals of not more than 24".</p> <p>All body circuits shall be protected by manual-reset circuit breakers or self-monitoring multiplex system.</p> <p>Driver's area shall be equipped with a cellular phone power outlet.</p>	Comply
Emergency Exits	<p>All emergency exits shall conform to FMVSS 217 and California Title 13.</p> <p>Emergency Door: There shall be one emergency door, located on the left side of the bus. There shall be a device installed on the top of the emergency door that will</p>	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
	<p>automatically hold the door in the open position during emergencies and evacuation drills. An emergency door or two pushout windows may be on the right-side emergency door.</p> <p>Emergency door and windows shall be equipped with a system of audible buzzers which will sound at the exit and in the driver's area when the release mechanism is moved toward the open position. A pilot light mounted on the driver's dashboard shall indicate the same. The emergency door and windows shall be equipped with a vandal lock with starter interlock.</p> <p>Roof Hatch: Two roof hatches; combination ventilation and emergency exit shall be provided. Hatch shall not be equipped with warning buzzer. One inch of reflective material shall extend around the perimeter of the roof hatch.</p>	Comply
Engine Compartment	<p>The rear engine compartment shall be fully insulated with thermal and sound barrier insulation sandwiched between the interior davenport seat panels and aluminized steel engine compartment panels. This insulation shall provide protection from heat, fumes and excessive noise from entering the passenger compartment. The engine compartment shall be capable of withstanding detergents and high-pressure wash.</p> <p>The engine door shall provide access to the engine compartment and related components. The door shall incorporate an interlock in the starting circuit to prevent starting the engine from the driver's area when the door is open. A lock shall secure the engine compartment door.</p> <p>The engine compartment shall be equipped with side engine doors, one each side. The doors shall be:</p> <ul style="list-style-type: none"> • Lockable. • Hinged vertically for a swing-out design. Designed with hinges that have removable pins for greater access for service. • Designed to allow adequate airflow to the engine. 	Comply
Exterior Paneling	<p>Roof: The roof panel shall be one-piece, 20-gauge, zinc-coated steel, riveted to each flange of the body bow frame. Roof sheets ends shall be sealed to prevent leaks. Exterior panels shall be primed both sides before assembly for rust</p>	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
	<p>prevention. The exterior side panels shall be at least 16-gauge flat sheet steel, riveted to both flanges of the roof bows. The side sheets shall extend to the lowest area of the luggage compartments. The side panels shall be primed on both sides before assembly.</p>	Comply
Fenderettes	<p>The front and rear wheel openings shall be equipped with rubber fenderettes that extend from the body side approximately 3" for added protection.</p>	Comply
Fire Extinguisher	<p>Each bus shall be equipped with one 5-lb. dry type chemical fire extinguisher.</p>	Comply
First Aid Kit, Triangle Flares & Other Safety Equipment	<p>Bus shall be equipped with a metal type 24-unit first aid kit, a set of triangle flares and a hand held stop sign and vinyl pouch.</p>	Comply
Floor Covering and Sub-floor	<p>Floor covering shall be heavy-duty rubber or vinyl, black in color. The floor under the seats, over the wheelhouses, and in the driver's compartment shall be covered with .125" thick smooth black color rubber. The aisle shall be covered with slip-resistant .1875" thick ribbed rubber. All floor seams must be sealed with a waterproof sealer and covered with a 1" wide stripping or molding. The floor covering along the sidewalls shall be covered with metal molding so that dirt cannot readily work underneath the edges. The sub-floor shall be water resistant exterior, Grade A 5-ply 5/8" thickness plywood.</p>	Comply
Guard Rails	<p>Minimum of four guard rails to be supplied:</p> <ul style="list-style-type: none"> • One 4 1/4" located below windows • One 4 1/4" located at seat cushion level • One 4 1/4" located at floor level • One 4 1/4" located at bottom of skirt, further reinforced by 1/8" thick angle at interior of skirt bottom, welded to the bottom of the bow frames. <p>Side rails shall be sealed at the top to prevent seepage and fluted at the bottom to allow for moisture drainage.</p>	Comply
Heater &	<p>All heaters shall be of the copper coil design type with aluminum fins. Heaters shall be plumbed in parallel to</p>	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
Defrosters	<p>obtain the maximum heater output.</p> <p>All heaters to be easily serviceable, with cleanable air filters.</p> <p>The front heater shall have a minimum rating of 90,000 BTU's with ducting for driver's heat. The two rear heaters shall have a minimum rating of 50,000 BTU's and be located in the mid and rear areas of the passenger compartment.</p> <p>The heater fans shall blow air toward the front and rear. A heater booster pump shall be installed. Heater cutoff valves - two shall be located behind an access door located forward of radiator and behind left side rear service access door.</p> <p>All heater hose connections shall be maintained with constant-torque clamps.</p> <p>The heater controls shall be rotary type with plastic covered control cables for smoother, easier operation.</p> <p>One two-speed electric fan shall be mounted above the windshield.</p>	Comply
Horns	<p>Dual electric plus one air horn shall be provided. The air horn shall be mounted beneath the floor of the driver's area with the activation switch in the driver's area.</p>	Comply
Identification	<p>The bus shall be lettered and numbered in accordance with all applicable federal and state requirements.</p> <p>One 6" X 9" certificate holder shall be installed on the front bulkhead.</p>	Comply
Instruments Gauges & Switches	<p>The chassis instruments and gauges shall be located within easy view of the seated driver. (Also see "Instruments" in Chassis section.)</p>	Comply
Insulation	<p>Ceiling, sides, roof bows and rear panels shall be insulated with a minimum 1.5" thick polyester insulation to properly deaden sound, reduce vibration, and provide a thermal barrier.</p> <p>A heavy-duty aluminized steel barrier shall enclose 2" blanket insulation in the engine compartment. The area under the davenport seat and the top of the shelf under the rear pushout window shall be covered with 1/2" rubberized insulation material.</p>	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
Interior	All interior panels shall have lapped edges. Headliner shall be acoustic-type perforated full length with solid borders at lap joints. Interior headroom shall be a minimum 77".	Comply
Locks	All similar-type external locks shall be keyed alike.	Comply
Lamps & Signals	All lamps shall conform to applicable FMVSS and state laws in effect at time of manufacture. Lights to include: <ul style="list-style-type: none"> • Headlights: Single sealed beam halogen (42 watt low beam/65 watt high beam) lights with daytime running lights • Cluster: Three amber LED front, three red LED rear Marker: Two amber LED front corners, two amber LED rear corners and two amber LED side roof. Single switch shall operate cluster and marker lights. • Stop: One red LED right rear, one red LED left rear. • Tail: One red LED right rear, one red LED left rear, • Back up Lamps: Two LED clear lenses • Stepwell: One minimum operating with entrance door open. • Dome: Up to ten mounted over seats for optimum aisle clearance. Switch to be wired to battery. • Driver's Dome: Dome light mounted over driver's seat and operated with separate switch. • Directional Front: Two round amber LED. • Directional Side lights: Four amber LED lights, one located over each wheel well. • Directional Rear: One amber LED right and one amber LED left. • Reflectors: Three on each side of bus, two on rear school bus. • Stop Arm: Electric stop sign mounted rear and meeting all FMVSS and California Title 13 specifications. • Warning Lights: Halogen 8-light warning 	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
	<p>system, four amber and four red alternately flashing warning lights shall be provided to meet latest state and Federal Motor Vehicle Safety Standards meeting all FMVSS and California Title 13 specifications. Warning lights shall be equipped with black hoods.</p> <ul style="list-style-type: none"> • Engine Compartment: Two lights to illuminate engine compartment. 	Comply
Compartments	<p>Bus shall be equipped with full pass-through luggage compartments between the wheel wells. Include lights and locks and shocks on each of the four doors.</p> <p>The driver's area shall have a storage compartment with lock.</p>	Comply
Manuals	An operator's manual shall be furnished.	Comply
Mirrors	<p>Interior mirror shall be 6" x 30" safety glass with protected edges.</p> <p>Vision manufacturing exterior mirror system. One (1) left and one (1) right side, 6" x 11" top flat mirror and 4"x6" convex mirror, separately adjustable. One (1) covex cross view mirror. Mirrors shall comply with FMVSS 111.</p>	Comply
Mounting	Bus body shall be mounted to chassis frame using U-bolts.	Comply
Mud Flaps	There shall be rubber mud flaps mounted on the rear side of the front and rear wheel wells.	Comply
Noise Suppression Switch	Bus shall be equipped with a switch to temporarily disable all noise-producing accessories simultaneously, including heater blowers, auxiliary fans, radio, etc. Switch shall be located on the driver's switch panel.	Comply
Radio	Radio shall be AM/FM/CD/PA with antenna, eight premium interior speakers and microphone.	Comply
Seats and Barriers	<p>Passenger Seats: 39 inch Safeguard flex seats shall accommodate 50 to 81 passengers or equivalent. Each seat equipped with three lap-shoulder passenger restraints. All seats shall comply with all applicable FMVSS and California Title 13 specifications.</p> <p>Barriers: 45" high barriers shall comply with all applicable FMVSS and California Title 13 specifications. Barrier frames shall be powder-coated, non-reflective black. Barriers shall be mounted forward of the front two</p>	<p>Comply</p> <p>Passenger capacity: 75</p>

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
	<p>seats. Each barrier shall be fit with a modesty panel. Upholstery to match seats.</p> <p>Driver's seat: Shall be high back with adjustable seat back and a right side arm rest. Seat back to recline 15° and include adjustable lumbar support. Seat cushion width shall be minimum 20" and offer forward cushion tilt for optimum driver comfort. Seat slide shall have minimum 7" adjustment by finger tip control. Air pedestal to include shocks for reduced vertical motion. Upholstery to be black fabric. Seat to meet FMVSS 202 and 222.</p> <p>Driver's seat belt: Shall be a Type II, 3-point belt with height-adjustable "D" loop for driver comfort. The belt shall be of ELR design with a push button release.</p>	Comply
Stepwell	<p>3-step entrance covered with black rubber with white nosing (Reference Koroseal or equivalent). First step shall be a minimum of 15" deep. Aluminized steel step riser covers shall be provided.</p> <p>A stepwell guard to protect the underside of the steps from road hazards shall be provided.</p>	Comply
Sun Visor	Visor to be 6" x 30" opaque acrylic and fully adjustable.	Comply
Switch Panel	Shall be mounted to the left of the driver with switches for the electrical components. Rocker type switches are to be supplied. The switches shall provide illuminated lenses, international symbols and labeling for the appropriate function. The switches are to be rated at 20 amps at 12-volts DC. Control panel illumination to be controlled by the headlamp switch rheostat. Switches are to be angled at 45° for driver accessibility.	Comply
Tow hooks	Two hooks shall be provided at the front and rear of the vehicle.	Comply
Ventilation	Body shall be equipped with a static type, non-adjustable exhaust ventilator located in low-pressure area of front roof. A driver-controlled fresh air vent shall be provided.	Comply
Warranty	<p>School Bus Body Warranty: A copy of the body manufacturer's warranty shall be enclosed with and become a part of any bid, which shall receive consideration, by the purchaser. Such warranties shall speak specifically to the following:</p> <p>Within the first 5 years following delivery to the purchaser's location</p>	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
	<p>with no mileage limitation:</p> <ul style="list-style-type: none"> • Failure in major structural components including those caused by deterioration due to rust. • Failure in seat frames and barrier frames. <p>Within the first 2 years following delivery to the purchaser's location with no mileage limitation - all other original components manufactured by the body manufacturer.</p> <p>Within 1 year following delivery to the purchaser's location with no mileage limitation - all original components manufactured by outside vendors. Where the outside supplier's warranty exceeds that of the body manufacturers, then such warranty shall be stated and shall apply.</p> <p>School Bus Chassis Warranty:</p> <p>A copy of the chassis manufacturer's warranty shall be included with and become part of any bid, which shall receive consideration by the purchaser. Warranty shall speak specifically to the following:</p> <p>Within the first 5 years following delivery to the purchaser's location with no mileage limitation - failure of the chassis frame including crossmembers.</p> <p>Within the first 2 years following delivery to the purchaser's location with no mileage limitation: - failure of any other original components manufactured by the chassis manufacturer.</p> <p>Within 1 year following delivery to the purchaser's location with no mileage limitation: - failure of any components manufactured by outside suppliers and included as original equipment by the chassis manufacturer. Where the outside supplier's warranty exceeds that of the chassis manufacturers then such warranty shall be stated and shall apply.</p>	Comply
Warranty, Extended	Engine and engine electronics will be warranted for eight years or 150,000 miles with no deductible or co-payment.	Comply
Windows	Two-piece passenger side windows to be of safety tempered and tinted glass in flat black frames. The top portion of the side windows shall be capable of being lowered to a position that provides an opening at least 12" x 22". Windows must be accessible for removal without lowering the wiring harness access panel.	Comply

SCHOOL BUSES – BID NO. 28-05
 ESCONDIDO UNION HIGH SCHOOL DISTRICT

Item	Minimum Specifications Required	Specifications furnished
Windshield	Glass shall have a 5" non-glare band at the top. The windshield area and window posts shall be painted glare-resistant, flat black. Two exterior assist handles to be located over each glass, one right side and one left side.	Windshield Area: 3485 SQ IN. Comply
Windshield Washer	Dual electric wet arm type windshield washers are required. Washer bottle shall have a one-gallon capacity and be accessible through front service panel.	Comply
Windshield Wipers	Bus to be equipped with two electrically operated, wet arm type, bottom-mounted wipers. Wipers are to be variable speed with intermittent function. Access to wiper motors through exterior panels.	Comply

SCHOOL BUSES -- BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

ATTACHMENT A

Escondido Union High School District
Purchasing Department
302 North Midway Drive
Escondido, CA 92025

BID Made By:
(Type your firm name in this
space)

Creative Bus Sales

Bid No. 28-05

SPECIAL BID CONDITIONS

The purpose of this bid is to provide Escondido Union High School District with a source for the purchase of new school buses at the prices offered herein, per specifications herein, for the term of the agreement.

1. The District shall not be obligated to purchase any particular quantity of buses.
2. A Clean School Bus grant has been awarded by the EPA's Grants Office to the Escondido Union High School District. This grant requires that the engine have a PM rating certified as meeting the EPA's heavy duty 2007 standards, ultra-low sulphur diesel technology - Low NOX Calibration plus Diesel Oxidation Catalyst with Ultra Low Sulfur Diesel (ULSD). The engine must display a label stating that it complies EPA 2007 engine standards.
3. Telephonic requests from authorized District personnel for onsite warranty repairs must be responded to within twenty-four (24) hours.
4. Pick up and delivery service is required for warranted repairs if the warranty facility is over 50 miles from the District transportation facility. This service shall be provided at no charge to the District.
5. All deviations from the attached specifications or substitution of units or materials shall be clearly indicated. Complete detailed specifications must accompany each bus proposal. Buses shall be integral construction, as fabricated by a single manufacture, welded together to form a single unit.
6. Maintenance manuals shall be provided. This is to include major component manuals, wiring diagrams and recommended service requirements for the vehicle.

SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

ATTACHMENT A - continued

Escondido Union High School District
Purchasing Department
302 North Midway Drive
Escondido, CA 92025

BID Made By:
(Type your firm name in this
space)

Creative Bus Sales

Bid No. 28-05

SPECIAL BID CONDITIONS continued

7. **OTHER AGENCY CLAUSE:** For the term of the bid, at the option of the bidder, other school districts or public agencies within the State of California, may purchase the identical items at the same price and upon the same terms and conditions pursuant to sections 20118 (K-12) and 20652 (Community Colleges) of the California Public Contract Code. The District waives its right to require such other districts and offices to draw their warrants in favor of the District as provided in said code sections. Escondido Union High School District requires that each school district or other public agency work directly with the successful bidder.

Bidder's response to this item will not be a factor in the award of this bid.

Other Agency Clause granted ✓ [Signature] OR
Other Agency Clause not granted- _____ (initial)

SCHOOL BUSES -- BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

ATTACHMENT B - REFERENCES

Escondido Union High School District
Purchasing Department
302 North Midway Drive
Escondido, CA 92025

BID Made By:
(Type your firm name in this
space)

Creative Bus Sales

Bid No. 28-05

Bidder must include a minimum of three (3) references for which you have provided similar equipment within the last year. Failure to provide may disqualify bid. DO NOT INCLUDE ESCONDIDO UNION HIGH SCHOOL DISTRICT AS A REFERENCE.

Company Name: Sacramento International Airport
Contact Person: Robert Rose 36 EZ Rider II
Title: Transportation Low Floor Transit Buses
Address: 7207 Earheart Drive
Sacramento, CA 95837
Phone: 916.874.0745

Company Name: Orange County Transportation Authority
Contact Person: Dale Fuchs
Title: Transportation 300 Front & Rear
Address: 5500 South Main Street Engine Transit Buses
Orange, CA 92863
Phone: 714.313.7017

Company Name: Metropolitan Transit Development Board
Contact Person: Max Calder 250 Front & Rear
Title: Transportation Engine Transit Buses
Address: 100 16th Street
San Diego, CA 92101
Phone: 619.595.7037

SCHOOL BUSES – BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

ATTACHMENT C

Escondido Union High School District
Purchasing Department
302 North Midway Drive
Escondido, CA 92025

BID Made By:
(Type your firm name in this
space)

Creative Bus Sales

Bid No. 28-05

CONTRACT RENEWAL CLAUSE

If mutually agreeable, the school district reserves the right to consider the extension of this contract for up to two additional one year periods.
Time of such extension is to begin the day after the end of the initial term of this contract and will end a full one or two calendar years thereafter. In addition, the district reserves the right to further extend this contract to the full extent allowed by law. Factors that would influence the district in exercising this option would be satisfactory service being rendered by the holder of the contract and any increase in price caused by such extension to be a nominal amount and not excessive as measured by local market conditions. In the award of this bid renewal, the district will consider the amount of the price increase stated by the bidder as a factor and will compute accordingly. A price increase, if exercised, shall be fully justified by vendor and proved by a test of the market and/or submission of documents.
All extensions are subject to approval from the Governing Board. Any increase shall not exceed 5% of the prior year's price.

Bidder to indicate in space provided if it would accept options to renew for the following periods:

Option 1 -	May 20 th , 2009 through May 20 th , 2010	Yes <u>XX</u>	No _____
Option 2 -	May 20 th , 2010 through May 20 th , 2011	Yes <u>XX</u>	No _____

SCHOOL BUSES -- BID NO. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

ATTACHMENT D

Escondido Union High School District
Purchasing Department
302 North Midway Drive
Escondido, CA 92025

BID Made By:
(Type your firm name in this
space)

Creative Bus Sales

Bid No. 28-05

WARRANTY PICK-UP AND REPAIR FACILITIES

Bidder to indicate, in the corresponding spaces provided to the right, the name, address, phone number and contact person for the warranty repair facility and for the local personnel responsible for pick-up and receipt of equipment.

Repair/Pickup Facilities

Facility

Dion International
Name of Company
160 Industrial Street
Street
San Marcos, CA 92078
City/State/Zip
760.761.0500
Phone
Rick Garhartt
Contact Person
rgarhartt@diontrucks.com
E-mail address

Local Personnel

Creative Bus Sales
Name of Company
13501 Benson Avenue
Street
Chino, CA 91710-5232
City/State/Zip
909.465.5528
Phone
Bill Anderson
Contact Person
billa@creativebussales.com
e-mail address

SCHOOL BUSES -- Bid No. 28-05
ESCONDIDO UNION HIGH SCHOOL DISTRICT

ATTACHMENT E

Escondido Union High School District
Purchasing Department
302 North Midway Drive
Escondido, CA 92025

BID Made By:
(Type your firm name in this
space)

Creative Bus Sales

Bid No. 28-05

OPTIONS LIST AND PRICING

Bidder must include an Options List with pricing. Failure to provide may disqualify bid.

SEE NEXT PAGE.

Optional Items

Ref. #	Item	Price
1.	Hybrid electric motor/controller drive system	\$125,000
2.	CNG drive train	\$40,000
3.	Left side fill for CNG	\$1,400
4.	Diesel engine Up to 300 HP Low NOx	\$2,340
5.	Provisions for EPA 2010 Emissions	\$8,500
6.	Decrease wheelbase to 181" through 208"	(\$1,200)
7.	Decrease wheelbase to 209" through 237"	(\$800)
8.	Decrease wheelbase to 238" through 266"	(\$400)
9.	Remove luggage compartment	(\$1,935)
10.	Fire suppression system	\$4,270
11.	Under floor wheelchair lift	\$14,000
12.	Remove air drains in drivers area	(\$220)
13.	Reduce capacity of front axle/suspension to 13,200 lbs.	(\$481)
14.	Change to two 8-D batteries	\$318
15.	Change to forward-controlled engine transit model	(\$2,229)
16.	Change to activity bus	\$450
17.	Adjustable pedals	\$329
18.	Remove page system	(\$30)
19.	Strobe light	\$220
20.	Fog lights	\$155
21.	Increase bumper-to-bumper warranty to five years	\$2,900
22.	Remove extended engine and engine electronics warranty	(\$1,900)
23.	Five-year / unlimited mile transmission warranty	\$900
24.	Compression and exhaust brake	(\$1,100)
25.	Allison 3000 PTS retarder transmission	\$4,489
26.	Hand-control for transmission retarder	\$660
27.	200 AMP alternator	\$195
28.	270 AMP alternator	\$575
29.	Interlock system	\$1,865
30.	Add or remove 30" 3-point restraint seat	\$675
31.	Add or remove 39" 3-point restraint seat	\$701
32.	Add or remove 45" 3-point restraint seat	\$720
33.	Add or remove Safeguard "Flex" seat	\$919

Ref. #	Item	Price
34.	Add or remove barrier	\$130
35.	Add track and track mountings for passenger seats (per seat)	\$250
36.	Add infant child restraint seat to passenger seat (per seat)	\$150
37.	Add ISO Latch to passenger seat (per set)	\$50
38.	Interior luggage racks (each side)	\$750
39.	Aluminum wheels (each)	\$560
40.	60-gallon fuel tank	(\$360)
41.	Automatic tire chains	\$2,440
42.	Mechanically operated drivers seat	(\$159)
43.	Remote operation on mirrors	No charge
44.	Heated mirrors	No charge
45.	LED eight light warning system	\$1,600
46.	LED stop arm	\$425
47.	LED strobe stop arm	\$430
48.	Remove LED lights	\$845
49.	Wheelchair lift door	\$1,880
50.	Wheelchair lift	\$3,200
51.	Wheelchair station	\$731
52.	Lift pad and 5 lb. fire extinguisher	\$300
53.	112 DB. back-up alarm	\$65
54.	Cruise control	\$40
55.	Severe-duty package	\$450
56.	Digital color camera system	\$3,500
57.	Analog color camera system	\$1,800
58.	Checkmate child safety system	\$145
59.	DVD Player with flip-down monitors	\$4,500
60.	Spare wheel	\$200
61.	95,000 to 110,000 BTU free-blow air-conditioning system	\$11,500
62.	125,000 BTU free-blow air-conditioning system	\$13,500
63.	125,000 roof top ducted air-conditioning system	\$18,500
64.	125,000 skirt mounted ducted air-conditioning system	\$15,500
65.	Transit compressor for air-conditioning system	\$5,000
66.	Side emergency door	\$420
67.	Front air ride suspension	\$1,550

Ref. #	Item	Price
68.	Roof hatch	\$320
69.	12R22.5 tires (6)	\$1,219
70.	Pre-trip inspection system	\$848
71.	GPS/fleet management tracking system	\$1,700
72.	Engine diagnostic software	\$1,950
73.	Diagnostic, storage, data retrieval device	\$1,650
74.	Connector cables	\$1,255
75.	Passenger heater	\$308
76.	Towing extended warranty - one year	\$223
77.	Low level coolant warning sensor	\$65
78.	Remove loaner equipment	(\$500)

April 23, 2008

Prepared For:
Escondido UHSD
Robert Berkstresser
302 N Midway Dr.
Escondido, CA 92027-2708
(760)291 - 3223
Reference ID: Escondido UHSD

Presented By:
CREATIVE BUS SALES, INC
Joe Angeli
13501 BENSON AVENUE
CHINO CA 91701
909-465-5528

Thank you for the opportunity to provide you with the following quotation on a new IC Corporation vehicle. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2008 INTEGRATED RE S BUS (PB305)

APPLICATION:	School Transportation
MISSION:	Requested GVWR: 37000. Calc. GVWR: 36220 Calc. Start / Grade Ability: 29.40% / 2.75% @ 55 MPH Calc. Geared Speed: 68.5 MPH
FUEL ECONOMY:	7.61 MPG @ 55 MPH
DIMENSION:	Wheelbase: 276.00, CA: N/A, Axle to Frame: 118.00
ENGINE, DIESEL:	{International MaxxForce DT} 285 HP, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing
TRANSMISSION, AUTOMATIC:	{ALLISON 3000_PTS} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive, Includes Oil Level Sensor, Less PTO Provision, Less Retarder, School Bus, Max. GVW N/A
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{International I-140S} I-Beam Type, 14,000-lb Capacity
AXLE, REAR, SINGLE:	{Dana Spicer 23060SH R/O} Single Reduction, Pinion Up, 23,000-lb Capacity, With 200 Wheel Ends, for RE Buses Only Gear Ratio: 5.57
TIRE, FRONT:	(2) 11R22.5 AH12 (HANKOOK) 503 rev/mile, load range H, 16 ply
TIRE, REAR:	(4) 11R22.5 AH12 (HANKOOK) 503 rev/mile, load range H, 16 ply
SUSPENSION, REAR, AIR, SINGLE:	{International} Ride Optimized Suspension (IROS); 23,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers
PAINT:	Cab schematic 100WC Location 1: 4421, School Bus Yellow (Std) Chassis schematic N/A

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
PB30500	Base Chassis, Model INTEGRATED RE S BUS with 276.00 Wheelbase, N/A CA, and 118.00 Axle to Frame.
1AGY	FRAME RAILS High Strength Low Alloy Steel (50,000 PSI Yield); 10.000" x 3.000" x 0.250" x 471.3" OAL; 276" WB <u>Includes</u> : CHASSIS PAINT Chassis Painted Prior to Body Mounting : FRAME RAILS All holes Laser Aligned and Machine Punched, Powder Coated Prior to Full Assembly, Assembled in Fixture using "Grade 8" Bolts
1LLE	BUMPER, FRONT Full Width, Aerodynamic, Heavy Duty, Steel <u>Includes</u> : BUMPER, FRONT THICKNESS 1/4 Inch
2ADE	AXLE, FRONT NON-DRIVING {International I-140S} I-Beam Type, 14,000-lb Capacity <u>Includes</u> : AXLE, FRONT SQUARING to Plus or Minus .015 Inch, using a Special Fixture to Assure Parallelism of Springs
3ADD	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers <u>Includes</u> : SPRING PINS 1.25" Diameter Smooth Pin with Lube Distribution Flats
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE CHAMBERS, SPRING (2) Rear Parking : BRAKE LINES Color Coded Nylon : DRAIN VALVE Twist-Type : DUST SHIELDS, FRONT BRAKE : DUST SHIELDS, REAR BRAKE : GAUGE, AIR PRESSURE Single Gauge, Dual Needles : INVERSION VALVE and Double Check Valve : PARKING BRAKE VALVE Color-Coded Yellow Knob, Located on Instrument Panel : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic
4193	BRAKES, FRONT, AIR CAM 16.5" x 6", Includes 24 SqIn Long Stroke Chambers
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBZ	AIR DRYER {Bendix AD-IP} With Heater, Mounted Center of Double Crossmember in Front of Rear Axle
4NCH	BRAKES, REAR, AIR CAM 16.5" x 8.0", Includes MGM TR3030 Long Stroke Brake Chambers and Heavy Duty Spring Actuated Parking Brake
4SBC	AIR COMPRESSOR {Bendix Tu-Flo 550} 13.2 CFM Capacity
4VBX	AIR TANK LOCATION (2) Mounted Between Frame Rails and Over Front Axle
5710	STEERING COLUMN Tilting and Telescoping
5CAL	STEERING WHEEL 2-Spoke, 18" Diam., Black
5PRJ	STEERING GEAR {TRW (Ross) TAS-65} Power
7BDW	EXHAUST SYSTEM Single, Horizontal Aftertreatment Device Frame Mounted Outside Left Rail, Includes Long Horizontal Tail Pipe <u>Includes</u> : PLEASE NOTE: The Horizontal Tailpipe Includes a Temperature Control Device
7SCB	ENGINE BRAKE, DLOGIC {Diamond Logic} for MaxxFace DT Engines; Combination Engine and Exhaust Brake, Electronically Activated

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
7WBG	TAIL PIPE Long Horizontal, Exits Left Side Under Bumper
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment <u>Includes</u> : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Sliding Switch, Located on Bottom of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : MISCELLANEOUS FEATURES Modular, Loom Protected, Grommets in all Applicable Body Openings, Assembled in Computer Assisted Fixture which Verifies Continuity and Correct Assembly Prior to Installation : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : TURN SIGNAL FLASHER : TURN SIGNAL SWITCH Self-Cancelling with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash Feature, Instrument Panel Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8540	HORN, ELECTRIC (2)
8GGM	ALTERNATOR {Leece-Neville 4839PAH} Brush Type; 12 Volt 185 Amp. Capacity, Includes 2-Gauge Protected Charging Circuit, With Pad Mounting
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total
8WDH	INDICATOR, LOW OIL PRESSURE / HIGH COOLANT TEMPERATURE Light and Audible Alarm; Electronic Controlled
8WNH	RUNNING LIGHT (2) Daytime
8WTL	STARTING MOTOR {Delco Remy 39MT} 12 Volt; Gear Reduced, With Thermal Over-Crank Protection
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
10020	CHASSIS PAINT Full Chassis
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WC"
10788	PAINT TYPE Urethane, One or Two Colors, Other than Imron or International.
11001	CLUTCH Omit Item (Clutch & Control)
12NTB	ENGINE, DIESEL {International MaxxForce DT} 285 HP, 800 lb-ft Torque @ 1400 RPM, 2400 RPM Governed Speed, # 2 Bell Housing <u>Includes</u> : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : ENGINE OIL DRAIN PLUG Magnetic : ENGINE SHUTDOWN Electric, Key Operated : FAN Optimized Position : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : OIL FILTER, ENGINE Spin-On Type : WET TYPE CYLINDER SLEEVES
12THY	FAN DRIVE Hydraulic Pump & Motor with fixed speed, With Residual Torque for Disengaged Fan Speed <u>Includes</u>

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
	: FAN Nylon
12UGN	THROTTLE, HAND CONTROL Electronic
12VBC	AIR CLEANER Single Element <u>Includes</u> : AIR CLEANER MISCELLANEOUS with Vacuator : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VDU	RADIATOR SIDE MOUNTED; Cross Flow, 2 Row, Series System, 1155 SqIn Area With Aluminum Core and 1022 SqIn Charge Air Cooler <u>Includes</u> : ANTI-FREEZE Shell Rotella Extended Life Coolant -40F (-40C) : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Mubea Constant Tension Clamps : RADIATOR HOSES Premium, Rubber
12VVN	CRUISE CONTROL Electronic
12VWH	GOVERNOR Electronic Road Speed Type; for International Electronic Engines and Bus Models; With 55 MPH Default
12WAE	HOSE CLAMPS, RADIATOR HOSES Constant Torque, for Engine Hoses 1.0" I.D. and Over
12WZD	EMISSION COMPLIANCE Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations
13AJB	TRANSMISSION, AUTOMATIC {ALLISON 3000_PTS} 4th Generation Controls; Close Ratio, 5-Speed, With Overdrive, Includes Oil Level Sensor, Less PTO Provision, Less Retarder, School Bus, Max. GVW N/A <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan
13WBL	TRANSMISSION SHIFT CONTROL {ALLISON} Push-Button Type; for Allison 3000 & 4000 Series Transmission
13WDY	SHIFT CONTROL PARAMETERS WT-Allison S-1 Performanc Programming in Primary and Allison S-4 Economy Programming in Secondary
13WUM	ALLISON SPARE INPUT/OUTPUT for Pupil Transportation Series (PTS)
14AHR	AXLE, REAR, SINGLE {Dana Spicer 23060SH R/O} Single Reduction, Pinion Up, 23,000-lb Capacity, With 200 Wheel Ends, for RE Buses Only . Gear Ratio: 5.57 <u>Includes</u> : REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle
14TBT	SUSPENSION, REAR, AIR, SINGLE {International} Ride Optimized Suspension (IROS); 23,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers
15LKH	FUEL/WATER SEPARATOR With Filter Restriction/Change Indicator, Includes Standard Equipment Water-in-Fuel Sensor
15SJX	FUEL TANK Rectangular, Steel; 105 U.S. Gal., 397 L Capacity, Mounted Between Frame Sidemembers and Ahead of Rear Axle, Includes Protective Cage
16015	PLATFORM Standard Location
16HAA	GAUGE CLUSTER English with English Electronic Speedometer and with Tachometer for Air Brake Chassis <u>Includes</u> : GAUGE, ENGINE OIL PRESSURE Electronic : GAUGE, WATER TEMPERATURE Electronic

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
	: VOLTMETER
16HJA	GAUGE PACKAGE Includes Hourmeter
27DMA	WHEELS, FRONT DISC; 22.5" Painted Steel, 2 Hand Hole, 10 Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs. <u>Includes</u> : PAINT IDENTITY, FRONT WHEELS Black : WHEEL SEALS, FRONT Grease Lubricated, Includes Wheel Bearings
28DMA	WHEELS, REAR DUAL DISC; 22.5" Painted Steel, 2 Hand Hole, 10-Stud (285.75MM BC) Hub Piloted, Flanged Nut, Metric Mount, 8.25 DC Rims; With Steel Hubs <u>Includes</u> : PAINT IDENTITY, REAR WHEELS Black : WHEEL SEALS, REAR Oil Lubricated, Includes Wheel Bearings
29580	WHEEL SEALS, FRONT {International} Oil-Lubricated Wheel Bearings
29589	WHEEL SEALS, REAR {Stemco Guardian} Oil Lubricated Wheel Bearings
29PBP	PAINT IDENTITY, REAR WHEELS {Accuride} Disc Rear Wheels; With Vendor Applied (PKYEL21) Yellow Powder Coat Paint
29PBR	PAINT IDENTITY, FRONT WHEELS {Accuride} Disc Front Wheels; With Vendor Applied (PKYEL21) Yellow Powder Coat Paint
40BRL	SRV CONTRACT, EXT ENGINE To 84-Month/150,000 Miles (240,000 km), 5400 Hours; Includes Engine Electronics and Injectors; for DT466, DT530 or DT570
47ACG	BODY, BUS for RE; 78" Headroom, 39'11" Body Length, 84 Passenger, 276" WB <u>Includes</u> : HEADER BUMPER Padded, Mounted Over All Doors; Upholstered to Match Passenger Seat Color
47AHN	BODY RATING TAG for State of California
47AJB	BODY CERTIFICATION TAG Mylar Label
47AJC	BODY TAG, METAL
47AKK	STEP, FRONT ENTRANCE DOOR 25 3/4" Depth; 14ga Steel <u>Includes</u> : STEP, FRONT ENTRANCE DOOR OPENING, 35 Inch Width; Continuous Bottom to Top
47AMS	COMPARTMENT, DRIVER STORAGE for RE
47APN	HEADLINER, BODY for RE; Perforated Full Length With Sound Insulation Full Length
47APX	FASTENERS, HEADLINER Screws
47ARH	BOWS, ROOF 14 ga., One Piece Construction <u>Includes</u> : ROOF BOWS Positioned Floor Line to Floor Line, Threaded Through Roof Strainers and Drip Rail
47ARP	LIGHT BARS Plastic
47ARY	SKIRT, BODY for RE; 28", 16 ga. <u>Includes</u> : SKIRT, BODY Extra Smooth Steel Supported by Floor Gussets
47AUS	TIE DOWNS, BODY U-Bolts, Without Clips

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : TIE DOWNS, BODY with Formed Tab that Fits into Floor Structure to Prevent Turning
47AVD	SKID PLATE Right Front Step Well Guard
47AXC	RUB RAILS, BODY (4) for RE; Steel, All Body Lengths Includes Snow Rail
	<u>Includes</u> : RUB RAILS Full Length, Primer Coated (Both Sides), Attached to Body without Cuts or Splices
47AZJ	SIDE SHEET, BODY, EXTERIOR for RE, 16 ga., Smooth
47BAK	BUMPER, REAR Painted; 12" High, 0.188" Thick
47BAN	END CAPS BUMPER Front
47BAR	SUPPORTS, REAR BUMPER Bolted to Frame
47BAV	TOW HOOKS, FRONT (2) 1 Left, 1 Right
47BAW	TOW HOOK, LEFT REAR (01)
47BAX	TOW HOOK, RIGHT REAR (01)
47BBH	LINING, SIDE INTERIOR, LOWER Embossed Steel, Clear Coated
47BBN	HANDLE, ASSIST, OVER WINDSHLD Body Color
47BBW	LATCH, ACCESS DOOR Front, Lever Type
47BCA	TANK AIR EXTRA 1000 Cubic inch, for Auxiliary Devices
47DAB	CONTROL, ENTRANCE DOOR Electric Over Air, 3 Position Switch, Mounted Left of Driver
47DBP	DOOR, ENTRANCE, FRONT Air, Outward Opening, With Split Pane Glass
47DCJ	DOOR, SIDE EMERGENCY, LEFT 25"; Installed Forward of Rear Wheel Pocket
47DCP	DOOR, SIDE EMERGENCY, RIGHT 25"; Installed Forward of Rear Wheel Pocket
47DCZ	HOLD BACK, LEFT SIDE Side Emergency Door, With Plastic Cover
47DDE	HANDLE, ASSIST, ENTRANCE DOOR Outside Entrance
47DDG	HOLD BACK, RIGHT SIDE Side Emergency Door
47DDX	LATCH, EMERGENCY DOOR, LEFT One Point Slide Bar, Cam Operated, With One Inch Stroke
47DDY	LATCH, EMERGENCY DOOR, RIGHT One Point Slide Bar, Cam Operated, With One Inch Stroke
47DEH	LOCK, VANDAL, ENTRANCE DOOR Air, Outward Opening, Electric Control, with Key Switch
47DEM	LOCK, VANDAL, EMERG DOOR, LT With Ignition Starter Interlock
47DEN	LOCK, VANDAL, EMERG DOOR, RT With Ignition Starter Interlock
47DSC	COMPARTMENT, LUGG, PASS THRU (01) 114"
47DWU	KEYS ALIKE, BATTERY BOX
47DWW	KEYS ALIKE, VANDAL LOCKS Entrance Door
47DWW	KEYS ALIKE, FUEL DOOR
47DWX	KEYS ALIKE, ELECTRICAL ACCESS
47EAP	COMPARTMENT, BATTERY Mounted Behind Right Rear Wheel Pocket, 13" x 15" x 25.5"
	<u>Includes</u>

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
	: BATTERY TRAY 14-1/2" x 24-3/4" Slide Out Tray with Nylon Rollers and Stops : DOOR - COMPARTMENT with Pin Style Hinge
47EBD	LOCK, BATTERY COMPARTMENT Standard Location
47EBM	HOLD DOWN, BATTERY For (2) Standard Size Batteries
47LAU	INSULATION, ROOF AND SIDES 1.50", All Models
47MBA	UNDERCOAT, BODY Fire Resistant, Water Based, TT-C-730 Spec
	<u>Includes</u> : UNDERCOATING Performed Before and After Mounting on Chassis
47MMY	LETTERS, SIGN, REAR Decal, "STOP WHEN RED LIGHTS FLASH", 6" Letters
47MNE	ARROW, SIDE DOOR, LT OUTSIDE Decal; Black, Indicating Handle Direction
47MNG	ARROW, SIDE DOOR, RT OUTSIDE Decal; Black, Indicating Handle Direction
47MPA	LETTERS, SCHOOL BUS FRONT/REAR Decal; "SCHOOL BUS"; With 8" Black Letters; on Front and Rear Cap
47MRT	STRIPING, K/O WINDOW, REAR Perimeter, Reflexite V82
47MSJ	STRIPING, ROOF HATCH, FRONT Yellow Decal, Perimeter, Reflexite
47MSK	STRIPING, ROOF HATCH, REAR Yellow Decal, Perimeter, Reflexite
47MTB	STRIPING, PERIMETER, LEFT Side Emergency Door; Reflective, Reflexite V82
47MTY	WIRING DIAGRAM Schematic, Electrical
	<u>Includes</u> : ACCESS PANEL for Wiring Diagram Schematic Located on Body Exterior; Below Driver Window
47MUB	STRIPING, PERIMETER, RIGHT Side Emergency Door; 1" Reflective Reflexite
47MVA	LETTERS, HEADER Decal; "WATCH YOUR STEP", 1" Black, Above Windshield
47MVC	LETTERS, STEPWELL Decal, "WATCH YOUR STEP", 2.5" Black, Behind Door on Step Riser
47NAB	PAINT RUB RAILS 0001 Canyon Black
47NAH	LETTERS, DOOR, LT Decals; "EMERGENCY EXIT", 2" Black Letters Inside and Outside
47NAM	LETTERS, DOOR, RT Decal; "EMERGENCY EXIT"; 2" Black Letters Inside and Outside
47NGW	SEAL, RUB RAILS Top Edge, All Rails
47NJA	PAINT COLOR, BODY EXTERIOR 4421 Yellow, SBNS
47NJD	PAINT FLASHER BACKGRD 4421 School Bus Yellow
47NKE	PAINT COLOR, ROOF 9219 Winter White, (Does Not Include Lift Door) Beginning 5" Above Drip Rail, Rounded Corners
47NKL	PAINT, RUB RAIL Flange to Flange
47NKM	PAINT COLOR, BODY INTERIOR 9384 Spring White
47NKY	LETTERS, FUEL I.D. Decal; "DIESEL FUEL", 1" Black, on Fuel Filler Door
47NLC	HANDLE, EXTERIOR, LEFT Emergency Door; Black
47NLK	HANDLE, EXTERIOR, RIGHT Emergency Door; Black
47NMB	OPERATING INSTR, LEFT Decal, Inside Side Emergency Door

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
47NMD	OPERATING INSTR, RIGHT Decal, Inside Side Emergency Door
47NMR	ARROW, SIDE DOOR, LT INSIDE Decal; Red Indicating Handle Direction
47NMT	ARROW, SIDE DOOR, RT INSIDE Decal; Red Indicating Handle Direction
47NSW	PAINT, COLOR, DOOR 4421 NSBC Yellow, Both Sides of Entrance Door
47NTE	LOGO, ROOF LINE Decal; "IC CORPORATION", Wing and Shield, First Body Section, Above Driver Window and Entrance Door Over Driver Window and Entrance Door
47SBK	SUB FLOOR, PLYWOOD For RE; B-C Exterior Grade, Less Sealed Edges, 5/8", 5 Ply, for All Body Lengths
47SLV	POSITION DOOR, LEFT Side Emergency Door, Mid Position Within Opening
47SLY	POSITION DOOR, RIGHT Side Emergency Door, Mid Position Within Opening
47SPK	ALPHA/NUMERIC DECAL GUIDE Quantity 091-100
48AAA	WINDOW, REAR Oval, Kick-Out, With Black Anodized Frame
48ANT	WINDOW, DRIVER Laminated, Clear
48APJ	LOCK, VANDAL, REAR WINDOW Oval Kickout Window
48APL	WINDOW, STOPS 12" Opening, Only With 78" Headroom
48BJL	COLOR, WINDOW FRAME, PASS (26) Passenger Window, Black Anodized
48BJP	COLOR, WINDOW FRAME, DRIVER Window, Black Anodized
48BTZ	WINDOW, PASSENGER, TINT For RE; 28% Light, Tempered Glass, 78" Headroom, With All Body Lengths
48NAT	FITTINGS, AIR SEAT for Driver Seat
48PAC	WINDSHIELD 4 Flat Pieces, 73% Light, With Shaded Band
48PAV	WHEEL POCKET COVER Plastic, ABS
48PAY	AISLE POSITION Center, for balanced seating
48PBB	FLOOR COVERING, COLOR Black
48PCG	SEAT BACK, PASSENGER Standard Back
48PCY	FLOOR COVERING, TYPE {IC CORPORATION} Rubber, All Body Lengths
48PCZ	STEP TREADS {IC CORPORATION} Rubber, With White Nosing
48PJR	FLOOR COVERING, TRIM Aluminum
48PKC	CLAMP, HEATER HOSE Constant Torque for Heater System
48PKD	FAN, DEFOG BLOWER {Kysor} Mounted Over Center of Windshield With 2 Speed Switch in Panel
48PKG	CONNECTION Do Not Connect Roof Hatch Switch to Buzzer
48PLB	FILTER, HEATER, LEFT MID, 1ST For Kysor Passenger Heater, 50,000 BTU
48PLE	FILTER, HEATER AIR, LEFT REAR For Passenger Heater, 50,000 BTU
48PLW	HEATER, DRIVER 90,000 BTU
	<u>Includes</u> : HEATER, DRIVER and Defroster, 90,000 BTU Hot Water Recirculating Type
48PMC	HEATER, PASS, LT MIDSHIP 1ST 50,000 BTU
48PMH	HEATER, PASS, LT REAR 50,000 BTU

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
48PNG	HEATER HOSE, FRONT {Goodyear} SAE 20R3, Class D2, 1.0" Diam.
48PNW	HEATER, WATER PUMP {2MPU 12} Self Priming, With Plastic Housing
48PPL	HEATER CUT OFF, VALVE Gate 3/4"
48PPS	ROOF VENT, FRONT Static
48PRA	LOCK, DRIVER COMPARTMENT, RS
48PTT	ARM REST, DRIVER, RIGHT {National}
48PUD	SEAT BELT, DRIVER 3 Point, With Adjustable D-Loop, With Suspension Seat
48PUT	NUTS, BELT MOUNTING Standard Nuts For Seat Belt Mounting
48PVA	UPHOLSTERY, DRIVER SEAT, STYLE Plain, With Cloth Insert
48PVP	UPHOLSTERY, DRIVER SEAT, COLOR Drivers Seat, Black
48PWE	UPHOLSTERY, PASS SEATS, COLOR Black, for Seats, Barriers and Head Bumpers
48PWN	UPHOLSTERY, DRIVER SEAT, TYPE Vinyl, 42 oz.
48PXA	UPHOLSTERY, BARRIER, TYPE (1-2) Vinyl, 42 oz.
48RAV	BARRIER, CRASH, AFT DRIVER High Back, 39", 1 Leg
48RAZ	BARRIER, CRASH, AFT ENTRY DOOR High Back, 39", 1 Leg
48REP	PANEL, MODESTY, AFT OF DRIVER Mounted Under Barrier
48RET	PANEL, MODESTY, AFT ENTRNCE DR Mounted Under Barrier
48RGE	HAND RAIL, ENTRANCE DOOR, FWD Stainless Steel; Curved
48RGR	HAND RAIL, ENTRANCE DOOR, AFT Stainless Steel, 4", Above Step
48RHU	SEAT CLIPS Positive Type
48RLX	CUSHION, SEAT 15" Depth
48RRA	UPHOLSTERY, SEAT, STITCHING Single
	<u>Includes</u> : WARRANTY Two Years
48RYW	SEAT, DRIVER {National 2000} Air Suspension, High Back With Integral Headrest, Cloth, Isolated, With 2 Position Front Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Mechanical Lumbar Support, Includes Additional Back Padding For School Bus Use
48SBG	UPHOLSTERY, PASS SEATS, TYPE Vinyl, 42 Ounce
48TPK	ANCHOR, SEATS Omit Reinforcement for Seat Belts (Standard Seat Frame)
48UCP	ROOF HATCH, FRONT {Transpec 1975-028-121-03} With Outside Release, With English Decals
48UCR	ROOF HATCH, REAR {Transpec 1975-028-121-03} With Outside Release, With English Decals
48UHB	SEAT, DAVENPORT, LEFT {CE White} (01) 30", High Back, With 3 Point Seat Belts
48UHC	SEAT, DAVENPORT, RIGHT {CE White} (01) 30", High Back, With 3 Point Seat Belts
49AAU	CROSSING GATE, FRONT Omit Item
49ADC	LIGHTS, WARNING (8) Quartz Halogen Beams, 7", 2 Front, 2 Rear, Red and Amber Lights
49ADR	HEADLIGHTS Halogen, Heavy Duty 5"x 7" Rectangular, With Turn Signal

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
49AJV	STOP ARM, LEFT REAR {Specialty 5400} Electric, 18" Octagon, 1/2" White Border, Flashing Red Lights, Double Sided
49AJY	STOP ARM, FRONT Omit
49AMB	WIRE, FEED 4 Gauge, Chassis To Body
49AMC	TERMINAL STRIP Chassis
49AMD	SWITCH, DRIVER PANEL, TYPE Rocker
49AMJ	ALARM, BACKING {Ecco #575} 107 db
49AMT	CIRCUIT, PROTECTION Breakers, Manual Reset in Lieu of Fuses
	<u>Includes</u> : ACCESS PANEL for Body and Chassis Fuses/Circuit Breakers Located on Body Exterior; Below Driver Window
49AMW	HORN, AIR Beneath Drivers Platform, Behind Grille
49ANE	LIGHT, INDIC EMRG DR Green; Wired To Buzzer and Mounted on Dash for Emergency Door
49ANL	SWITCH, MAGNETIC, DISCONNECT Master, Ignition Operated, All Body Circuits Except Warning Lights
49ANU	SOURCE, POWER 12 Volt DC, Mounted On Dash
49APD	LIGHTS, DOME for RE; Two Full Rows Recessed, Rectangular, All Body Lengths, Mounted in Light Bars
	<u>Includes</u> : WIRING HARNESS Main Body Wiring Harness Accessed by Removing Dome Light
49APH	SWITCH, DOME LIGHTS, SPLIT Front and Rear Operated With Separate Switch, Quantity of Lights Split Equally
49APT	LIGHT, DRIVER Mounted in Wiring Access Panel Left of Driver, Switch Located in Switch Panel
49ARN	LIGHT, STEP Wired to Clearance Lights
49ASN	FLASHER SYSTEM (8) Warning Lights, Weldon 7000, 8-Lamps, Non-Sequential System, Electronic Solid State Flasher
49ATV	LIGHT, INDIC, WARNING LIGHTS Red and Amber
	<u>Includes</u> : LIGHTS, WARNING Indicator Located in Instrument Cluster
49AUL	SWITCH, MASTER FLASHER Lighted Master Switch for Warning Lights, Not Available With Push-Pull Switch
49AUT	SWITCH, OVERRIDE for Flasher System, Operate Red Lights and Stop Sign
49AWT	SPEAKERS AND WIRING (4) Flush Mounted in Light Bar
49AYU	RADIO, ENTERTAINMENT Panasonic, AM/FM-MPLX, CD Stereo With Public Address System, Mounted in Driver Area, Includes 4 Speakers
49AZV	WIRING, VIDEO SYSTEM Power Only; Mounted Above Driver on Bulkhead
49BAL	LIGHTS, DIRECTIONAL, FRONT (2) 7" Amber LED, on Front Cowl
49BDM	LIGHTS, BACK UP (2) {Sound Off AT41BC} White LED, 4" Diameter
49BGS	LIGHTS, DIRECTIONAL, SIDE {Truck Lite} LED, Yellow, One Mounted Over Each Wheel Pocket
49BKG	LIGHTS, STOP (2) {Sound Off ECV7561SST} and Tail; 7", LED, Red
49BKH	LIGHTS, DIRECTIONAL, REAR (2) {Sound Off ECV7561ITY} LED, 7" Amber

Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

Code	Description
49BKJ	LIGHTS, MARKER, FRONT, REAR {Sound Off ECVML153Y&R} LED, Armored, (8) Four Amber Front and Four Red Rear
49CZX	LIGHTS, STOP & TAIL ADDITIONAL (2) {Truck Lite 44002R} Red LED, 4" Diam.
49DBR	HOOD, WARNING LAMP (4) Black, 8-Lamp System, One Hood Above Two Lights
49EAE	LIGHTS, MARKER, SIDE {Sound Off EVCML153Y} LED, Armored Type, Intermediate, Centered; Required for Units 30 Foot or Longer
49EGC	MIRROR, INSIDE 6" x 30", Clear Safety Glass, Metal Back, Round Corners
49EGM	MIRROR, CROSS VIEW, EXTERIOR Heated, Black, Rosco
49EHS	MIRROR, REAR VIEW, EXTERIOR Heated, Motorized Head, Black
49ENM	VISOR, INTERIOR, LEFT FRONT 6" x 30", Opaque Black, For Left Windshield
49EUE	KIT, FIRST AID 24 Unit, California
49EVL	SWITCH, NOISE SUPPRESSION Actuator Legend States, "NOISE SUPP ", for Separate Solenoid, With Red Switch in Panel
49GCH	LOCATION, FIRST AID KIT Right Side Front Bulkhead With Screws
49GEM	SAFETY TRIANGLES Warning Reflectors, Mounted on Front of Drivers Barrier 6" Below Top of Modesty Shield
49GGE	FIRE EXTINGUISHER, DRIVER AREA 5 lb 2A-40BC Minimum With Flexible Hose and Metal Nozzle
49GLA	REFLECTORS, SIDE, INTERMEDIATE (2) 3" Amber, 1 Each Side, Mounted With Screws, Below The Third Rub Rail From the Top
49GLG	REFLECTORS, SIDE, REAR (2) 3", Red, Mounted With Screws
49GLM	REFLECTORS, SIDE, FRONT (2) 3", Amber; 1 Aft Drivers Window Left, 1 Aft Entrance Door Right, Mounted With Screws
49GLP	REFLECTORS, REAR (2) 3", Red, Mounted With Screws
49GNJ	FUEL FILLER DOOR With Locking Latch
49GRS	LIGHTS, CLUSTER {Sound Off ATCVMLDP1R & ATCVMLDP1Y} LED; Amber Front and Red Rear
49GTV	WINDSHIELD WIPERS (2) Bottom Mounted; Pantograph Type; Wet Arms, 28.5"
49GTW	SWITCH, INTERMITTENT Wiper Operation
49GTX	WINDSHIELD WASHER Kit; 3 Quart Capacity, Bottle <u>Includes</u> : WINDSHIELD WASHER ELECTRICAL CONNECTIONS Sealed and Locking Type
49GTY	SWITCH, WIPER CONTROL Single, to Control Both Wipers
49GUE	CERTIFICATE HOLDER for State of California
49GUJ	FENDERS, RUBBER, FRONT (2)
49GUK	FENDERS, RUBBER, REAR (2)
49GUM	INSPECTION PLATE 5" Dia. Steel
49GUX	MUD FLAPS, FRONT WHEELS (2) Rubber
49GVC	MUD FLAPS, REAR WHEELS (2) Rubber; Behind Rear Wheels
49GZT	FUEL FILLER PIPE Neck Cap and Vent Hosing for Use With Right Side Fill 100 Gal. Between the Rails Fuel Tanks


Vehicle Specifications
2008 INTEGRATED RE S BUS (PB305)

April 23, 2008

<u>Code</u>	<u>Description</u>
49UAE	STATE OF OPERATION California
7382135801	(2) TIRE, FRONT 11R22.5 AH12 (HANKOOK) 503 rev/mile, load range H, 16 ply
7382135801	(4) TIRE, REAR 11R22.5 AH12 (HANKOOK) 503 rev/mile, load range H, 16 ply
804WXD	DRAIN VALVE {Humphrey} (3) Air Operated, Manual, With Controls in Drivers Compartment, For Air Tanks
OBD005	MISCELLANEOUS Safeguard "Flex" passenger seats (10) - Left side 2-leg
OBD006	BODY PLAN, NON-SPECIAL NEEDS New body plan using the Safeguard "Flex" passenger seat. Capacity should be 80 ⁷⁵ passengers.
OBD007	MISCELLANEOUS Safeguard Flex seat left 4-leg
OBD008	MISCELLANEOUS Safeguard 36" Flip Seat left
OBD009	MISCELLANEOUS Safeguard Flex seats (10) - 2-leg right side
OBD010	MISCELLANEOUS Safeguard Flex seat - 4-leg right side
OBD011	MISCELLANEOUS Safeguard 36" flip seat right side
	Parts Manual
	Service Manual

Warranty
Integrated School Bus
Body and Chassis

FE (Forward Engine), RE (Rear Engine),
CE (Conventional) & BE (Small Bus)



IC Corporation and
Affiliate Companies

Wholly owned subsidiary of International Truck
and Engine Corporation

Integrated Bus Body & Chassis

FE (Forward Engine), RE (Rear Engine),
CE (Conventional) & BE (Small Bus)

SCHOOL BUS

5-Year Limited Warranty

IC Corporation and Affiliate Companies warrants to the original purchaser (the "Purchaser") that IC Corporation buses and component parts thereof are, at the time of purchase, free from defects in material and workmanship and will remain free from such defects under normal use after delivery to the Purchaser as provided herein. Warranty shall begin at the time of delivery unless otherwise approved by IC Corporation and Affiliate Companies.

The following components are warranted within the time periods and mileage limitations set forth, whichever shall first occur:

A. FIVE (5) YEARS WITH NO MILEAGE LIMITATION

1. Chassis frame rails and crossmembers.
2. Body structure (including structural components, roof, metal floor, sides and front and rear sections).
3. Paint adhesion and rust protection.
4. Seat and barrier frames.

B. FIVE (5) YEARS WITH NO MILEAGE LIMITATION

1. DT466E and VT-365 Engine (Engine warranties include the fuel injection system but exclude attaching accessories, thermostats, electrical and filtration systems and nozzles. Glow plugs, glow plug relay and harness is for 36 months / unlimited mi. / km.)

C. FOUR (4) YEARS OR 50,000 MILES

1. 3-part Spicer system; front & rear axles and propshaft.
2. IC Corporation and Affiliate Companies warrants passenger seat foam against defects in materials and workmanship.

D. TWO (2) YEARS OR 24,000 MILES

IC Corporation and Affiliate Companies warrants upholstery against defects in materials and workmanship for two (2) years after delivery to the original retail purchaser.

E. One year (1) UNLIMITED MILES

IC Corporation and Affiliate Companies warrants the following chassis components not covered above for a period of one year/unlimited miles within one year after delivery to the original retail purchaser.

1. Front and rear suspension, steering system components, exhaust systems, instruments, and front fiberglass.
2. Mechanical brake components including air tanks, air lines, hydraulic lines and other non wear items, but exclusive of wear items such as rotors/drums and linings/pads/shoes, and fluids.
3. Chassis mounted electrical system components exclusive of service items such as bulbs.
4. Cooling system components (exclusive of HVAC system components).
5. Fuel system components (exclusive of other manufacturer warranted items such as fuel water separators, preheaters, and fuel fired HVAC heaters).

This coverage is exclusive of components which are warranted by their manufacturers, such as transmissions, tires, batteries, radios, etc.

F. ONE (1) YEAR WITH UNLIMITED MILES

All other original components not covered under "A" through "E" above, exclusive of components which are warranted by their manufacturers, such as transmissions, tires, batteries, radios, etc. Copies of such warranties are provided with each new IC Corporation bus when supplied by component manufacturers.

G. IC Corporation and Affiliated Companies will pay for normal towing charges associated with items covered within this warranty for a period of 90 days from the DTU date.

The foregoing does not apply to:

- (a) Damage resulting from: (i) Misuse, abuse, accident, neglect, negligence, vandalism, fire, riot, war or Acts of God; (ii) Structural or other modification or alteration without prior express written authorization by IC Corporation; (iii) Repair or attempted repair by unauthorized persons; (iv) Replacement of original components with substitutes without prior express written authorization by IC Corporation; (v) Failure to perform routine preventive maintenance as customarily accepted within the industry or failure to provide proof of such preventive maintenance having been performed; (vi) Exposure to corrosives, contaminants, chemicals, salt, irradiation or atmospheric or environmental conditions; and (vii) Usage or loading in excess of recommended capacities or in non-standard applications, including off-road.
- (b) Fading or discoloration of paint, lettering or decals;
- (c) Maintenance or service items such as filters, belts, fluids or other operational parts, supplies and procedures which are a part of normal maintenance;
- (d) Buses sold and/or operated outside of the United States and Canada;
- (e) Buses on which the odometer has been tampered with or the reading altered;
- (f) Normal wear and tear of operations.

EXCEPT AS STATED HEREIN, IC CORPORATION AND AFFILIATE COMPANIES MAKES NO EXPRESS OR IMPLIED WARRANTIES OR REPRESENTATIONS, INCLUDING ANY WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NO PERSON IS AUTHORIZED BY IC CORPORATION AND AFFILIATE COMPANIES TO ALTER, ENLARGE OR EXTEND WARRANTIES OR TO ALTER OR AMEND DISCLAIMERS, OTHER THAN AS SET FORTH HEREIN.

The time limitations set forth herein shall run from the date of delivery to the Purchaser in the United States of America.

The remedy available under this Limited Warranty is non-cumulative in nature and is limited to repair or replacement at IC Corporation's option of the bus or component parts thereof which are returned to locations approved by IC Corporation and Affiliate Companies transportation charges prepaid, and which IC Corporation and Affiliate Companies' examination disclosed to its satisfaction to be defective.

IC Corporation and Affiliate Companies' liability under this Limited Warranty does not extend to loss of time, inconvenience, loss of use of bus (or loss of profits resulting therefrom), injury to property or persons, or any other special, indirect, consequential or incidental damages whatsoever.

Some states and provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to you.

All claims under this Limited Warranty must be submitted in writing to an authorized IC Corporation dealer within the warranty period as stated herein. If you have any questions regarding this Limited Warranty, contact IC Corporation, Conway, AR (1-800-993-7686).


Any provisions of this Limited Warranty which is prohibited or not enforceable in any jurisdiction shall be, as to such jurisdiction, ineffective to the extent of such prohibition or non-enforceability without invalidating the remaining provisions hereof, and any such prohibition or non-enforceability in any jurisdiction shall not invalidate or render non-enforceable any such provision in any other jurisdiction.

THE PROVISIONS HEREOF CONSTITUTE THE EXCLUSIVE AND COMPLETE WARRANTY BY IC CORPORATION AND AFFILIATE COMPANIES ON IC CORPORATION BUSES AND COMPONENT PARTS THEREOF MANUFACTURED BY IT AND IS IN LIEU OF ALL OTHER OBLIGATIONS OR LIABILITIES OF IC CORPORATION AND AFFILIATE COMPANIES WHETHER EXPRESSED OR IMPLIED.

Any suit for breach of this Limited Warranty must be initiated within one year after breach.

This warranty gives you specific legal rights, and you may also have other rights which vary by state or province.

Effective with models produced on or after 08/01/2005



ESCONDIDO UNION HIGH SCHOOL DISTRICT

302 NO. MIDWAY, ESCONDIDO, CALIFORNIA 92027

PHONE: Purchasing (760) 291-3229 • Fax (760) 480-3164

H90001
Page 01 Of 01

Vendor No. CR0107 Tel (909) 465-5528
FAX (909) 465-5529

Date: 05/27/08

IMPORTANT
PURCHASE ORDER NUMBER MUST
APPEAR ON ALL INVOICES, PACKAGES
AND CORRESPONDENCE.

TO:

SHIP TO:

CREATIVE BUS SALES, INC.
13501 BENSON AVE.
CHINO CA 91710

OPERATIONS CENTER
TRANSPORTATION
1789 N. BROADWAY
ESCONDIDO
CA 92026

RECEIVING HOURS: MONDAY – FRIDAY
8:30 A.M. – 4:00 P.M. EXCLUDING HOLIDAYS

TERMS AND CONDITIONS

MSDS forms must be provided for all items of an art supply or chemical nature.

Ship Via: VENDOR
Deliver By:
11/28/08

Terms: NET 30
F.O.B. DESTINATION

Item No.	Quantity	Unit	Description	Unit Price	Extension
001	2	EA	IC BUS MODEL RE3911 School Buses, 2009 Capacity: 74 SPECIFICATIONS PER BID NO. 28-05 APPROVED BY THE GOVERNING BOARD 5/20/08	128,340.00	256,680.00
002	2	EA	SALES TAX	9,946.35	19,892.70

SPECIAL INSTRUCTIONS: 1. All invoices must be itemized and submitted in duplicate.
2. Enclose packing slip with Purchase Order No. reference with all shipments.
3. No change or charge in excess of this order may be made without obtaining approval from the Purchasing Dept. prior to filling order.

Sub Total	\$276,572.70
Tax	\$0.00
Freight	\$0.00
Total	\$276,572.70

ACCOUNTING:

06-00 7230-000 0000 3600 6400-000 150 \$55,314.70
06-00 7240-000 5001 3600 6400-001 150 \$221,258.00

Authorized By: 
Requisition Number: *****
TRANSPORTATION
C28092 ROBERT BERASTRESSER