

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER D-200-17
Relating to Exemptions Under Section 27156
of the Vehicle Code

DOUG THORLEY HEADERS, INC.
EXHAUST HEADERS

Pursuant to the authority vested in the Air Resources Board (ARB) by Section 27156 of the Vehicle Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-5;

IT IS ORDERED AND RESOLVED: That the installation of the Exhaust Headers manufactured by Doug Thorley Headers, Inc. of 1561 Commerce St., Corona, California 91720 has been found not to reduce the effectiveness of required motor vehicle pollution control devices and, therefore, is exempt from the prohibitions of Section 27156 of the Vehicle Code for installation on those vehicles listed in Exhibit A.

This Executive Order is valid provided that the Exhaust Headers are manufactured from #14 gage tubing, and the installation instructions for the Exhaust Headers will not recommend tuning the vehicle to specifications different from those submitted by the manufacturer.

Changes made to the design or operating conditions of the device, as exempted by the ARB, that adversely affect the performance of a vehicle's pollution control system shall invalidate this Executive Order.

Marketing of this device using an identification other than that shown in this Executive Order or marketing of this device for an application other than those listed in this Executive Order shall be prohibited unless prior approval is obtained from the ARB.

This Executive Order does not constitute any opinion as to the effect the use of this device may have on any warranty either expressed or implied by the vehicle manufacturer.

THIS EXECUTIVE ORDER DOES NOT CONSTITUTE A CERTIFICATION, ACCREDITATION, APPROVAL, OR ANY OTHER TYPE OF ENDORSEMENT BY THE AIR RESOURCES BOARD OF ANY CLAIMS OF THE APPLICANT CONCERNING ANTI-POLLUTION BENEFITS OR ANY ALLEGED BENEFITS OF DOUG THORLEY HEADERS, INC.'S EXHAUST HEADERS.

No claim of any kind, such as "Approved by the Air Resources Board" may be made with respect to the action taken herein in any advertising or other oral or written communication.

Section 17500 of the Business and Professions Code makes untrue or misleading advertising unlawful, and Section 17534 makes violation punishable as a misdemeanor.

Section 43644 of the Health and Safety Code provides as follows:


"43644, (a) No person shall install, sell, offer for sale, or advertise, or, except in an application to the state board for certification of a device, represent, any device as a motor vehicle pollution control device for use on any used motor vehicle unless that device has been certified by the state board. No person shall sell, offer for sale, advertise, or represent any motor vehicle pollution control device as a certified device which, in fact, is not a certified device. Any violation of this subdivision is a misdemeanor."

Any apparent violation of the conditions of this Executive Order may result in its rescission or submission to the Attorney General of California for such action as he deems advisable.

Executive Order D-200-16 is hereby superseded and is no longer of any force or effect.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California, this 5th day of April 1994.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Exhibit A

General Motors Vehicles

<u>Model Year</u>	<u>Application</u>	<u>Engines</u>	<u>Part #</u>
1981 - 88	Trucks	262 - 400	300Y
1987 - 91	Trucks / Motorhomes	366 - 502	303Y
1987 - 91	Trucks 4WD	366 - 502	304Y
1987 - 94	Motorhomes w/Allison	366 - 502	305Y
1987 - 94	Motorhomes	366 - 502	306Y
1981 - 87	Vans / Motorhomes	262 - 400	315Y
1981 - 93	Vans / Motorhomes	262 - 400	316Y
1928 - 94	Cars / Trucks	262 - 400	317Y
1982 - 87	Trucks 2WD	2.8L V-6	345
1985 - 94	Astro / Safari Vans	4.3L V-6	346
1988 - 94	Trucks 2WD / Vans	4.3L V-6	347
1988 - 94	Trucks 4WD	4.3L V-6	348
1987 - 90	Revcon Motorhomes	366 - 502	354Y
1987 - 93	S-10 / S-15 2WD	4.3L V-6	361
1987 - 93	T-10 / T-15 4WD	4.3L V-6	362
1981 - 91	Trucks 4WD	262 - 400	364Y
1983 - 87	Trucks 4WD	2.8L V-6	365
1981 - 91	Trucks 2WD	262 - 400	367Y
1980 - 87	Camaro, Chevelle, El Camino, Monte Carlo, Firebird, Grand Prix, Regal	262 - 400	375Y

Exhibit A continued

1980 - 82	Corvette	262 - 400	375Y
1980 - 81	Camaro	262 - 400	376Y
1982 - 93	Camaro	262 - 400	377Y
1980 - 88	Chevelle, Monte Carlo, El Camino, Malibu, Buick, Pontiac, Olds	262 - 400	378Y
1988 - 94	Trucks	262 - 400	384Y
1992 - 94	Suburban / Blazer		
1993 - 94	Trucks	262 - 400	385Y
1988 - 94	Trucks	366 - 502	388Y
1992 - 94	Suburban / Blazer		
1993 - 94	Trucks	366 - 502	389Y
1988 - 94	454 SS Trucks	366 - 502	392Y
1987 - 91	Trucks 4WD	366 - 502	398Y
1987 - 91	Trucks 2WD	366 - 502	399Y

Chrysler Corporation Vehicles

1982 - 87	Vans / Motorhomes	273 - 360	106Y
1982 - 94	Vans / Motorhomes	273 - 360	107Y
1982 - 87	Trucks	273 - 360	114Y
1982 - 93	Trucks	273 - 360	115Y
1982 - 94	Class "A" Motorhomes	273 - 360	147Y
1994	T-300 P/U Chassis	273 - 360	160Y
1994	T-300 P/U 2WD	273 - 360	162Y
1994	T-300 P/U 4WD	273 - 360	164Y

Exhibit A continued

1989 - 91	Dakota P/U 2WD	273 - 360	189Y
1992 - 94	Dakota P/U 2WD	273 - 360	190Y
1992 - 94	Dakota P/U 4WD	273 - 360	191Y
1981 - 82	Jeep CJ Series	304 - 401	605Y
1981 - 82	Jeep CJ Series	304 - 401	606Y
1981 - 92	Jeep Cherokee / Wagoner / J Series	304 - 401	616Y
1981 - 92	Jeep Cherokee / Wagoner / J Series	304 - 401	617Y
1981 - 90	Jeep Cherokee / Wagoner / J Series	304 - 401	625
1993 - 94	Jeep Grand Cherokee	273 - 360	630Y

Ford Vehicles

1987 - 94	Motorhomes	379 - 460	209Y
1982 - 87	Trucks / Vans	379 - 460	211Y
1987 - 90	Vans / Motorhomes	379 - 460	212Y
1985 - 89	Gillig Motorhomes	379 - 460	213
1986 - 94	Trucks / Vans / Motorhomes	379 - 460	214Y
1981 - 82	Trucks	351M - 400	215
1981 - 82	Trucks / Vans	351M - 400	225
1980 - 87	Trucks / Vans	302 - 351W	248Y
1984 - 93	Trucks / Bronco	302 - 351W	248Y-FI
1983 - 85	Trucks	2.8L V-6	255
1990 - 94	Explorer, Bronco II, Ranger Trucks	4.0L V-6	257
1980 - 89	Mustang / Capri	255 - 302W	285Y