

**State of California  
AIR RESOURCES BOARD**

**EXECUTIVE ORDER D-280-52**

Relating to Exemptions under Section 27156 and 38391  
of the Vehicle Code

Airtek, Inc. (d.b.a. Catco)  
"Series 610000 Three-way Catalytic Converters"

WHEREAS, Vehicle Code Sections 27156 and 38395, and Title 13, California Code of Regulations (hereafter "CCR") Section 2222(h), authorize the California Air Resources Board and its Executive Officer to exempt new aftermarket catalytic converters from the prohibitions of Vehicle Code Section 27156 and 38391.

WHEREAS, Airtek, Inc. (Airtek) of 4410 W. 37<sup>th</sup> Avenue, Hobart, Indiana 46342, has applied to the Air Resources Board for exemption from the prohibitions in Vehicle Code Sections 27156 and 38391 to market its new aftermarket Series 610000 three-way catalytic converters (TWC) on selected 1996 through 2002 model year Ford passenger cars equipped with on-board diagnostic II (OBD-II) systems as specified in Appendix D-280-52 and incorporated herein. Series 610000 TWC will be used for single catalytic converter applications, and may be sold as a direct fit system.

WHEREAS, pursuant to the authority vested in the Executive Officer by Health and Safety Code Section 39515 and in the Chief, Mobile Source Operations Division by Health and Safety Code Section 39516 and Executive Order G-02-003, the Air Resources Board finds that the above aftermarket catalytic converters comply with the California Vehicle Code Sections 27156 and 38395 and Title 13, California Code of Regulations, Section 2222(h). Emission performance of the catalytic converters was based on durability bench-aging by Southwest Research Institute using the Air Resources Board-modified RAT-A bench-aging cycle for 75 hours as specified in Appendix A to the "California Evaluation Procedures for New Aftermarket Catalytic Converters" as adopted on October 25, 2007.

WHEREAS, previous emissions and OBD II compatibility tests conducted by Airtek, Inc. using a vehicle of weight classification and exhaust configuration similar to those listed in Appendix D-280-52 and certified to Low Emission Vehicle (LEV) standards resulted in the issuance of Executive Orders D-280-15, it was determined that the installation of Series 610000 on the vehicles listed in Appendix D-280-52 meets the requirements of California regulation for aftermarket catalytic converters.

THEREFORE, IT IS HEREBY RESOLVED that Airtek, Inc.'s 610000 TWCs are exempted from the prohibitions in Vehicle Code Sections 27156 and 38391 for installation on the approved vehicle applications specified in Appendix D-280-52 subject to the following conditions:

1. No changes are permitted to the catalytic converters as described in the application for exemption. Any changes to the catalytic converters or any of their components, and other factors addressed in this order must be evaluated and approved by the Air Resources Board prior to marketing in California.
2. Marketing of the catalytic converters using identifications other than those shown in the exemption application, and in this Executive Order, or marketing of the catalytic converters for application other than the ones shown in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board. Exemption of these products shall not be construed as an exemption to sell, offer for sale, or advertise any components of the catalytic converters as individual devices.
3. Any oral or written references to this Executive Order or its content by Airtek, Inc., its principals, agents, employees, distributors, dealers, or other representatives must include the disclaimer that the Executive Order or the exemption it provides is not an endorsement or approval of any emission reduction claims for the catalytic converters and is only a finding that the catalytic converters are exempt from the prohibitions of Vehicle Code Sections 27156 and 38391.
4. Airtek, Inc.'s installation instructions for the new catalytic converters must conform to requirements in Section (h) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
5. Installation of the catalytic converters shall not cause the relocation of an oxygen sensor. Oxygen sensors must be installed in the same location, position and orientation as prescribed in the original equipment manufacturer's configurations.
6. Upon installation, the catalytic converters must carry a manufacturer's warranty for five (5) years or 50,000 miles as prescribed in Section (f)(2) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
7. Airtek, Inc. and its vendors may not advertise the new aftermarket catalytic converters as "high flow or easy flow" catalytic converters or use any phrase that could make them appear to perform better than the original equipment manufacturer (OEM) catalytic converters.
8. Any marketing arrangement of the new aftermarket catalytic converter by a third party, which involves the use of packaging identification different from the ones described in this Executive Order, must be approved by the Air Resources Board prior to shipment.
9. Airtek, Inc., its associates, vendors, other businesses and individuals associated with Airtek, Inc. may not sell or supply new aftermarket catalytic converter substrates to a third party to be assembled in a different facility and marketed under this Executive Order without approval from the Air Resources Board.

10. Airtek, Inc. shall comply with the quality control procedures and reporting requirements in Section (f)(5) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted October 25, 2007.
11. Quality control reports must be submitted on a quarterly basis and warranty information reports on a semi-annual basis, starting with periods covering January 1 through March 31, 2009 and January 1 through June 30, 2009, respectively.
12. Airtek, Inc. must provide a permanent label or stamp as specified under Section (f)(1) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.
13. Airtek, Inc.'s vehicle application catalog must conform with the requirements specified under Section (f)(4) of the "California Evaluation Procedures for New Aftermarket Catalytic Converters," as adopted on October 25, 2007.

Executive Order D-280-19 dated June 4, 2008, is hereby superseded and of no further force and effect.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a 30-day written notice of intention to revoke it, during which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within 30 days of receipt of the request, and the order may not be revoked until a determination is made, after the hearing, that grounds for revocation exist.

Executed at El Monte, California, this 8 day of December 2008.



Annette Hebert, Chief  
Mobile Source Operations Division

## Appendix D-280-52

## Airtek 610000

No.	Model Year	Make	Model	Engine Size (liters)	Test Group Name	Certification Level	Weight Class	Exhaust Type	Converter Type	Total Converter	Monitored Converter	Conv. Location	Converter Part Type	MFR Part Number	Application Type
1	1996	Ford	Contour	2	TFM2.0VJG1EK	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
2	1996	Ford	Escort	1.9	TFM1.9V8GKEK	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612604	ALL
3	1997	Ford	Contour	2	VFM2.0VJG1EK	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
4	1997	Ford	Escort	2	VFM2.0V8G2EK	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
5	1997	Ford	Escort	2	VFM2.0V8G3EK	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
6	1997	Ford	Escort	2	VFM2.0V8G2EK	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
7	1998	Ford	Contour	2	WFMXV02.0AFA	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
8	1998	Ford	Contour	2	WFMXV02.0AGA	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
9	1998	Ford	Escort	2	WFMXV02.0BTA	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612202	ALL
10	1998	Ford	Escort	2	WFMXV02.0ATA	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
11	1998	Ford	Escort	2	WFMXV02.0BTA	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
12	1998	Ford	Escort	2	WFMXV02.0ATA	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
13	1999	Ford	Contour	2	XFMXV02.0VDC	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
14	1999	Ford	Escort	2	XFMXV02.0VDN	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612202	ALL
15	1999	Ford	Escort	2	XFMXV02.0VG5	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612202	ALL
16	1999	Ford	Escort	2	XFMXV02.0VGC	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
17	1999	Ford	Escort	2	XFMXV02.0VDN	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
18	1999	Ford	Escort	2	XFMXV02.0VG5	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
19	1999	Ford	Escort	2	XFMXV02.0VGC	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
20	2000	Ford	Contour	2	YFMXV02.0VDC	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
21	2000	Ford	Escort	2	YFMXV02.0VF2	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
22	2000	Ford	Escort	2	YFMXV02.0VF5	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
23	2000	Ford	Escort	2	YFMXV02.0VF2	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
24	2000	Ford	Focus	2	YFMXV02.0VF3	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612300	ALL
25	2000	Ford	Focus	2	YFMXV02.0VF3	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612400	ALL
26	2000	Ford	Focus	2	YFMXV02.0VF2	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612972	ALL
27	2002	Ford	Escort	2	YFMXV02.0VF5	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612202	ALL
28	2002	Ford	Escort	2	2FMXV02.0VF3	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612202	ALL
29	2002	Ford	Escort	2	2FMXV02.0VF6	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612202	ALL
30	2002	Ford	Escort	2	2FMXV02.0VF3	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
31	2002	Ford	Escort	2	2FMXV02.0VF6	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
32	2002	Ford	Focus	2	2FMXV02.0VF4	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612300	ALL
33	2002	Ford	Focus	2	2FMXV02.0VF6	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612300	ALL
34	2002	Ford	Focus	2	2FMXV02.0VF4	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612400	ALL
35	2002	Ford	Focus	2	2FMXV02.0VF6	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612400	ALL
36	2002	Ford	Focus	2	2FMXV02.0VF3	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612972	ALL
37	1996	Mercury	Mystique	2	TFM2.0VJG1EK	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
38	1996	Mercury	Tracer	1.9	TFM1.9V8GKEK	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612604	ALL
39	1997	Mercury	Mystique	2	VFM2.0VJG1EK	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
40	1997	Mercury	Tracer	2	VFM2.0V8G2EK	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
41	1997	Mercury	Tracer	2	VFM2.0V8G3EK	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
42	1997	Mercury	Tracer	2	VFM2.0V8G2EK	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL

## Appendix D-280-52

## Airtek 610000

No.	Model Year	Make	Model	Engine Size (liters)	Test Group Name	Certification Level	Weight Class	Exhaust Type	Converter Type	Total Converter	Monitored Converter	Conv. Location	Converter Part Type	MFR Part Number	Application Type
43	1998	Mercury	Mystique	2	WFMXV02.0AFA	TIER1	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
44	1998	Mercury	Mystique	2	WFMXV02.0AGA	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
45	1998	Mercury	Tracer	2	WFMXV02.0ATA	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
46	1998	Mercury	Tracer	2	WFMXV02.0ATA	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
47	1999	Mercury	Cougar	2	XFMXV02.0VDC	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
48	1999	Mercury	Mystique	2	XFMXV02.0VDC	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
49	1999	Mercury	Tracer	2	XFMXV02.0VGC	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612865	ALL
50	1999	Mercury	Tracer	2	XFMXV02.0VGC	LEV1 LEV	PC	S	TWC	1	1	U	DIRECT FIT	612878	ALL
51	2000	Mercury	Cougar	2	YFMXV02.0VDC	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL
52	2000	Mercury	Mystique	2	YFMXV02.0VDC	TLEV	PC	S	TWC	1	1	U	DIRECT FIT	612140	ALL