

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER D-215-81

Relating to Exemptions Under Section 27156  
of the California Vehicle Code

Edelbrock Corporation  
E-Force Supercharger Kit  
Part Numbers 1564, 1567, 1577, 1578, and 1579

Pursuant to the authority vested in the Air Resources Board by Section 27156 of the Vehicle Code; and

Pursuant to the authority vested in the undersigned by Section 39515 and Section 39516 of the Health and Safety Code and Executive Order G-02-003;

IT IS ORDERED AND RESOLVED: That the installation of the E-Force Supercharger Kit, manufactured and marketed by the Edelbrock Corporation, 2700 California Street, Torrance, California 90509, has been found not to reduce the effectiveness of the applicable vehicle pollution control systems and, therefore, is exempt from the prohibitions of Section 27156 of the Vehicle Code for the following 1999 to 2012 model year General Motors vehicle applications listed in Exhibit A.

The E-Force Supercharger Kit consists of the following main components: Eaton 2300 supercharger, intake manifold, bypass valve, mass air flow sensor, intercooler, new fuel injector rails, and a reflashed ECM. Maximum boost is limited to 6.0 pounds per square inch. The stock crankshaft pulley, fuel injectors, air cleaner housing, and thermostat are retained. The tuner used to reflash the ECM is designed to download OEM calibration updates, non emission related upgrades, and patches or fixes in the firmware. Emission-related data files cannot be modified by the end user. All supplied fuel hoses are Avon's CADbar 9000 series, and fuel and vapor line connectors supplied with the kit are OEM – equivalent parts. Breather hoses may be replaced with an SAE30R9 rated hose.

This Executive Order is valid provided that the installation instructions for the E-Force Supercharger Kit will not recommend tuning the vehicle to specifications different from those of the kit manufacturer.

Changes made to the design or operating conditions of the E-Force Supercharger Kit, as exempt by the Air Resources Board, which adversely affect the performance of the vehicle's pollution control system shall invalidate this Executive Order.

This Executive Order shall not apply to any E-Force Supercharger Kit advertised, offered for sale, sold with, or installed on a new motor vehicle prior to or concurrent with transfer to an ultimate purchaser.

Marketing of the E-Force Supercharger Kit using any identification other than that shown in this Executive Order or marketing of the E-Force Supercharger Kit for an application other than those listed in this Executive Order shall be prohibited unless prior approval is obtained from the Air Resources Board.

This Executive Order does not constitute any opinion as to the effect the use of the E-Force Supercharger Kit may have on any warranty either expressed or implied by the vehicle manufacturer.

This Executive Order is granted based on a recent emissions test conducted on a 2011 model year 6.2L Chevrolet Silverado, certified to the Low Emission Vehicle II Ultra Low Emission Vehicle (LEV II ULEV) emission standards, and prior submitted emission test data, in support of Executive Order D-215-73, generated on a 2010 model year 6.2L Chevrolet Corvette certified to the LEV II ULEV emission standards. Test results showed that emission levels, with the E-Force Supercharger Kit installed, met the applicable emission standards when tested using the Cold-Start CVS-75 Federal Test Procedure (FTP) test cycle, Corvette and Silverado, and the Supplemental Federal Test Procedure (SFTP US06/SC03) test cycle, Corvette only. Examination of the OBD II system showed the E-Force Supercharger Kit did not affect OBD II system operation. Results from emissions testing conducted at the Auto Club Emissions Laboratory, located in Diamond Bar, California, are shown below (in grams per mile).

2010 6.2L Corvette	CVS-75 FTP				SFTP US06/SC03	
	NMOG	CO	NOx	HCHO	NMHC+NOx	CO
Standards*, UL	0.070	2.1	0.04	0.011	0.14/0.20	8.0/2.7
Device Test 1	0.036	1.0	0.01	0.000	0.04/0.03	5.2/1.0
Device Test 2	0.036	0.9	0.01	0.000		
Average	0.036	1.0	0.01	0.000		
Average w/df	0.049	1.2	0.03	0.001		

2011 Silverado	CVS-75 FTP			
	NMOG	CO	NOx	HCHO
Standards*, UL	0.070	2.1	0.04	0.011
Device Test 1	0.051	0.8	0.01	0.000
Device Test 2	0.057	1.0	0.01	0.000
Average	0.054	0.9	0.01	0.000
Average w/df	0.067	1.1	0.03	0.001


\*LEV II ULEV CVS-75 FTP emissions standards.

THIS EXECUTIVE ORDER DOES NOT CONSTITUTE A CERTIFICATION, ACCREDITATION, APPROVAL, OR ANY OTHER TYPE OF ENDORSEMENT BY THE AIR RESOURCES BOARD OF ANY CLAIMS OF THE APPLICANT CONCERNING ANTI-POLLUTION BENEFITS OR ANY ALLEGED BENEFITS OF THE E-FORCE SUPERCHARGER KIT.

No claim of any kind, such as "Approved by the Air Resources Board", may be made with respect to the action taken herein in any advertising or other oral or written communication.

Violation of any of the above conditions shall be grounds for revocation of this order. The order may be revoked only after a ten-day written notice of intention to revoke the order, in which period the holder of the order may request in writing a hearing to contest the proposed revocation. If a hearing is requested, it shall be held within ten days of receipt of the request and the order may not be revoked until a determination is made after the hearing that grounds for revocation exist.

Executed at El Monte, California, this 19 day of December 2012.



Annette Hebert, Chief  
Mobile Source Operations Division



**Exhibit A  
Vehicle Applications**

Make	Model	Year	Configuration	Displ (L)	Pulley Dia (in)
CHEVROLET	SILVERADO	1999	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	1999	Gen 3, V8	4.8l	4.125"
CHEVROLET	SILVERADO	1999	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	1999	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	1999	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	1999	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2000	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	2000	Gen 3, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2000	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2000	Gen 3, V8	5.3l	4.125"
CHEVROLET	TAHOE	2000	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	2000	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2000	Gen 3, V8	5.3l	4.125"
GMC	YUKON XL	2000	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2000	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2000	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	2000	Gen 3, V8	6.0l	3.750"
GMC	YUKON	2000	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2000	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2001	Gen 3, V8	4.8l	4.125"
CHEVROLET	TAHOE	2001	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	2001	Gen 3, V8	4.8l	4.125"
GMC	YUKON	2001	Gen 3, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2001	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2001	Gen 3, V8	5.3l	4.125"
CHEVROLET	TAHOE	2001	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	2001	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2001	Gen 3, V8	5.3l	4.125"
GMC	YUKON XL	2001	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2001	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2001	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	2001	Gen 3, V8	6.0l	3.750"
GMC	YUKON	2001	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2001	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2002	Gen 3, V8	4.8l	4.125"
CHEVROLET	TAHOE	2002	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	2002	Gen 3, V8	4.8l	4.125"
GMC	YUKON	2002	Gen 3, V8	4.8l	4.125"
CADILLAC	ESCALADE	2002	Gen 3, V8	5.3l	4.125"
CHEVROLET	AVALANCHE	2002	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2002	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2002	Gen 3, V8	5.3l	4.125"
CHEVROLET	TAHOE	2002	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	2002	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2002	Gen 3, V8	5.3l	4.125"
GMC	YUKON XL	2002	Gen 3, V8	5.3l	4.125"
CADILLAC	ESCALADE	2002	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2002	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2002	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	2002	Gen 3, V8	6.0l	3.750"
GMC	YUKON	2002	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2002	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2003	Gen 3, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2003	Gen 3, V8	4.8l	4.125"
CHEVROLET	TAHOE	2003	Gen 3, V8	4.8l	4.125"
GMC	SAVANA	2003	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	2003	Gen 3, V8	4.8l	4.125"
GMC	YUKON	2003	Gen 3, V8	4.8l	4.125"
CADILLAC	ESCALADE	2003	Gen 3, V8	5.3l	4.125"

**Exhibit A  
Vehicle Applications**

Make	Model	Year	Configuration	Displ (L)	Pulley Dia (in)
CHEVROLET	AVALANCHE	2003	Gen 3, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2003	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2003	Gen 3, V8	5.3l	4.125"
CHEVROLET	SSR	2003	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2003	Gen 3, V8	5.3l	4.125"
CHEVROLET	TAHOE	2003	Gen 3, V8	5.3l	4.125"
CHEVROLET	TRAILBLAZER EXT	2003	Gen 3, V8	5.3l	4.125"
GMC	ENVOY	2003	Gen 3, V8	5.3l	4.125"
GMC	SAVANA	2003	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	2003	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2003	Gen 3, V8	5.3l	4.125"
GMC	YUKON XL	2003	Gen 3, V8	5.3l	4.125"
CADILLAC	ESCALADE	2003	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2003	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2003	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO SS	2003	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2003	Gen 3, V8	6.0l	3.750"
GMC	SAVANA	2003	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	2003	Gen 3, V8	6.0l	3.750"
GMC	SIERRA HD	2003	Gen 3, V8	6.0l	3.750"
GMC	YUKON	2003	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2003	Gen 3, V8	6.0l	3.750"
HUMMER	H2	2003	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2004	Gen 3, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2004	Gen 3, V8	4.8l	4.125"
CHEVROLET	TAHOE	2004	Gen 3, V8	4.8l	4.125"
GMC	SAVANA	2004	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	2004	Gen 3, V8	4.8l	4.125"
GMC	YUKON	2004	Gen 3, V8	4.8l	4.125"
BUICK	RAINER	2004	Gen 3, V8	5.3l	4.125"
CADILLAC	ESCALADE	2004	Gen 3, V8	5.3l	4.125"
CHEVROLET	AVALANCHE	2004	Gen 3, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2004	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2004	Gen 3, V8	5.3l	4.125"
CHEVROLET	SSR	2004	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2004	Gen 3, V8	5.3l	4.125"
CHEVROLET	TAHOE	2004	Gen 3, V8	5.3l	4.125"
CHEVROLET	TRAILBLAZER EXT	2004	Gen 3, V8	5.3l	4.125"
GMC	ENVOY	2004	Gen 3, V8	5.3l	4.125"
GMC	SAVANA	2004	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	2004	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2004	Gen 3, V8	5.3l	4.125"
GMC	YUKON XL	2004	Gen 3, V8	5.3l	4.125"
CADILLAC	ESCALADE	2004	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2004	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2004	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO SS	2004	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2004	Gen 3, V8	6.0l	3.750"
GMC	SAVANA	2004	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	2004	Gen 3, V8	6.0l	3.750"
GMC	SIERRA HD	2004	Gen 3, V8	6.0l	3.750"
GMC	YUKON	2004	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2004	Gen 3, V8	6.0l	3.750"
HUMMER	H2	2004	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2005	Gen 3, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2005	Gen 3, V8	4.8l	4.125"
CHEVROLET	TAHOE	2005	Gen 3, V8	4.8l	4.125"
GMC	SAVANA	2005	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	2005	Gen 3, V8	4.8l	4.125"
GMC	YUKON	2005	Gen 3, V8	4.8l	4.125"

**Exhibit A  
Vehicle Applications**

Make	Model	Year	Configuration	Displ (L)	Pulley Dia (in)
BUICK	RAINER	2005	Gen 3, V8	5.3l	4.125"
CHEVROLET	AVALANCHE	2005	Gen 3, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2005	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2005	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2005	Gen 3, V8	5.3l	4.125"
CHEVROLET	TAHOE	2005	Gen 3, V8	5.3l	4.125"
CHEVROLET	TRAILBLAZER EXT	2005	Gen 3, V8	5.3l	4.125"
GMC	ENVOY	2005	Gen 3, V8	5.3l	4.125"
GMC	SAVANA	2005	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	2005	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2005	Gen 3, V8	5.3l	4.125"
GMC	YUKON XL	2005	Gen 3, V8	5.3l	4.125"
CADILLAC	ESCALADE	2005	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2005	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2005	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2005	Gen 3, V8	6.0l	3.750"
CHEVROLET	SSR	2005	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2005	Gen 3, V8	6.0l	3.750"
GMC	SAVANA	2005	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	2005	Gen 3, V8	6.0l	3.750"
GMC	SIERRA HD	2005	Gen 3, V8	6.0l	3.750"
GMC	YUKON	2005	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2005	Gen 3, V8	6.0l	3.750"
HUMMER	H2	2005	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2006	Gen 3, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2006	Gen 3, V8	4.8l	4.125"
CHEVROLET	TAHOE	2006	Gen 3, V8	4.8l	4.125"
GMC	SAVANA	2006	Gen 3, V8	4.8l	4.125"
GMC	SIERRA	2006	Gen 3, V8	4.8l	4.125"
GMC	YUKON	2006	Gen 3, V8	4.8l	4.125"
BUICK	RAINER	2006	Gen 3, V8	5.3l	4.125"
CHEVROLET	AVALANCHE	2006	Gen 3, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2006	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2006	Gen 3, V8	5.3l	4.125"
CHEVROLET	TAHOE	2006	Gen 3, V8	5.3l	4.125"
CHEVROLET	TRAILBLAZER	2006	Gen 3, V8	5.3l	4.125"
GMC	ENVOY	2006	Gen 3, V8	5.3l	4.125"
GMC	SIERRA	2006	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2006	Gen 3, V8	5.3l	4.125"
GMC	YUKON XL	2006	Gen 3, V8	5.3l	4.125"
CADILLAC	ESCALADE	2006	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2006	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2006	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2006	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2006	Gen 3, V8	6.0l	3.750"
GMC	SAVANA	2006	Gen 3, V8	6.0l	3.750"
GMC	SIERRA	2006	Gen 3, V8	6.0l	3.750"
GMC	SIERRA HD	2006	Gen 3, V8	6.0l	3.750"
GMC	YUKON	2006	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2006	Gen 3, V8	6.0l	3.750"
HUMMER	H2	2006	Gen 3, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2007	Gen 4, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2007	Gen 4, V8	4.8l	4.125"
CHEVROLET	SILVERADO (Classic)	2007	Gen 3, V8	4.8l	4.125"
CHEVROLET	TAHOE	2007	Gen 4, V8	4.8l	4.125"
GMC	SAVANA	2007	Gen 4, V8	4.8l	4.125"
GMC	SIERRA	2007	Gen 4, V8	4.8l	4.125"
GMC	SIERRA (classic)	2007	Gen 3, V8	4.8l	4.125"
GMC	YUKON	2007	Gen 4, V8	4.8l	4.125"
BUICK	RAINER	2007	Gen 4, V8	5.3l	4.125"

**Exhibit A  
Vehicle Applications**

Make	Model	Year	Configuration	Disp (L)	Pulley Dia (in)
CHEVROLET	AVALANCHE	2007	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2007	Gen 4, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2007	Gen 4, V8	5.3l	4.125"
CHEVROLET	SILVERADO (Classic)	2007	Gen 3, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2007	Gen 4, V8	5.3l	4.125"
CHEVROLET	TAHOE	2007	Gen 4, V8	5.3l	4.125"
CHEVROLET	TRAILBLAZER	2007	Gen 4, V8	5.3l	4.125"
GMC	ENVOY	2007	Gen 4, V8	5.3l	4.125"
GMC	SAVANA	2007	Gen 4, V8	5.3l	4.125"
GMC	SIERRA	2007	Gen 4, V8	5.3l	4.125"
GMC	SIERRA (classic)	2007	Gen 3, V8	5.3l	4.125"
GMC	YUKON	2007	Gen 4, V8	5.3l	4.125"
GMC	YUKON XL	2007	Gen 4, V8	5.3l	4.125"
CHEVROLET	AVALANCHE	2007	Gen 4, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2007	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2007	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO (Classic)	2007	Gen 3, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2007	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD (Classic)	2007	Gen 3, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2007	Gen 4, V8	6.0l	3.750"
CHEVROLET	TRAILBLAZER SS	2007	Gen 4, V8	6.0l	3.750"
GMC	SAVANA	2007	Gen 4, V8	6.0l	3.750"
GMC	SIERRA	2007	Gen 4, V8	6.0l	3.750"
GMC	SIERRA (classic)	2007	Gen 3, V8	6.0l	3.750"
GMC	SIERRA HD	2007	Gen 4, V8	6.0l	3.750"
GMC	SIERRA HD (classic)	2007	Gen 3, V8	6.0l	3.750"
GMC	YUKON XL	2007	Gen 4, V8	6.0l	3.750"
HUMMER	H2	2007	Gen 4, V8	6.0l	3.750"
CADILLAC	ESCALADE	2007	Gen 4, V8	6.2l	3.750"
GMC	SIERRA DENALI	2007	Gen 4, V8	6.2l	3.750"
GMC	YUKON DENALI	2007	Gen 4, V8	6.2l	3.750"
GMC	YUKON DENALI XL	2007	Gen 4, V8	6.2l	3.750"
CHEVROLET	EXPRESS	2008	Gen 4, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2008	Gen 4, V8	4.8l	4.125"
CHEVROLET	TAHOE	2008	Gen 4, V8	4.8l	4.125"
GMC	SAVANA	2008	Gen 4, V8	4.8l	4.125"
GMC	SIERRA	2008	Gen 4, V8	4.8l	4.125"
GMC	YUKON	2008	Gen 4, V8	4.8l	4.125"
CHEVROLET	AVALANCHE	2008	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2008	Gen 4, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2008	Gen 4, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2008	Gen 4, V8	5.3l	4.125"
CHEVROLET	TAHOE	2008	Gen 4, V8	5.3l	4.125"
CHEVROLET	TRAILBLAZER	2008	Gen 4, V8	5.3l	4.125"
GMC	ENVOY	2008	Gen 4, V8	5.3l	4.125"
GMC	SAVANA	2008	Gen 4, V8	5.3l	4.125"
GMC	SIERRA	2008	Gen 4, V8	5.3l	4.125"
GMC	YUKON	2008	Gen 4, V8	5.3l	4.125"
GMC	YUKON XL	2008	Gen 4, V8	5.3l	4.125"
HUMMER	H3 ALPHA	2008	Gen 4, V8	5.3l	4.125"
CHEVROLET	AVALANCHE	2008	Gen 4, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2008	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2008	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2008	Gen 4, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2008	Gen 4, V8	6.0l	3.750"
CHEVROLET	TRAILBLAZER SS	2008	Gen 4, V8	6.0l	3.750"
GMC	SAVANA	2008	Gen 4, V8	6.0l	3.750"
GMC	SIERRA	2008	Gen 4, V8	6.0l	3.750"
GMC	SIERRA HD	2008	Gen 4, V8	6.0l	3.750"
GMC	YUKON XL	2008	Gen 4, V8	6.0l	3.750"



**Exhibit A  
Vehicle Applications**

Make	Model	Year	Configuration	Displ (L)	Pulley Dia (in)
CADILLAC	ESCALADE	2008	Gen 4, V8	6.2l	3.750"
GMC	SIERRA DENALI	2008	Gen 4, V8	6.2l	3.750"
GMC	YUKON DENALI	2008	Gen 4, V8	6.2l	3.750"
GMC	YUKON XL DENALI	2008	Gen 4, V8	6.2l	3.750"
HUMMER	H2	2008	Gen 4, V8	6.2l	3.750"
CHEVROLET	EXPRESS	2009	Gen 4, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2009	Gen 4, V8	4.8l	4.125"
CHEVROLET	TAHOE	2009	Gen 4, V8	4.8l	4.125"
GMC	SAVANA	2009	Gen 4, V8	4.8l	4.125"
GMC	SIERRA	2009	Gen 4, V8	4.8l	4.125"
GMC	YUKON	2009	Gen 4, V8	4.8l	4.125"
CHEVROLET	AVALANCHE	2009	Gen 4, V8	5.3l	4.125"
CHEVROLET	COLORADO	2009	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2009	Gen 4, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2009	Gen 4, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2009	Gen 4, V8	5.3l	4.125"
CHEVROLET	TAHOE	2009	Gen 4, V8	5.3l	4.125"
CHEVROLET	TRAILBLAZER	2009	Gen 4, V8	5.3l	4.125"
GMC	CANYON	2009	Gen 4, V8	5.3l	4.125"
GMC	ENVOY	2009	Gen 4, V8	5.3l	4.125"
GMC	SAVANA	2009	Gen 4, V8	5.3l	4.125"
GMC	SIERRA	2009	Gen 4, V8	5.3l	4.125"
GMC	YUKON	2009	Gen 4, V8	5.3l	4.125"
GMC	YUKON XL	2009	Gen 4, V8	5.3l	4.125"
HUMMER	H3 ALPHA	2009	Gen 4, V8	5.3l	4.125"
CHEVROLET	AVALANCHE	2009	Gen 4, V8	6.0l	3.750"
CHEVROLET	EXPRESS	2009	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2009	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2009	Gen 4, V8	6.0l	3.750"
CHEVROLET	SUBURBAN	2009	Gen 4, V8	6.0l	3.750"
CHEVROLET	TRAILBLAZER SS	2009	Gen 4, V8	6.0l	3.750"
GMC	SAVANA	2009	Gen 4, V8	6.0l	3.750"
GMC	SIERRA	2009	Gen 4, V8	6.0l	3.750"
GMC	SIERRA HD	2009	Gen 4, V8	6.0l	3.750"
GMC	YUKON XL	2009	Gen 4, V8	6.0l	3.750"
CADILLAC	ESCALADE	2009	Gen 4, V8	6.2l	3.750"
CHEVROLET	SILVERADO	2009	Gen 4, V8	6.2l	3.750"
CHEVROLET	TAHOE	2009	Gen 4, V8	6.2l	3.750"
GMC	SIERRA DENALI	2009	Gen 4, V8	6.2l	3.750"
GMC	YUKON DENALI	2009	Gen 4, V8	6.2l	3.750"
GMC	YUKON XL DENALI	2009	Gen 4, V8	6.2l	3.750"
CHEVROLET	EXPRESS	2010	Gen 4, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2010	Gen 4, V8	4.8l	4.125"
GMC	SAVANA	2010	Gen 4, V8	4.8l	4.125"
GMC	SIERRA	2010	Gen 4, V8	4.8l	4.125"
CHEVROLET	AVALANCHE	2010	Gen 4, V8	5.3l	4.125"
CHEVROLET	COLORADO	2010	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2010	Gen 4, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2010	Gen 4, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2010	Gen 4, V8	5.3l	4.125"
CHEVROLET	TAHOE	2010	Gen 4, V8	5.3l	4.125"
GMC	CANYON	2010	Gen 4, V8	5.3l	4.125"
GMC	SAVANA	2010	Gen 4, V8	5.3l	4.125"
GMC	SIERRA	2010	Gen 4, V8	5.3l	4.125"
GMC	YUKON	2010	Gen 4, V8	5.3l	4.125"
GMC	YUKON XL	2010	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2010	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2010	Gen 4, V8	6.0l	3.750"
GMC	SAVANA	2010	Gen 4, V8	6.0l	3.750"
GMC	SIERRA HD	2010	Gen 4, V8	6.0l	3.750"

**Exhibit A  
Vehicle Applications**

Make	Model	Year	Configuration	Displ. (L)	Pulley Dia. (in)
CADILLAC	ESCALADE	2010	Gen 4, V8	6.2l	3.750"
CHEVROLET	SILVERADO	2010	Gen 4, V8	6.2l	3.750"
GMC	SIERRA DENALI	2010	Gen 4, V8	6.2l	3.750"
GMC	YUKON DENALI	2010	Gen 4, V8	6.2l	3.750"
GMC	YUKON XL DENALI	2010	Gen 4, V8	6.2l	3.750"
CHEVROLET	EXPRESS	2011	Gen 4, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2011	Gen 4, V8	4.8l	4.125"
GMC	SAVANA	2011	Gen 4, V8	4.8l	4.125"
GMC	SIERRA	2011	Gen 4, V8	4.8l	4.125"
CHEVROLET	AVALANCHE	2011	Gen 4, V8	5.3l	4.125"
CHEVROLET	COLORADO	2011	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2011	Gen 4, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2011	Gen 4, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2011	Gen 4, V8	5.3l	4.125"
CHEVROLET	TAHOE	2011	Gen 4, V8	5.3l	4.125"
GMC	CANYON	2011	Gen 4, V8	5.3l	4.125"
GMC	SAVANA	2011	Gen 4, V8	5.3l	4.125"
GMC	SIERRA	2011	Gen 4, V8	5.3l	4.125"
GMC	YUKON	2011	Gen 4, V8	5.3l	4.125"
GMC	YUKON XL	2011	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2011	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2011	Gen 4, V8	6.0l	3.750"
GMC	SAVANA	2011	Gen 4, V8	6.0l	3.750"
GMC	SIERRA HD	2011	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2011	Gen 4, V8	6.2l	3.750"
GMC	SIERRA DENALI	2011	Gen 4, V8	6.2l	3.750"
GMC	YUKON DENALI	2011	Gen 4, V8	6.2l	3.750"
GMC	YUKON XL DENALI	2011	Gen 4, V8	6.2l	3.750"
CHEVROLET	EXPRESS	2012	Gen 4, V8	4.8l	4.125"
CHEVROLET	SILVERADO	2012	Gen 4, V8	4.8l	4.125"
GMC	SAVANA	2012	Gen 4, V8	4.8l	4.125"
GMC	SIERRA	2012	Gen 4, V8	4.8l	4.125"
CHEVROLET	AVALANCHE	2012	Gen 4, V8	5.3l	4.125"
CHEVROLET	COLORADO	2012	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2012	Gen 4, V8	5.3l	4.125"
CHEVROLET	SILVERADO	2012	Gen 4, V8	5.3l	4.125"
CHEVROLET	SUBURBAN	2012	Gen 4, V8	5.3l	4.125"
CHEVROLET	TAHOE	2012	Gen 4, V8	5.3l	4.125"
GMC	CANYON	2012	Gen 4, V8	5.3l	4.125"
GMC	SAVANA	2012	Gen 4, V8	5.3l	4.125"
GMC	SIERRA	2012	Gen 4, V8	5.3l	4.125"
GMC	YUKON	2012	Gen 4, V8	5.3l	4.125"
GMC	YUKON XL	2012	Gen 4, V8	5.3l	4.125"
CHEVROLET	EXPRESS	2012	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO HD	2012	Gen 4, V8	6.0l	3.750"
GMC	SAVANA	2012	Gen 4, V8	6.0l	3.750"
GMC	SIERRA HD	2012	Gen 4, V8	6.0l	3.750"
CHEVROLET	SILVERADO	2012	Gen 4, V8	6.2l	3.750"
GMC	SIERRA DENALI	2012	Gen 4, V8	6.2l	3.750"
GMC	YUKON DENALI	2012	Gen 4, V8	6.2l	3.750"
GMC	YUKON XL DENALI	2012	Gen 4, V8	6.2l	3.750"