

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER M-1-302  
Relating to Certification of New Motorcycles

KAWASAKI HEAVY INDUSTRIES, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and,

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following engine and exhaust emission control systems produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Model Year: 2001

<u>Engine Family</u>	<u>Displacement Cubic Centimeters</u>	<u>Class</u>	<u>Exhaust Emission Control Systems &amp; Special Features</u>
1KAXC.248AAA	248	II	Engine Modification

Vehicle models and transmissions are listed on the attachment. Production motorcycles shall be in all material respects the same as those for which certification is granted.

The following are the exhaust emission standards and certification emission values for this engine family:

<u>Hydrocarbons (Standard) Grams per Kilometer</u>	<u>Hydrocarbons (Certification) Grams per Kilometer</u>	<u>Carbon Monoxide (Standard) Grams per Kilometer</u>	<u>Carbon Monoxide (Certification) Grams per Kilometer</u>
1.0	0.9	12	9


BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 2001 and Subsequent Model Motor Vehicles," as required by Section 1976, Title 13 of the California Code of Regulations.

BE IT FURTHER RESOLVED: That these motorcycles are found exempt from compliance with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executed at El Monte, California this 3<sup>rd</sup> day of May 2000.

A handwritten signature in black ink, appearing to read "R. B. Summerfield". The signature is fluid and cursive, with a large initial "R" and a long, sweeping underline.

R. B. Summerfield, Chief  
Mobile Source Operations Division



## Motorcycle Engine Family Information Form

1. Manufacturer: KAWASAKI HEAVY INDUSTRIES, LTD.

2. Certification Contact Person, address, phone, and fax:

Jeffrey D. Shetler / David Corey  
 Kawasaki Motors Corp., U.S.A.  
 9950 Jeronimo Road, Irvine, CA 92618-2084  
 Tel : 949-770-0400 Fax : 949-460-5602

3. Model Year: 2001

4. Process Code: New  
 (new, correction, revision, r/c, f/f. etc.)

5. Engine Family: 1KAXC.248AAA  
 50s Engine Code: -  
 49s Engine Code: -  
 Calif. Engine Code: EX250F-AC1

6. Emission Control System: EM

7. Calif. Designated Standard: NA

8. Projected Annual Sales: **CONFIDENTIAL**

9. New Technology  Yes  No  
 If yes, cite the correspondence or reference the  
 submittal document: \_\_\_\_\_

10. Displacement: 248 cm<sup>3</sup>

11. Number of Cylinders: 2

12. Cylinder Arrangement: Inline-2

13. Cylinder Head Configuration: OHV/DOHC

14. Type of Cooling: Liquid

15. Combustion Cycle: 4

16. Method of Aspiration: Natural

17. Fuel System: Carburetor

18. Number of Catalytic Converters: NA

19. Adjustable Parameters:

Parameter(s)	Adjustable Range (or NA)	Tamper Resistance Method (or NA)	Method Approved
Air adjust on carburetor (Air/Fuel Ratio)	NA	A tamper proof cap is placed over the adjusting screw	Carry over

20. AECDs In the Emission Control Systems:

Exhaust System	Evaporative System
AECDs In System: <div style="border-bottom: 1px solid black; margin-bottom: 5px; text-align: center;">EM</div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"></div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"></div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"></div>	AECDs In System: <div style="border-bottom: 1px solid black; margin-bottom: 5px; text-align: center;">Sealed loop</div> <div style="border-bottom: 1px solid black; margin-bottom: 5px; text-align: center;">with Canister</div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"></div> <div style="border-bottom: 1px solid black; margin-bottom: 5px;"></div>

Engine Family: 1KAXC.248AAA  
 E.O.#: M-1-302

## Motorcycle Test Information Form

0.25

27. Are you carrying over test results from a previously certified family?  Yes  No  
 a) If yes, indicate family name: JKA024842A7  
 b) Is the family being certified identical to the family from which the data is being carried over?  Yes

28. Model Designation of Test Vehicle: EX250-F2  
 29. Test Information Number: 88-1  
 30. Vehicle ID: EX250E-007291  
 31. Service Accumulation Duration: 9000 (km)  
 32. Maximum Rated Power: 27.9 kW @ 11000 RPM  
 33. Displacement: 248 cc  
 34. Certification Fuel: Indolene: 91-95 RON  
 35. Test Data Set: Test 1

36. Road Load: 127.3 nt at 65 kph  
 37. Inertia Mass: 260 kg  
 38. N/V: 77.81  
 39. EVAP. Bench Test Method Approved:  
 Date: 2/23/1983  
 Reference: 84ARB-03  
 40. Unscheduled Maintenance:  Yes  No  
 41. If yes, Vehicle Log provided: \_\_\_\_\_

42. Exhaust Emission Deterioration Factors:

Test Number	System Kilometers	Emission Values	
		HC	CO
1	2513	0.90	8.6
2	5163	0.95	8.5
3	5193	0.92	8.3
4	9013	0.92	8.9
5			
6			
7			
Interpolated Values at <u>9000</u> km:		HC = <u>0.9307</u>	CO = <u>8.7685</u>
Extrapolated Values at <u>18000</u> km:		HC = <u>0.9516</u>	CO = <u>9.2618</u>

Check one:	
Regular DF	<input checked="" type="checkbox"/>
Modified DF	<input type="checkbox"/>
If different vehicle specify vehicle ID	

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	CO	8.9			
g/km	CO <sub>2</sub>	60.7			
g/km	HC	0.92			
g/test	Evap.	0.521			

Deterioration Factors
(X) 1.022
-----
(X) 1.056
(+) 0.036

44. Certification Levels:

g/km	CO	9			
g/km	HC	0.9			
g/test	Evap.	0.557			

Application Processed by: Joseph Jegede Date: 5/2/2000 Reviewed by: S. Hada Date: 5/2/00