California Environmental Protection Agency

freli

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 2001 model-year engine and emission control systems (ECS) produced by the manufacturer are certified as described below for four-stroke gasoline-powered motorcycles:

Engine Family Evaporative Family Displacement (cm³) Class ECS & Special Features

1MZXC.660ARA 1MZXE0032POA 660 III EM

<u>Vehicle Models (Equivalent Inertia Mass)</u>: Skorpion (Sport, Tour, Traveller, Replica, Baghira, Mastiff) (290 kg)

Production motorcycles shall be in all material respects the same as those for which certification is granted.

The exhaust emission standards and certification values in grams per kilometer for hydrocarbons (HC) and carbon monoxide (CO), and the HC evaporative (Evap) standard and certification value in grams per test for this engine/evaporative family are as follows:

	HC	CO	Evap HC
Standard: (Effective Standard)	1.0	12	2.0 (1.8)
Certification:	0.8	2	0.4

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That because the listed motorcycles are certified to 0.2 grams per test or more below the applicable evaporative emission standard, the vehicles are exempt from complying with the Air Resources Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" pursuant to Executive Order G-70-16-E.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

Executive Order M-24-6 issued November 30, 2000, is hereby cancelled and replaced by Executive Order M-24-6-1.

Executed at El Monte, California this 22 day of January 2001.

R. B. Summerfield, Chief Mobile Source Operations Division

2001 / Motorrad of North America / Skorpion

Motorcycle Engine Family Information Form

- 1. Manufacturer: Motorrad of North America
- 2. Certification Contact Person, address, phone, and fax:

		626-1395 626-2906	
3.	Model Year: 2001	10. Displacement: 660 cc	
4.	Process Code: <u>new</u> (new, correction, revision, r/c, f/f. etc.)	11. Number of Cylinders: 1	
5		12. Cylinder Arrangement: <u>1-16°</u>	
5.	Engine Family: <u>1MZXC.660ARA</u> 50s Engine Code: 49s Engine Code:	13. Cylinder Head Configuration: SOHC	
	Calif. Engine Code:	14. Type of Cooling: <u>air</u>	
6.	Emission Control System: EM	15. Combustion Cycle: <u>4-stroke</u>	
7.	Calif. Designated Standard:	16. Method of Aspiration: natural	
8.	Projected Annual Sales: CONFIDENTIAL	17. Fuel System: _C	
1	GONFIDENTAL	18. Number of Catalytic Converters:	
9.	New Technology Yes X No If yes, cite the correspondence or reference the submittal document:		

19. Adjustable Parameters:

Parameter(s)	Adjustable Range (or NA)	Tamper Resistance Method (or NA)	Method Approved

20. AECDs In the Emission Control Systems:

Exhaust System	Evaporative System	
AECDs In System:	 AECDs In System:	

2001 / Motorrad of North America / Skorpion

E. O. H : M-24-6-1 Section: 7: Page: 4 Issued: Revised:

Engine Family: <u>1MZXC.660ARA</u> Motorcycle Test Information Form

a) If yes, indica	te family name: XMZX(.660ARA	rtified family? \underline{X} Yes 1		ł
b) Is the family	being certified identical to	o the family	from which the data is being	g carried over? ves	
Model Designation	on of Test Vehicle: Skor	oion Sport	36. Road Load: <u>133.4</u>		
Test Information	Number:		37. Inertia Mass: 290		
	26SE200R7501322 ation Duration:	(km)	38. N/V: <u>35.5</u>39. EVAP. Bench Test M	fethod Approved:	
	Power: <u>35</u> kW @ <u>6250</u> F 60 cc		Date: Reference: 40. Unscheduled Mainter		
Test Data Set: <u>1</u> Exhaust Emission	Deterioration Factors:		41. If yes, Vehicle Log p	rovided:	
	Market Market		Emission Values		
Test Number	System Kilometers	HC	СО		
1	3532	.575	10.39		
2	6011	.615	6,38	Check one:	
3	6041	.809	7.16	Regular DF	
1	11.007	111	2.31	Modified DE	

3	6041	.809	7.16
4	11.997	.666	3.21
5	12.027	.695	3.05
6	15,045	.712	2.11
7			
Interpolated Va	dues at 15,000 km:	HC = .7124	CO = 1.3062
Extrapolated V	alues at 30,000 km:	HC = .7982	CO = -8.7159

Regular DF	X
Modified DF	
If different vehi	cle
specify vehicle	ID

43. Emission Test Results:

Official Test Results		Test 1	Test 2	Test 3	Test 4
g/km	со	2.11			
g/km	CO ²	92.0			
g/km	HC	0.712			
g/test	Evap.	0.35			

	Deterioration Factors
(X)	1.00
(X)	1.1204
(+)	0.08

44. Certification Levels:

CO	(2.11			
HC	0.798		10 M	
Evap.	0.43			

Application Processed by: Joseph Jegede Date: 11/29/00 Reviewed by: 14ada Date: 11/29/00

27.

28.

29.

30.

31.

32.

33.

34.

35.

42.