State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-329 Relating to Certification of New Motor Vehicle Engines

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following General Motors Corporation 1985 model-year diesel engines have shown compliance with the optional transient standards and are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating greater than 8500 pounds:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
FGM0736FWHX 736 (12.1)		(12.1)	Aftercooler Throttle Delay (Turbocharged) (Diesel Injection - Direct)		

Engine models and codes are listed on attachments.

The following are the certification emission values for these engine families:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	
FGM0736FWHX	0.5	2.3	4.8	

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California this 22nd day of December, 1984.

K. D. Drachand, Chief Mobile Source Division

Bol-Guss for

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

Manufacturer	GENERA				
Engine Famil	FGM0736FWHX		(Liter)-Type _	736 (12.1) - V8	
ECS (Special	Features) Thrott	le Delay or Fue	1 Modulator, Af	tercooler, MFI	(DID), TC
Engine Model (Engine Code)	Fuel Injection Pump Mfr.	Injector Mfr.	Maximum Rated HP and RPM	Fuel Rate at Maximum HP	Label Ident.
	Part Number	Part Number		mm ³ /stroke	
8V-92TA	NA	9F85 GMC 5226085	425 @ 2100	86.0	8927211
		9F90 GMC 5226090	450 @ 2100	91.5	
		9F90 CP GMC 5226090	335 @ 1800 I	Min. 78.2	
		7G75 GMC 5229905	355 @ 1800	84.4	

► ISSUED: 12-04-84

REVISED:

0701P/17P