## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-3-90 Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Daimler-Benz AG 1988 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Engine Family	Displacen <u>Cubic Inches</u>		Exhaust Emission Control Systems (Special Features)
JDB 5.96 FAF O	364	(5.96)	Engine Modification Smoke Puff Limiter (Diesel Injection - Direct) (Turbocharger) (Intercooler)

Engine models and codes are listed on attachments.

The following are the certification emission values for this engine family:

Engine Family	Hydrocarbons _gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates _gm/bhp-hr
JDB 5.96 FAF O	0.5	2.7	5.6	0.4

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order.

Executed at El Monte, California this 🛛 🐰

day of September, 1987. Maunt

K. D. Drachand, Chief Mobile Source Division

19\_88 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # <u>A-3-90</u>

Page 1

Ufacturer Daimler-Benz	Engine FamilyDB5.9	6_FAF Ø	
Evaporative Family <u>N/A</u>	Engine Type L6		
	Liters (CID)5.96 (3	364)	
ABBREVIATIONS			
Ignition System CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve	Special Features CCV-Combustion Chamber Valve	
ESAC-Electronic Spark Advance ) Control VA-Vacuum Advance VR-Vacuum Retard	DBC-Dual Bed Catalyst EGR-Exhaust Gas Recirculation EIC-Electronic Injection Control EM-Engine Modification OC-Oxidation Catalyst OS-Oxygen Sensor HOS-Heated Oxygen Sensor SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical	CFI-Central Fuel Injection or Throttle Body Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic	
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyt	Fuel Injection IC-Intercooler or Aftercooler MFI-Mechanical Fuel Injection OBD-On-Board Diagnostics	
)		TC-Turbocharger	
VEHICLE MODELS:		•	
	·		
Engine: Front Mid	Rear		
Drive: FWD RWD	4WD Full Time4WD Part	Time	

. : **.** 

	,	•			£.	0. <u># A-3-90</u>
•	19	8 AIR RESOURCE	S BOARD SUP DUTY DIESEL	PPLEMENTAL DAT	Pa A SHEET	ge2
Liter (CI	Daimler D) <u>5.96 (</u> Control Sys. (	the second se	F.	Engine Family ng. Type <u>L6</u> EM, SPL (D)		
Engine Model OM 366 LA	Fuel Injection Pump Mfr. Part Number		Maximum Rated HP at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)	Maximum Rated Torque at RPM	Fuel Rate mm <sup>3</sup> /stroke (lbs/Hr)
(Code I)	Bosch PES 6 MW 100/ 720 RS 1120	DLLA 133 S 1103	190/2600	79 83 (66.770.1)	<u>(lbsft.)</u> 450/140C	84 88 (38.2 40.0)
UM 366 LA (Code II)	Bosch PES 6 MW 100/ 720 RS 1144	DLLA 133 S 1103	170/2600	72 76 (60.8 64.2)	413/1600	75.5 79.5 (39.2 41.3 )
						·
						·
e of Issu	eAugust 20,	1987	Revision			

۰.<sup>•</sup>

.

030186

•

, • •

.:.

.