## State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-4-137
Relating to Certification of New Heavy-Duty Motor Vehicle Engines

## NAVISTAR INTERNATIONAL TRANSPORTATION CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Navistar International Transportation Corporation 1991 model-year diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 8,500 pounds:

Engine Family Li	Displacement ters (Cubic Inches)	Exhaust Emission Control Systems  & Special Features
- MNV0360FPCX	5.9 (360)	Turbocharger Charge Air Cooler Smoke Puff Limiter

Engine models and codes are listed on attachments.

The following are the certification emission standards for this engine family:

Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
1.3	15.5	5.0	0.25

The following are the certification emission values for this engine and family:

Engine Family	Hydrocarbons gm/bhp-hr	Carbon Monoxide gm/bhp-hr	Nitrogen Oxides gm/bhp-hr	Particulates gm/bhp-hr
MNV0360FPCX	0.8	1.6	4.8	0.24

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205.5).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 29 day of November, 1990.

Assistant Division Chief Mobile Source Division

E.O.	#	A-4-137
	P	age 1

## 1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET HEAVY-DUTY DIESEL ENGINES

(DTA-360)

|--|

Emission Control Sys. & Special Features \_\_\_\_\_\_TC, CAC, SPL

Liter (CID) <u>360 (5.9)</u>

Engine Type <u>I-6</u>

(Use abbreviations per SAE J1930 Jun88)

Engine Model (Eng. Code)	Fuel Pump Mfr. P/N	Injector Mfr. P/N	Rated HP @ RPM	Fuel Rate @ Rated HP mm /stroke	PART. Trap/ Catalyst Mfr. P/N
	Robert Bosch	Stanadyne	i		
C185C (2)	1815516C91	1817418C91	185 @ 2700	75.6	
C185TC (4)	1817192C91	11	185 @ 2700	75.6	
				,	
	:				
and programme of the sequence	inder the transfer of	and the regarded the graph	eten i lesse je t		

Revisions: 042090

17.00pp6

/17.00-6 DTA-360