

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-31-29

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

HINO MOTORS, LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following Hino Motors, Ltd., 1995 model diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
SHM6.5D7DARW (H06C-TU, TV, TT)	6.5 (396)	Engine Control Module Turbocharger Charge Air Cooler

Engine models and codes are listed on attachments.

The exhaust certification emission standards for this engine family in grams per brake horsepower-hour are as follows:

<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The exhaust certification emission values for this engine family in grams per brake horsepower-hour are as follows:

<u>Engine Family</u>	<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
SHM6.5D7DARW (H06C-TU, TV, TT)	0.7	2.5	4.8	0.10

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).


HINO MOTORS, LTD.

EXECUTIVE ORDER A-31-29  
(Page 2 of 2)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 6<sup>th</sup> day of March, 1995.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

01.00.00 1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer HINO MOTORS, LTD. Engine Family SHM6.5D7DARW  
 Displacement: 6.485 /          Liters 396 /          Cubic Inches  
 Maximum Rated Power: 200 HP @ 2,500 RPM Engine Configuration: I-6  
 Ignition: Compression X Compression with Glow Plug          Spark           
 Fuel Type(s): Dedicated          Flex-Fuel          Dual-Fuel          Diesel X M100          M85           
                   CNG          LNG          LPG          Other (specify)           
 Diesel Cert Fuel: 13 CCR 2282          40 CFR 86.1313-90          40 CFR 86.1313-94 X  
 Primary Intended Service Class: LHD          MHD X HHD          Urban Bus           
 Exhaust ECS (incl. MFI, TC, CAC): TC, CAC, ECM  
 (use abbreviations per SAE J1930 SEP91)

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ <sub>3</sub> Rated HP mm <sup>3</sup> / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
H06C-TU	200 @ 2,500	94.0 (76.7)	Fuel Pump: Zexel Corp. Mech T/M; 708 (22000-8481) Auto T/M; 709 (22000-8491)  Injector: Zexel Corp. Nozzle & holder set; 6V (23600-2681) Nozzle holder; - (23620-2331) Nozzle assy; 999 (23640-2261)	ECM: Injection pump con- trol com- puter assy; 89560-2701	-	-
(     ); Hino Inventory No.						

Date Issued: \_\_\_\_\_

Revisions: \_\_\_\_\_