

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-276-13

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

NISSAN DIESEL MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That the following 1995 model-year Nissan Diesel Motor Co., Ltd. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Engine Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
SND423D6DAAA (FE6TA)	6.9 (423)	Turbocharger Oxidation Catalytic Converter Charge Air Cooler Engine Control Module

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

<u>Engine Family</u>	<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
SND423D6DAAA	1.2	5.1	4.7	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

NISSAN DIESEL MOTOR CO., LTD.

EXECUTIVE ORDER A-276-13
(Page 2 of 2)

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 14th day of February, 1995.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

E.O. # A-276-13

1995 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 HEAVY-DUTY DIESEL-STANDARD ENGINES

Page ___ of ___

Manufacturer NISSAN DIESEL MOTOR CO. LTD. Engine Family SND423D5DAAA
 Displacement: 8.925 / Liters 429 / Cubic Inches
 Maximum Rated Power: 210 HP @ 2800 RPM Engine Configuration: Inline 6
 Ignition: Compression X Compression with Glow Plug Spark
 Fuel Type(s): Dedicated Flex-Fuel Dual-Fuel Diesel X M100 M85
CNG LNG LPG Other (specify)
 Diesel Cert Fuel: 13 CCR 2282 40 CFR 86.1313-90 40 CFR 86.1313-94 X
 Primary Intended Service Class: LHD MHD X HHD Urban Bus
 Exhaust ECS (incl. MFI, TC, CAC): ~~EM, DEF, ECM, TC, CAC, OC~~
 (use abbreviations per SAE J1930 SEP91)

Engine Model (Eng Code)	Rated HP @ RPM	Fuel Rate @ ₃ Rated HP mm ³ / stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
FESTA (FESTA)	210 HP @2800 RPM	94.8 (89.1)	Fuel Pump a* 16713 26316 b* 16713 26317 Injector 16600 25614	ECM(ECU) 25947 25504		Catalyst 20800 25501

a* and b* ----- No difference exists with regard to the emission-related specifications of the injection pump component between these two injection pump assembly part numbers.

a* : for Manual Transmission
 b* : for Automatic Transmission

Date Issued:

Revisions: _____
 Issue Date : 12/7/94
 Revision No. :
 Date :