

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-13-99

Relating to Certification of New Heavy-Duty Motor Vehicle Engines

CATERPILLAR, INC.

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following 1996 model-year Caterpillar, Inc. diesel-cycle engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Diesel

<u>Engine Family</u>	<u>Engine Displacement Liters (Cubic Inches)</u>	<u>Exhaust Emission Control Systems and Special Features</u>
TCP403DZDARK	6.6 (403)	Turbocharger Engine Control Module Charge Air Cooler

Engine models and codes are listed on attachments.

The following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
1.3	15.5	5.0	0.10

The following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:


<u>Engine Family</u>	<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	<u>Particulates</u>
TCP403DZDARK	0.6	1.1	4.8	0.09

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 25th day of October 1995.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

**1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY DIESEL-STANDARD ENGINES**

Manufacturer Caterpillar Inc. Engine Family TCP403DZDARK
 Displacement 6.6 / Liters 403 / Cubic Inches
 Maximum Rated Power: 275 HP @ 2200 RPM Engine Configuration: I6
 Ignition: Compression X Compression with Glow Plug _____ Spark _____
 Fuel Type (s): Dedicated _____ Flex-Fuel _____ Dual-Fuel _____ Diesel X M100 _____ M85 _____
 CNG _____ LNG _____ LPG _____ Other (specify) _____
 Diesel Cert Fuel: 13CCR 2282 40 CFR 86.1313-90 _____ 40 CFR 86.1313-94 X
 Primary Intended Service Class: LHD _____ MHD X HHD _____ Urban Bus _____
 Exhaust ECS (incl. MFI, TC, CAC) CAC, ECM, TC

(Use abbreviations per SAE J1930 SEP91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ /stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3116 - 1	275 @ 2200	131 (96.6)	116-6706	116-4426	----	----
3116 - 2	250 @ 2200	116 (86.0)	116-6706	107-7651	----	----
3116 - 3	230 @ 2200	106 (78.2)	116-6706	121-9615	----	----
3116 - 4	215 @ 2200	98 (72.5)	116-6706	118-0010	----	----
3116 - 5	195 @ 2200	89 (66.1)	116-6706	121-9769	----	----
3116 - 6	185 @ 2200	103 (76.1)	116-6706	115-1186	----	----
3116 - 7	170 @ 2200	91 (67.5)	116-2784	118-0013	----	----

ISSUE DATE	08 SEPT 95						
REVISION NO.	1	2					
REVISION DATE	16FEB96	08OCT96					

1996 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
HEAVY-DUTY DIESEL-STANDARD ENGINES

Manufacturer Caterpillar Inc. Engine Family TCP403DZDARK
 Displacement 6.6 / Liters 403 / Cubic Inches
 Maximum Rated Power: 275 HP @ 2200 RPM Engine Configuration: I6
 Ignition: Compression X Compression with Glow Plug _____ Spark _____
 Fuel Type (s): Dedicated _____ Flex-Fuel _____ Dual-Fuel _____ Diesel X M100 _____ M85 _____
 CNG _____ LNG _____ LPG _____ Other (specify) _____
 Diesel Cert Fuel: 13CCR 2282 40 CFR 86.1313-90 _____ 40 CFR 86.1313-94 X
 Primary Intended Service Class: LHD _____ MHD X HHD _____ Urban Bus _____
 Exhaust ECS (incl. MFI, TC, CAC) CAC, ECM, TC

(Use abbreviations per SAE J1930 SEP91)

Engine Model (Eng. Code)	Rated HP @ RPM	Fuel Rate @ Rated HP mm ³ /stroke (lbs/hr)	Fuel Pump & Injector Part No.	ECM/PCM Part No.	EGR Valve Part No.	PTOX / Catalytic Converter Part No.
3116 - 1	275 @ 2200	131 (96.6)	116-6706	128-3718	----	----
3116 - 2	250 @ 2200	116 (86.0)	116-6706	138-3716	----	----
3116 - 3	230 @ 2200	106 (78.2)	116-6706	128-3714	----	----
3116 - 4	215 @ 2200	98 (72.5)	116-6706	128-3712	----	----
3116 - 5	195 @ 2200	89 (66.1)	116-6706	128-3710	----	----
3116 - 6	185 @ 2200	103 (76.1)	116-6706	128-3708	----	----
3116 - 7	170 @ 2200	91 (67.5)	116-2784	128-3706	----	----

ISSUE DATE	08 SEPT 95						
REVISION NUMBER	<u>1</u>						
REVISION DATE	<u>16 FEB 96</u>						