

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-767

Relating to Certification of New Medium-Duty Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43835 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1997 model-year Ford Motor Company motor vehicles which have a manufacturer's gross vehicle weight rating (GVWR) of 8,501 to 14,000 pounds are certified using the diesel-cycle engine listed below:

| <u>Engine Manufacturer</u> | <u>Engine Family</u> | <u>Engine Displacement Liters (Cubic Inches)</u> | <u>Engine Model Year and Certification Executive Order No.</u> |
|----------------------------|----------------------|--|--|
| Navistar | VNV7.3W8DOAK | 7.3 (444) | 1996 A-4-190 |

Engine models and codes are listed on attachments.

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

| <u>Non-Methane Hydrocarbons + Nitrogen Oxides</u> | <u>Carbon Monoxide</u> | <u>Particulates</u> |
|---|----------------------------|---------------------|
| 3.9 | 14.4 | 0.10 |

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

| <u>Engine Family</u> | <u>Non-Methane Hydrocarbons + Nitrogen Oxides</u> | <u>Carbon Monoxide</u> | <u>Particulates</u> |
|----------------------|---|----------------------------|---------------------|
| VNV7.3W8DOAK | 3.7 | 2.6 | 0.09 |

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional standards and test procedures applicable to incomplete and diesel medium-duty vehicles of 8,501 to 14,000 pounds GVWR pursuant to Title 13, California Code of Regulations, Section 1956.8(g).

BE IT FURTHER RESOLVED: That the listed engine models shall be subject to the in-use compliance provisions applicable to 1995 and subsequent model-year medium-duty vehicle engines set forth in Title 13, California Code of Regulations, Section 2139(c).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System Requirements--1994 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(5.0) for the aforementioned model year.


BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 20th day of June 1996.


R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1997 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: Ford Motor Company

Executive Order: A-10-767

| | Vehicle Models | Fuel Tanks - gallons | |
|-------|-------------------------------------|----------------------|------------------------|
| | | Single Tank | Dual Tank |
| F-350 | CHASSIS CAB DRW | N/A | 19.0/19.0 or 19.0/18.2 |
| | REG. CHASSIS SRW | N/A | 19.0/18.2 |
| E-350 | CUTAWAY VAN SWR OR DRW | 35.0 OR 55.0 | N/A |
| | CLUB WAGON, SUPERVAN OR REGULAR VAN | 35.0 | N/A |
| F-350 | REGULAR CAB DRW | N/A | 19.0/18.2 |
| | CREW CAB DRW OR SRW | N/A | 19.0/18.2 |
| | SUPER CAB DRW | N/A | 19.0/18.2 |
| F-250 | CREW CAB | N/A | 16.5/18.2 |
| | REGULAR OR SUPER CAB | N/A | 19.0/18.2 |
| F-260 | CREW CAB | N/A | 22.0/18.2 or 16.5/18.2 |
| | REGULAR OR SUPER CAB | N/A | 22.0/18.2 or 19.0/18.2 |
| F-360 | CREW CAB SRW | N/A | 19.0/18.2 |
| | REGULAR CAB | N/A | 22.0/18.2 or 19.0/18.2 |
| | CHASSIS CAB DRW | N/A | 19.0/19.0 |
| | CHASSIS CAB SRW | N/A | 19.0/18.2 |