

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-795

Relating to Certification of New Heavy-Duty Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102 and 43835 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That 1998 model-year Ford Motor Company motor vehicles which have a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds are certified using the Otto-cycle engines listed below:

<u>Engine Manufacturer</u>	<u>Engine Family</u>	<u>Engine Displacement Liters (Cubic Inches)</u>		<u>Engine Model Year and Certification Executive Order No</u>	
Ford	VMF7.0D8GARA	7.0	(429)	1997	A-10-728

The certification exhaust emission standards for this engine family in grams per brake horsepower-hour are:

<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
1.9	37.1	5.0

The certification exhaust emission values for this engine family in grams per brake horsepower-hour are:

<u>Total Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
1.6	25.1	3.8

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the running loss and useful life standards applicable to 1995 and subsequent model-year vehicles in the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles," and the listed vehicle models comply with those standards.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2235) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 16th day of April 1997.



R. B. Summerfield, Chief
Mobile Source Operations Division

1998 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: Ford Motor Company

Executive Order: A-10-795

Fuel Tanks - gallons

<u>Vehicle Models:</u>	<u>F-600, F-700, F-800</u>		<u>Parcel</u>	
	<u>Single Tank</u>	<u>Dual Tank</u>	<u>Single Tank</u>	<u>Dual Tank</u>
	50 or 35	N/A	30 (c) 35	N/A
	30 (c)		50	
	50LP (b)		50LP (b)	
	40LP (d)		40LP (d)	

- (b) 50LP denotes 50 Gal. Low Profile
- (c) Advertised draw capacity 30 gal. Actual capacity 33 gal.
- (d) 40LP denotes 40 gal. Low Profile

Evaporative Emission Families

Evap Family: WFMXE0130BOJ

Evap Calibration: R00

ENGINE FAMILY: VFM7.0 D8GARA

Engine Family: V7.0A

20.09.17.02 - 5

Issue Date: 03-18-97
Revised: