State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-21-283 Relating to Certification of New Heavy-Duty Engines and Vehicles

CUMMINS ENGINE COMPANY, INC.

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9; and

Pursuant to the December 15, 1998 Settlement Agreement between the Air Resources Board and Cummins Engine Company, Inc. and any modifications to the Settlement Agreement;

IT IS ORDERED AND RESOLVED: That the following 2000 model-year Cummins Engine Company, Inc. diesel engines are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Fuel Type: Compressed Natural Gas (CNG) or Liquefied Natural Gas (LNG)

	Displacement		Exhaust Emission Control	
Engine Family YCEXH0505CBI	<u>Liters</u> 8.3	Cubic Inches 505	Systems and Special Features Turbocharger	
(553E)			Charge Air Cooler	
			Powertrain Control Module	
			Heated Oxygen Sensor	
			Oxidation Catalytic Converter	

The engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour under the Federal Test Procedure ("FTP") for Heavy-Duty Diesel Engines (Title 13, California Code of Regulations, Section 1956.8):

	Non-Methane			
"FTP"	Hydrocarbons 1.2	Carbon Monoxide 15.5	Nitrogen Oxides 2.5	Particulate Matter 0.10

BE IT FURTHER RESOLVED: That the following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

	Non-Methane			
"FTP"	Hydrocarbons 0.6	Carbon Monoxide 0.9	Nitrogen Oxides 1.8	Particulate Matter 0.02

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional lower-emission NOx standards pursuant to Title 13, California Code of Regulations, Section 1956.8(a)(1).

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 et seq.).

BE IT FURTHER RESOLVED: That the aforementioned engine family has been conditionally certified subject to the following conditions:

1. The Settlement Agreement is in effect.

2. The manufacturer is in compliance with all applicable certification requirements of the Settlement Agreement.

Engines certified under this Executive Order must conform to all applicable California emission regulations and to all applicable terms and conditions of the Settlement Agreement.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this 3020 day of December 1999.

R. B. Summerfield, Chief

Raphael Surrout

Mobile Source Operations Division

Engine Model & mmary Form

Manufacturer: Cummins Engine Company

Engine category: On-highway HDDE

EPA Engine Family: YCEXH0505CBI

Mfr Family Name: 553E

Process Code: New Submission

eak 8.Fuel Rate: 9.Emission Control (lbs/hr)@peak torque Device Per SAE J1930 HZOS, PCM, na HZOS/PCM, na HZOS/PCM,
7.Fuel Rate: s @ RPM mm/stroke@peak Gross) torque 21400 na 21400 na 31400 na
6.Torque @ RPM (SEA Gross) 750 @ 1400 750 @ 1400 660 @ 1400
5. Fuel Rate: (lbs/hr) @ peak HP (for diesels only) na na na
4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesels only) (for diesels only) na na na na
4.Fuel 3.BHP@RPM mm/stroke (SAE Gross) (for dies 275 @ 2400 n 250 @ 2400 n 250 @ 2400 n
2.Engine Model C8.3-275G C8.3-250G C8.3-250G
1.Engine Code 2288;FR90303 2463;FR90091 2463;FR90175