State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-338-3 Relating to Certification of New Heavy-Duty Engines and Vehicles

CAPSTONE TURBINE CORPORATION

Pursuant to the authority vested in the Air Resources Board at Sections 43100, 43101, and 43102 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned at Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-9;

IT IS ORDERED AND RESOLVED: That the following turbine engines produced by the manufacturer are certified for use in motor vehicles with a manufacturer's gross vehicle weight rating (GVWR) over 14,000 pounds:

Model Year: 2001

Fuel Type: Diesel

Engine Family	Disp <u>Liters</u>	lacement <u>Cubic Inches</u>	Exhaust Emission Control Systems and Special Features
1CSTH540.DSL (330 HEV-DSL)	N/A	N/A	Engine Control Module Recuperation

Engine models and codes are listed on attachments.

BE IT ORDERED AND RESOLVED: That the following are the certification exhaust emission standards for this engine family in grams per brake horsepower-hour under a modified Federal Test Procedure ("FTP") for Heavy-Duty Diesel Engines (Title 13, California Code of Regulations, Section 1956.8):

	<u>Total</u>	<u>Carbon</u>	<u>Nitrogen</u>	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Particulate Matter
"FTP"	1.3	15.5	1.0	0.05

BE IT FURTHER RESOLVED: That the following are the certification exhaust emission values for this engine family in grams per brake horsepower-hour:

	<u>Total</u>	<u>Carbon</u>	<u>Nitrogen</u>	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	Particulate Matter
"FTP"	0.03	0.1	0.7	0.01

BE IT FURTHER RESOLVED: That the listed engine models are certified for use in urban buses.

BE IT FURTHER RESOLVED: That the listed engine models are certified to the optional lower-emission NOx standard pursuant to Title 13, California Code of Regulations, Section 1956.8(a)(1).

BE IT FURTHER RESOLVED: That for the listed engine models, the manufacturer has submitted the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Sections 2035 *et seq.*).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachments.

Executed at El Monte, California this _______day of March 2000.

R. B. Summerfield, Chief

Mobile Source Operations Division

Engine Mode Cummary Form

Manufacturer: Capstone Turbine Corporation

Engine category: Urban Bus

EPA Engine Famly. 1CSTH540.DSL Mfr Family Name: 330 HEV - DSL Process Code: New Submission

4. Fuel Rate: 5. Fuel Rate: 5. Fuel Rate: 7. Fuel Rate: 3. BHP@RPM mm/stroke @ peak HP (lbs/hr) @ peak HP 6. Torque @ RPM mm/stroke@peak 8. Fuel Rate: 9. Emission Control (for diesel only) (for diesels only) (SEA Gross) torque (lbs/hr)@peak torque Device Per SAE J1930	NA FCO HA O.	509879 330 名かす. 30 kW@96,000 7300 Btu/min NA NA NA NA NA NA NA O	•
7.Fuel Rate: mm/stroke@peak torque	NA	NA	
6.Torque @ RPM (SEA Gross)	NA	NA	
5.Fuel Rate: (İbs/hr) @ peak HP (for diesels only)	NA	NA	*************************************
4.Fuel Rate: 5.Fuel Rate: mm/stroke @ peak HP (lbs/hr) @ peak HP (for diesels only) (for diesels only)	7300 Btu/min	7300 Btu/min	
3.BHP@RPM (SAE Gross)	330 Lot 30 kW@96,000	330 Ry 30 kW@96,000	
Engine Code 2.Engine Model	330 Lat	509879 330 Refuct 30 kW@96,000 7300 B	
ingine Code	209880	509879	-