GENERAL MOTORS COMPANY

EXECUTIVE ORDER A-006-1741 New On-Road Heavy-Duty Engines Page 1 of 1 Pages

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Division 26, Part 5, Chapter 2; and pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-02-003:

IT IS ORDERED AND RESOLVED: The engine and emission control systems produced by the manufacturer are certified as described below for use in on-road motor vehicles with a manufacturer's GVWR over 14,000 pounds. Production engines shall be in all material respects the same as those for which certification is granted.

MODEL	AR ENGINE FAMILY		ENGINE SIZES (L)	FUEL TYPE 1	STANDARDS & TEST	SERVICE 2	ECS & SPECIAL FEATURES 3	DIAGNOSTIC 6			
2011			4.8	Gasoline	Otto	HDO	2T W C, 2HO2S(2), SFI	EMD			
	ENGINE'S IDLE		ADDITIONAL IDLE EMISSIONS CONTROL 5								
N/A N/A											
ENGINE (L) ENGINE MODELS / CODES (rated power, in hp)											
4.8	4.8 L20 / 10 (280), 20 (260), 40 (264)										
L=liter; hp 1 CNG/LI 2 L/M/H is 8 ECS=ei up catalyst; TBI=throttle super charge control mode 5 ESS=ei	=horsepower; kw=k NG=compressed/liqu HDD=light/medium/h mission control syste DPF=diesel particle body fuel injection; ger, CAC=charge ai dule; EM=engine m	ilowatt; hi refied natureavy heavy em; TWC/ ulate filter; SFI/MFI= r cooler; I odification; em (per 13	r=hour; rral gas; LPG=liquef ry-duty diesel; UB=u OC=three-way/oxidiz PTOX=periodic trap rsequential/multi porl SGR / EGR-C=exhat. 2 (prefix)=parallel; 3 CCR 1956.8(a)(6)(4)	ied petroleum gas; E85=85% eth rban bus; HDO=heavy duty Otto; cing catalyst; NAC=NOx adsorption oxidizer; HO2S/O2S=heated/oxifuel injection; DGI=direct gasolir ist gas recirculation / cooled EGR (2) (suffix)=in series; A)(1); 30g=30 g/hr NOx (per 13 C	anol fuel; MF=mult on catalyst; SCR-U gen sensor; HAFs e injection; GCAR PAIR/AIR=pulsec	i fuel a.k.a. BF // SCR-N=select S/AFS=heated/s B=gaseous car l/secondary air	R 86.abc=Title 40, Code of Federal Regulation =bi fuel; DF=dual fuel; FF=flexible fuel; attive catalytic reduction – urea / – ammonia; air-fuel-ratio sersor (a. ka., universal or linear buretor; IDI/DD1=indirect/direct diesel injection; SPL=smoke puff limiter; ECM/PCI al combustion auxiliary power system; ALT=	WU (prefix) =warm- oxygen sensor); or C/SC=turbo/ M=engine/powertrain			

Following are: 1) the FTP exhaust emission standards, or family emission limit(s) as applicable, under 13 CCR 1956.8; 2) the EURO and NTE limits under the applicable California exhaust emission standards and test procedures for heavy-duty diesel engines and vehicles (Test Procedures); and 3) the corresponding certification levels, for this engine family. "Diesel" CO, EURO and NTE certification compliance may have been demonstrated by the manufacturer as provided under the applicable Test Procedures in lieu of testing. (For flexible- and dual-fueled engines, the CERT values in brackets [] are those when tested on conventional test fuel. For multi-fueled engines, the STD and CERT values for default operation permitted in 13 CCR 1956.8 are in parentheses.).

in g/bhp-hr	NMHC		NOx		NMHC+NOx		со		PM		нсно	
	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO	FTP	EURO
STD	*	•				*	14.4	*	0.01	*	0.01	*
FEL	*	*	0.50	*	0.71	*	*	*	*	*	*	*
CERT	*		0.17	*	0.28	*	2.2	*	0.002	*	0.001	*
NTE				*	,	r .		*		÷		k

g/bhp-hr=grams per brake horsepower-hour; FTP=Federal Test Procedure; EURO=Euro III European Steady-State Cycle, including RMCSET=ram mode cycle supplemental emissions testing; NTE=Not-to-Exceed; STD=standard or emission test cap; FEL=family emission limit; CERT=certification level; NMHC/HC=non-methane/hydrocarbon; NOx=oxides of nitrogen; CO=carbon monoxide; PM=particulate matter; HCHO=formaldehyde; (Rev.: 2007-02-26)

BE IT FURTHER RESOLVED: Certification to the FEL(s) listed above, as applicable, is subject to the following terms, limitations and conditions. The FEL(s) is the emission level declared by the manufacturer and serves in lieu of an emission standard for certification purposes in any averaging, banking, or trading (ABT) programs. It will be used for determining compliance of any engine in this family and compliance with such ABT programs.

BE IT FURTHER RESOLVED: For the listed engine models the manufacturer has submitted the materials to demonstrate certification compliance with 13 CCR 1965 (emission control labels) and 13 CCR 2035 et seq. (emission control warranty).

Engines certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this Executive Order.

Executed at El Monte, California on this day of May 2010

Annette Hebert, Chief

Mobile Source Operations Division