E.O. BOOK

### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-17-15-1 Relating to Certification of New Motor Vehicles

#### AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1976 model-year passenger cars are certified for the engine family described below:

Engine Family: I-C

70

Engine: 232 CID and 258 CID

Transmission: 4-Speed Manual

Exhaust Emission Control Systems: Air injection, exhaust gas recircula-

tion, oxidation catalyst

Model: Pacer

BE IT FURTHER RESOLVED: That this certification is contingent upon American Motors Corporation affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon American Motors Corporation listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

These vehicles are in addition to those previously certified for this engine family. This certification is valid for the full 1976 model-year.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this \_\_\_\_\_\_ day of April, 1976.

S. C. Paraco

G. C. Hass, Chief
Division of Vehicle Emissions Control

INFORMATION CES BOARD 1976 MODEL YEAR SUPPLEMENT

LIGHT-DUTY TRUCKS X PASSENGER CARS 0

A-17-15-1

Drop in Neutral 50 RPM Idle Mixtu PAGE IN2 of Tune-up Specifications Lean Disconne¢ted tral with @500 RPM & Vacuum Timing Solenoid tral with @500 RPM Vacuum & Solenoid Basic in Neu-Disconin Neu-80BTDC nected Idle RPM Neutral 850. RPM (Rochester P/N Service\* Emission Control System 7050471) Part No. EXECUTIVE ORDER NO. 3223980 EGR Service\* Part No. 3224568 **∑**|8 Type AI EGR OC Part No. System Carter Mfgr. 7112 Fuel ]-1√ ( Type Part No. Distributor Presto-3227331 Mfgr. lite c,v c,v Zoe Inertia Trans.Weight AMERICAN MOTORS CORPORATION 3500 ratio) 3.08 axle M/T4 2.73 ö Engine ß 232 attachment) If coded Vehicle Models see Pacer ALITE ACTURER: Engine Family J-1

breviations: stributor

- Centrifugal Advance

Exhaust Emission Control System Vacuum Advance

EFI- Electronic Fuel Injection EGR- Exhaust Gas Recirculation Al - Air Injection ! - Vacuum Retard!I - High Energy Ignition- Electronic Ignition

ESAC-Electronic Spark Advance Control PAI -Pulse Air Injection EFE- Early Fuel Evaporation FI - Fuel Injection OC - Oxidation Catalyst RC - Reduction Catalyst

Thermal Reactor

CAI Catalvet Air Infoction EM - Engine Modifications

I - Inspect, repair/replace as neede \*Service

R - Replace

## State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-17-15R Relating to Approval of New Motor Vehicles

### AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1976 model-year passenger cars are approved for the engine family described below:

Engine Family: I-C

Engine: 232 CID or 258 CID

Transmission: 3-Speed Automatic or 3-Speed Manual Plus Overdrive

Exhaust Emission Control Systems: Air injection, exhaust gas recirculation,

oxidation catalyst

Models: Gremlin

Hornet (2 dr, 4 dr, Hatchback, Wagon)

Pacer

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1976 model vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
I-C	0.4	7.1	1.7

BE IT FURTHER RESOLVED: That, pending further evaluation of the applicant's general standards submission, this Executive Order extends the approval granted under Executive Order A-17-15L to the sale of vehicles with build dates no later than December 31, 1975.

BE IT FURTHER RESOLVED: That this Executive Order is issued subject to the following conditions:

(1) American Motors Corporation will submit a list of all operating conditions which may lead to catalyst overheating, the provisions taken to protect against damage caused thereby and such other vehicle information concerning safety as the Air Resources Board may reasonably request.

(2) American Motors Corporation agrees to provide all purchasers of vehicles built and sold under this Executive Order and Executive Order A-17-15L with any information which is required to be given to purchasers of similar 1976 model-year vehicles manufactured under a subsequent Executive Order.

Vehicles approved under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 22 day of August, 1975.

& r. Jans

G. C. Hass, Chief Division of Vehicle **Emissions Control** 

### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-17-15L Relating to Approval of New Motor Vehicles

#### AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1976 model-year for passenger cars are approved for the engine family described below:

Engine Family: I-C

Engine: 232 CID or 258 CID

Transmission: 3-Speed Automatic or 3-Speed Manual Plus Overdrive

Exhaust Emission Control Systems: Air injection, exhaust gas recirculation,

oxidation catalyst

Models: Gremlin

Hornet (2 dr, 4 dr, Hatchback, Wagon)

Pacer

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1976 model vehicles:

<b>Engine Family</b>	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
I-C	0.4	7.1	1.7

BE IT FURTHER RESOLVED: That this Executive Order is conditional upon (1) providing the Air Resources Board with a list of all operating conditions. including malfunctions, which lead to catalyst overheating and the provisions taken to protect against damage caused thereby and such other vehicle information concerning safety as the Air Resources Board may reasonably request; and (2) upon request of the Air Resources Board, provide all purchasers of vehicles built and sold under this Executive Order with any information which is required to be given to purchasers of similar 1976 model-year vehicles manufactured under a subsequent Executive Order.

BE IT FURTHER RESOLVED: That this Executive Order is valid for a period of thirty calendar days from the date of execution.

Vehicles approved under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 30 day of July, 1975.

G. C. Hass, Chief

Division of Vehicle Emissions Control

☐ LIGHT-DUIY TRUCKS R/C No. 76-17C. 15 March.1976 SUPPLEMENTAL INFORMATION 1976 MODEL YEAR

X PASSENGER CARS

Mixture in Drive Drop in Drop in Neutral Tune-up Specifications **25 RPM** Drive 50 RPM Lean Lean Disconnetted 8<sup>O</sup>BTDC ( Timing Solenoid & Vacuum 8<sup>o</sup>btdc @500 RPM tral with Discon-Solenoid & Vacuum **@500 RPM** tral with Solenoid Vacuum & Basic in Neuin Neunected 60 BTDC Disconwith nected Idle RPM Rochester in Drive A- 34-15. **700 RPM** 850 RPM **Neutral** Service\* P/N 17050471) Emission Control System Part No. Rochester EXECUTIVE ORDER NO. 7050471) 3223980 EGR 3223980 Service\* Part No. 3224569 3224568 3224569 3224569 3224568 3224568 3224569 3224568 NS Part No. Type AI EGR S S S S S S metering (shim on Fuel System 20858A lever) Mfgr. 1-1V Carter 1-14 Carter 7112 rog Type Part No. Distributor Presto-Prestolite 3227331 3227331 Mfgr. lite rans Weight Type C, V [nertia 3500 3500 MANUFACTURER: AMERICAN MOTOR COMPANY A/T3 M/T3 Engine B 232 258 232 258 attachment) (If coded Vehicle Models Gremlin Hornet Gremlin Hornet Gremlin Gremlin Hornet Hornet Pacer Pacer Pacer Pacer Engine Family <u>၂</u>

Abbreviations: Distributor

HEI- High Energy Ignition EI - Electronic Ignition - Centrifugal Advance - Yacuum Advance Vacuum Peterd

Exhaust Emission Control System EFI- Electronic Fuel Injection EGR- Exhaust Gas Recirculation CAI - Catalyst Air Injection EM - Engine Modifications AI - Air Injection

ESAC-Electronic Spark Advance Control PAI -Pulse Air Injection \*Service No Service EFE- Early fuel Evaporation - Oxidation Catalyst Reduction Catalyst Thermal Reactor FI - Fuel Injection