State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-14 Relating to Approval of New Motor Vehicles

AUSTIN MORRIS DIVISION OF BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Sections 39150 and 39151 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Section 39023 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That Austin Morris Division of British Leyland (UK) Limited exhaust emission control systems for 1976 model-year passenger cars are approved for the engine family described below:

Engine Family: B/C

Engine: 110 CID

Transmission: 4-speed manual, 4-speed manual with overdrive

Exhaust Emission Control Systems: Air injection, exhaust gas recirculation,

oxidation catalyst

Model: MGB Convertible

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1976 model vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
B/C	0.2	5.0	1.2

BE IT FURTHER RESOLVED: That, pending further evaluation of the applicant's general standards submission, this approval is limited to the sale of vehicles with build dates no later than December 31, 1975.

BE IT FURTHER RESOLVED: That this Executive Order is issued subject to the following conditions:

(1) Austin Morris Division of British Leyland (UK) Limited will submit a list of all operating conditions which may lead to catalyst overheating, the provisions taken to protect against damage caused thereby and such other vehicle information concerning safety as the Air Resources Board may reasonably request.

- (2) Austin Morris Division of British Leyland (UK) Limited agrees to provide all purchasers of vehicles built and sold under this Executive Order with any information which is required to be given to purchasers of similar 1976 modelyear vehicles manufactured under a subsequent Executive Order.
- (3) Austin Morris Division of British Leyland (UK) Limited will attach a door post decal and a window sticker to each vehicle before sale informing customers of the need for a catalyst change within the 5 year 50,000 mile warranty period. These decals and stickers will conform to the requirements of Section 2040, Article 6, Subchapter 1, Chapter 3, Title 13 of the California Administrative Code.

The issuance of this Executive Order is contingent upon conformance with the provisions of Section 2040 of Title 13 and all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this $25^{(7)}$ day of November, 1975.

G. C. Hass, Chief Division of Vehicle Emissions Control

GCHON by AND ruhary

ILIGHT-DUTY TRUCKS SUPPLEMENTAL INFORMATION , BOARD 1976 MODEL YEAR AIR RESOU

X PASSENGER CARS

disconnect f]oat cham ed & plug connected hose distailpipe. ber vent Measured 5½+1% CO Mixture ged and with AI Specifications PAGE NO Timing 100BTDC Basic neutral RPM in @ 1500 Tune-up 1025,000 in neutra Idle RPM 850+100 A-5-14 Service* Emission Control System CAM1157 Part No. EXECUTIVE ORDER NO. miles EGR Service* Part No. CAM1026 R@25000 miles \mathbf{N} Type AI EGR OC Stromberg Part No. Fuel System 175CD5T Mfgr. Zenith MUFACTURER: Austin Morris Division of British Leyland (UK) Limited | Distributor | Fuel Sys Type 1-V Part No. Mfgr. 41643 Lucas Type C EI Inertia Tans Weight 2750 M-4+ M-4 ingine 8 110 attachment) Convertible If coded Models see Engine Family B/C

ı		
ŀ	• •	
l	ons	
l	Ţ	
١	۷ja	
١	re	

Centrifugal Advance stributor

High Energy Ignition Electronic Ignition Vacuum Advance Vacuum Retard

FI - Fuel Injection OC - Oxidation Catalyst RC - Reduction Catalyst TR - Thermal Reactor Exhaust Emission Control System Electronic Fuel Injection Exhaust Gas Recirculation EM - Engine Modifications CAI- Catalyst Air Injectic - Air Injection EFI-EGR-

Catalyst Air Injection

ESAC-Electronic Spark Advance Control EFE- Early Fuel Evaporation

PAI -Pulse Air Injection *Service

I - Inspect, repair/replace as needed R - Replace