

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-24  
Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Sections 43100, 43102, and 43103 of the Health and Safety Code; and

Pursuant to the authority vested in the undersigned by Sections 39515 and 39516 of the Health and Safety Code and Executive Order G-45-3;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems for 1977 model-year light-duty trucks are certified for the engine family described below:

Engine Family: I-TC-C/O  
Engine: 232 CID and 258 CID  
Exhaust Emission Control Systems: Air Injection, Exhaust Gas  
Recirculation, Oxidation Catalyst

Models:

232 CID with 3-Speed Automatic Transmission:

DJ-5D (1/4 Ton Post Office Truck)

258 CID with 3-Speed Automatic Transmission:

Jeep CJ-7,  
FJ-8B (1/2 Ton Post Office Truck).

258 CID with 3-Speed Manual Transmission

Jeep CJ-5,  
Jeep CJ-7.

258 CID with 4-Speed Manual Transmission

Jeep CJ-7

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1977 model vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
I-TC-C/O	0.4	7.2	1.5

The above values are based on American Motors Corporation's third production quarter quality audit data for the 1976 model-year on this engine family.


BE IT FURTHER RESOLVED: That this certification is contingent upon American Motors Corporation affixing a permanent catalyst overheat warning label on the driver's sun-visor of all catalyst-equipped vehicles. This label must be approved by the Executive Officer.

BE IT FURTHER RESOLVED: That this certification is also contingent upon American Motors Corporation listing in the owner's manual the operating cautions associated with a catalyst-equipped vehicle. This listing must be approved by the Executive Officer.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this 27 day of July, 1976.



G. C. Hass, Chief  
Division of Vehicle Emissions Control

Manufacturer American Motors Corporation Executive Order No. A-17-24 Page 2 of 2

Engine Family I-TC-C/O Engine (CID) 258

Engine KAC -3ST,  
Code KAC-3STP,KMC-3ST

Emission Control System AI, EGR, OC

+10%(A/C) Yes  No

Vehicle Models (If Coded see attachment)	Trans	Inertia Weight	Distributor Type: EI, C,V Mfgr. Part Number	Fuel System Type: 1-1V Mfgr. Part Number	EGR System: Backpressure sensitive Part No. Service*	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed		
CJ-7 Jeep	A/T3 (3.54 or 4.09 rear axle)	3000	3227331, which is Prestolite IDJ-4002E (W/TCSA)	Carter 7085	Rochester 17050471  I-30,000	(1) 8°+2° BTDC @ 500 RPM in "drive" with vacuum disconnected  (2) 25 RPM Lean drop in "drive"  (3) 700 RPM + 100 RPM in "drive"		
FJ-8B(½Ton Post Office Truck)	A/T3 (3.73 rear axle)	4000		Carter 7087				
CJ-5 Jeep	M/T3 (3.54 or 4.09 rear axle)	3000		(W/O TCSA)			Carter 7084	(1) 6°+2° BTDC @500 RPM with vacuum disconnected (2) 50 RPM Lean Drop (3) 600 RPM + 100 RPM
CJ-7 Jeep	M/T3 M/T4 (3.54 or 4.09 rear axle)							

Comments: M/T3 Shift Points: 15 - 25 mph  
M/T4 Shift Points: 10-20-40mph

Date of Issue: 26 July 1976

Abbreviations  
Distributor  
 C-Centrifugal Advance  
 V-Vacuum Advance  
 VR-Vacuum Retard  
 HEI-High Energy Ignition  
 EI-Electronic Ignition  
Fuel System  
 EFI, FI  
 nV-nVenturi Carburetor

Exhaust Emission Control System  
 AI-Air Injection  
 CAI-Catalyst Air Injection  
 EFI-Electronic Fuel Injection  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 EFE-Early Fuel Evaporation  
 ESAC-Electronic Spark Advance  
 Control

TCSA-Transmission Controlled  
Spark Advance  
 OC-Oxidation Catalyst  
 PAI-Pulse Air Injection  
 RC-Reduction Catalyst  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst  
 λ-Air Fuel Ratio Sensor  
 \*Service  
 I-Inspect, repair/replace  
 as needed

Manufacturer American Motors Corporation Executive Order No. A-17-24 Page 1 of 2  
 Engine Family I-TC-C/O Engine (CID) 232 Engine Code LAC-3ST  
 Emission Control System AI, EGR, OC +10%(A/C) Yes  No

Vehicle Models (If Coded see attachment)	Trans	Inertia Weight	Distributor Type: EI, C,V Mfgr. Part Number	Fuel System Type: 1-1V Mfgr. Part Number	EGR System: Backpressure sensitive Part No. Service*	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
DJ-5D (1/4 Ton Post Office Truck)	A/T3 (3.07 rear axle)	3000	3227331, which is Prestolite IDJ-4002E (W/O TCSA)	Carter 7087	Rochester 17050471  I-30,000	(1) 80 <sup>+</sup> 20 <sup>0</sup> BTDC @ 500 RPM in "drive" with vacuum disconnected  (2) 25 RPM Lean drop in "drive"  (3) 700 RPM + 100 RPM in "drive"

Comments

Date of Issue: 26 July 1976

**Abbreviations**

Distributor  
 C-Centrifugal Advance  
 V-Vacuum Advance  
 VR-Vacuum Retard  
 HEI-High Energy Ignition  
 EI-Electronic Ignition  
Fuel System  
 EFI, FI  
 nV-nVenturi Carburetor

Exhaust Emission Control System

AI-Air Injection  
 CAI-Catalyst Air Injection  
 EFI-Electronic Fuel Injection  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 EFE-Early Fuel Evaporation  
 ESAC-Electronic Spark Advance  
 Control  
 FI-Fuel Injection

TCSA-Transmission Controlled  
 Spark Advance

OC-Oxidation Catalyst  
 PAI-Pulse Air Injection  
 RC-Reduction Catalyst  
 TR-Thermal Reactor  
 TWC-Three Way Catalyst  
 λ-Air Fuel Ratio Sensor  
 \*Service  
 I-Inspect, repair/replace  
 as needed