State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-59 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Chrysler Corporation exhaust emission control systems for 1978 model-year light duty truck are certified for the vehicles described below:

Engine Family: TD 318/360-4-CP Engine: 318 CID and 360 CID Transmission: 3-speed Automatic, 3 and 4-speed Manual Exhaust Emission Control System: Air Injection, Engine Modification, Exhaust Gas Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
TD-318/360-4-CP	0.9	12	1.6

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-9 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles". CHRYSLER CORPORATION

EXECUTIVE ORDER A-9-59 (Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this $\frac{28}{28}$ day of September, 1977.

Rnar

G. C. Hass, Chief Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

_

4

Manufacturer <u>Chrysle</u>	tive Order	No. <u>A-9-59</u> Page <u>one</u>					
Engine Family <u>TD-318/</u>	360-4-CP Engine	e (CID) <u>318 and 360</u>					
ABBREVIATIONS							
<u>Distributor</u> C-Centrifugal Advance V-Vacuum Advance VR-Vacuum Retard <u>Fuel System</u> EFI nV-nVenturi Carburetor		ESAC-Electronic Spark Advance Control OC-Oxidation Catalyst					
Model	Sales Names	<u>Special H</u>	orsepower Settings				
D100 Conv.	Dodge Custom Custom Special Adventurer Adventurer S.E. Warlock	Models Bl,PBli Dl	Horsepower 18.5 18.4				
D100 Club Cab	Dodge Custom Custom Special Adventurer Adventurer S.E.						
Bl Van	Dodge Tradesman 100 Street Van						
Bl Wag.	Dodge Sportsman Custom Sportsman Royal Sportsman Royal Sportsman S.E	•					
PB1 Wag.	Plymouth Voyager Voyager Custom Voyager Sport Voyager Sport Premi	um					

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

ngin	e Family	-318/36	50-4-CP	Engine	e (CID)	318	Engine Code
miss	ion Control Sys	stem _	EGR-(DC-AI-EM	•	-10%(A/C)	Yes 🔲 No 🖾
ng. Dde	Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class				
				Part Number	Mfgr. Part Number	Service	(1) Basic Timing(2) Idle Mixture(3) Idle Speed
C-1	Bl Van Bl Wag PBl Wag D100 Club Cab D100 Conv.	M-3 M-3 M-4	4000 4000 4500 4500 4000 4500	Chrysler 4091902	Carter TQ-9123S 4095427*	E90-633 262834	1) 12 <u>+</u> 2° BTDC W/ Vacuum disconnecte & plugged @ dis- tributor.
C-3 C-4	Bl Van Bl Wag PBl Wag Bl Wag PBl Wag	M±3	4000 4500 4500				2) <u>Propane gain</u> : (See service manual). <u>Alternate method</u> : 0.3% (0 CO% 2) C0 measured @ up-
C-1	Bl Van Bl Wag PBl Wag D100 Conv D100 Club Cab	A-3	4000 4000 4500 4000 4500		Carter TQ-91245 4095428 *		stream catalyst ta @ 750 RPM in neutr W/AI disconnected and plugged.
C-2	Bl Wag PBl Wag		4500				3) Normal idle speed 750 <u>+</u> 100 RPM in neutral

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET □ Passenger Cars □ Medium Duty Vehicles Engine Executive Order No. <u>A 9-59</u> Engine Page 2A Engine Family TD-318/360-4-CP Engine (CID) 318 Code Emission Control System _____EGR-OC-AI-EM +10%(A/C) Yes 🗆 No 🖸 Inertia Distributor Fuel System EGR System Tune-Up Weight Type C.V Type 1-4V Specificatio Eng. Vehicle Models Code (If Coded see Trans Weight Specification attachment) Class (1) Basic Timing Mfgr. Mfgr. Part No. Part Number Part Number Service (2) Idle Mixture (3) Idle Speed 4104483 MC-5 B1 Van M-3 4000 Chrysler 4173309* B1 Wag 4000 E90-633 PB1 Wag 4500 1) 12 + 2° BTDC W/ 262834 D100 Club Cab M-3 4500 Vacuum disconnected D100 Conv. M-4 4000 & plugged @ dis-4500 tributor. 4000 MC-7 B1 Van 2) Propane gain: B1 Wag (See service M13 PB1 Wag 4500 manual). MC-8 B1 Waq 4500 Alternate method: **BB1** Wag 0.3% (0 C0% 2) CO measured @ up-AC-3 B1 Van میں میں مربق 4104484 A-3 4000 stream catalyst tap B1 Wag 4000 4173310* 0 750 RPM in neutral PB1 Wag 4500 W/AI disconnected D100 Conv 4000 and plugged. DIGO Club Cab 4500 AC-4 3) Normal idle speed Bl Wag 4500 PB1 Wag 750 + 100 RPM in neutral 3 Comments: All models have special road load HP settings. See page 1 for abbreviations and model codes. Date of Issue 3/14/78 Revisions: * R.C. #18T (4-12-78) KDD letter 5-5-78 (R.C. #12T)

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

×	🗖 Passen	ger Can	rs E	Light-Duty	Trucks 🔲	Medium Dut	y Vehicles
Manuf	acturer Chrys	ler Co	rporation	n Execut	tive Order No	о. <u>А 9-59</u>	Page3 Engine
Engin	e FamilyTD	-318/3	60-4-CP	Engine	e (CID)	360	Code
Emiss	ion Control Sys	stem	EGR-OC	-AI . EM		+10%(A/C)	Yes 🗋 No 🖾
	Vehicle Models (If Coded see attachment)		Inertia Weight Class	Type C,V Mfgr.	Fuel System Type 1-4V Mfgr. Part Number	Part No.	Tune-Up Specification (1) Basic Timing (2) Idle Mixture (3) Idle Speed
AC-1	Bl Van Bl Wag PBl Wag D100 Conv. D100 Club Cab		4000 4000 4500 4000 4500		Carter TQ 9126S 4095430	E90-633 262834	 6 + 2° BTC W/Vacuum disconnected & plugged @ dis- tributor.
AC-2 AC-3	B1 Wag PB1 Wag B1 Van B1 Wag D100 Conv.		4000		4173312+		2) <u>Propane gain:</u> (See service manual) <u>Alternate method:</u> 0.3% (0 CO% 2) CO measured @ up- stream catalyst tap
AC-4	PB1 Wag D100 Club Ca B1 Wag		4500				<pre>@ 750 RPM in neutral W/AI disconnected and plugged. 3) Normal idle</pre>
AC-5	PB1 Wag B1 Van B1 Wag D100 Conv.		4000		4173317**		speed 750 <u>+</u> 100 RPM in neutral.
	PB1 Wag D100 Club Ca	ъ	4500			4	
AC-6	B1 Wag PB1 Wag						
Comme See p	Comments: <u>All</u> models have special road load HP settings. (see page one) See page I for abbreviations and model codes.						
Date	of Issue 9-28-	77 Rev	/isions: *	* R.C. #15	T (3-15-78)) KDD let	ter 3-14-78 ter 3-30-78 ter 5 -5-78