State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-127 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Ford Motor Company exhaust emission control systems for 1978 model-year passenger cars are certified for the vehicles described below:

Engine Family: 302 "BV" (1 X 136)

Engine: 302 CID

Transmission: 3-speed Automatic

Exhaust Emission Control Systems: Air Injection, Exhaust Gas

Recirculation, Oxidation Catalyst

Models and Engine Codes as listed in attachment.

The following are the recommended values to be listed on the window decal required by California Assembly-Line Test Procedures for 1978 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
302 "BV" (1X136	0.41	1.2	1.2

BE IT FURTHER RESOLVED: That the above models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (13 California Administrative Code, Section 2290) for the aforementioned model year, or have been granted a temporary exemption from the aforementioned "Specifications" by Executive Order AA-10 series.

BE IT FURTHER RESOLVED: That the above models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-powered Motor Vehicles except Motorcycles".

FORD MOTOR COMPANY

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California, this ______ day of October, 1977.

G. C. Hass, Chief

Vehicle Emissions Control Division

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer_	Ford Motor Comp	any Executive Order No. A-10-127	Page
Engine Family_	302 "BV" (1 X 1	36) Engine (CID) 302	<u>_</u>
ABBREVIATIONS <u>Distributor</u> C-Centrifugal V-Vacuum Advar VR-Vacuum Reta HEI-High Energ EI-Electronic Fuel System EFI, FI nV-nVenturi Ca VV-Variable Ve	nce ard gy Ignition Ignition arburetor	Exhaust Emissions Control System AI-Air Injection CAI-Catalyst Air Injection CAB-Chamber Air Bleed DD-Dual Displacement EFI-Electronic Fuel Injection EGR-Exhaust Gas Recirculation EM-Engine Modification EFE-Early Fuel Evaporation ESAC-Electronic Spark Advance Control FI-Fuel Injection	OC-Oxidation PAI-Pulse of RC-Reduction TC-Turbo Clarent TWC-Thermal TWC-Three of (Feedbase EGR Syst. I-Inspect, as needed R-Replace

BODY

CODE

54M

BODY

TYPE

Sedan

VEHICLE

MODEL

Lincoln

MODEL

NAME

Versailles

1978 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

	🖾 Passen	ger Ca	rs [] Light-Duty	Trucks	Medium Dut	y Vehicles
				Execu	tive Order No	A-10-127	Page 2
Engi	ne Family302	ייצעיי (1 X 136)	Engine	e (CID) 30	2	Engine Code 8-11L-R11
Emis	sion Control Sy	stem _	EGR/A	I/OC		10%(A/C)	Yes X□ No □
Eng. Code	Vehicle Models (If Coded see attachment)	Trans	Inertia Weight Class	Type EEC	Fuel System Type _{1-vx} Mfgr. Part Number		Specification
	Versailles Sedan 54M	A-3	4000	Ford D8VE- 12A649-BE	Ford D84E- 9510-KA	D8VE- 9F483-AA	(1) 15° BTDC <u>+</u> 2° @ 625 RPM in drive
							(2) Preset at factory. Do not adjust See 1978 Ford Service Manual. (3) 625 + 50 RPM in drive. All hoses
					. ,		connected.
	ents: All page I for abbro ** No service				load HP sett	ings.	:
	of Issue 10/14						