

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-5-44
Relating to Certification of New Motor Vehicles

JAGUAR CARS
OF
BRITISH LEYLAND (UK) LIMITED

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Jaguar Cars of British Leyland (UK) Limited exhaust emission control systems are certified as described below for 1979 model-year gasoline-powered passenger cars.

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
4.2 FI	258	Three Way Catalyst (Electronic Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
4.2 FI	0.39	5.7	1.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.


JAGUAR CARS OF BRITISH
LEYLAND (UK) LIMITED

EXECUTIVE ORDER A-5-44
(Page 2 of 2)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Department of Motor Vehicles, the California Highway Patrol, and the Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7 day of November, 1978.



G. C. Hass, Chief
Vehicle Emissions Control Division

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer British Leyland Executive Order No. A-5-44 Page 1

Engine Family 4.2 FI Engine (CID) 258

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EI-Electronic Ignition
ESAC
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AI-Air Injection
CCAV-Comb. Chamber Air Valve
EFI-Electronic Fuel Injection
EGR-Exhaust Gas Recirculation
EM-Engine Modification

OC-Oxidation Catalyst
PAI-Pulse Air Injection
TC-Turbo Charged
TR-Thermal Reactor
TWC-Three Way Catalyst
(Feedback Control)
WOC-Warm-up Oxidation
Catalyst

Fuel System

EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

ESAC-Electronic Spark Advance
Control
MFI-Mechanical Fuel Injection

Vehicle Model

XJ6L

1979 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A 5 -44

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles

Manufacturer Jaguar Cars of British Leyland (UK) Ltd. Page 1A

Engine Family 4.2 FI Engine (CID) 258 Engine Code 4.2 SFC-78

Emission Control System TWC + 10% (A/C) Yes No

Eng. Code	Vehicle Models (If Coded see attachment)	Trans.	Inertia Weight Class (Axle Ratio)*	Ign. Sys. Control Parameters CA,VA,EI	Fuel System Type: EFI Mfg. Part No.	EGR Valve	Tune-up Specification
	XJ6L	A-3	4500	Lucas 41745 BL Part No. DAC 1315	Lucas/Bosch ECU Part No. 83524 BL Part No. DAC 1209	Not fitted	(1) 4° BTDC at idle. Stroboscopic light in conjunction with timing marks on crankshaft damper. (2) 0.5 - 1.5% CO set by adjusting the air flow by-passing the air meter metering flap. Oxygen sensor disconnected. CO measured up-stream of catalyst. (3) 800 RPM in neutral.

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

*Axle ratio is that of medium duty certification vehicle.

Date of Issue -