

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-50  
Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That American Motors Corporation exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HT-3V1	304	Air Injection Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1979 model-year vehicles:

<u>Engine Family</u>	<u>Inertia Weight Class</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
HT-3V1	0-3999	0.34	3.9	1.9

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

AMERICAN MOTORS CORPORATION

EXECUTIVE ORDER A-17-50  
(Page 2 of 2)

BE IT FURTHER RESOLVED: That American Motors Corporation has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 1<sup>st</sup> day of August, 1979.

*K. D. Drachand*  
K. D. Drachand, Acting Chief  
Mobile Source Control Division

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer American Motors Corp. Executive Order No. A-17-50 Page 1

Engine Family HT-3V1 Engine (CID) 304

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
EEC-Electronic Engine Control  
EI-Electronic Ignition  
ESAC-Electronic Spark Advance Control  
VA-Vacuum Advance  
VR-Vacuum Retard

Fuel System

EFI, MFI  
nV-nVenturi Carburetor  
VV-Variable Venturi

Exhaust Emissions Control System

AI-Air Injection  
CL-Closed Loop  
EGR-Exhaust Gas Recirculation  
EM-Engine Modification  
OC-Oxidation Catalyst  
PAI-Pulse Air Injection  
TR-Thermal Reactor  
TWC-Three Way Catalyst

Special Features

CCAV-Combustion Chamber Air Valve  
EFI-Electronic Fuel Injection  
MFI-Mechanical Fuel Injection  
TC-Turbo Charged

Vehicle Models

CJ-5  
CJ-7

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer American Motors Corporation

Page 1A

Engine Family HT 3V1

CID-Type 304-V-8

Engine Code 1A1, 1M1

ECS (Special Features) AI, EGR, OC

+ 10% (A/C)

Yes          No X

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Test Weight Class (Inertia)	Ign. System CA,VA,EI Mfgr. Part No.	Fuel System Type 1-2V Mfgr. Part No.	EGR Valve Part No. I.D.	Label Ident.
1A1	CJ7	A-3	3500	Motorcraft 3231340/Blue A.M. Part No. 3231340	Motorcraft DA2JC A.M. Part No. SF3237240	3230846/AD A.M. Part No. 3230846	5361317
1M1	CJ5 CJ7	M-4	3375		Motorcraft DM2JC A.M. Part No. SF 3237241	3233596/AH A.M. Part No. 3233596	5361315

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

Date of Issue -