God Book

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-220-1 Relating to Certification of New Motor Vehicles

JAGUAR ROVER TRIUMPH LTD.

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That Jaguar Rover Triumph Ltd. exhaust emission control systems are certified as described below for 1980 model-year gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches	Exhaust Emission Control Systems (Special Features)			
4.2 FI	258	Three Way Catalyst With Closed Loop (Electronic Fuel Injection)			

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1980 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
	Grams per Mile	Grams per Mile	Grams per Mile		
4.2 FI	0.25	4.2	0.4		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles except Motorcycles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1980 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Jaguar Rover Triumph Ltd. has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $3\frac{RD}{}$ day of April, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

K.D. Spoeland by MM

1980 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Jaguar Rover Triump	h IncExecutive Order No. A-220-1	Page 1
Engine Family 4.2 FI Evaporative Family: XJFI ABBREVIATIONS	Engine (CID) 258	
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	Exhaust Emissions Control System AI-Air Injection CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst PAI-Pulse Air Injection TR-Thermal Reactor TWC-Three Way Catalyst	Special Features CCAV-Combustion Chamber Air Valve EFI-Electronic Fuel Injection MFI-Mechanical Fuel
Fuel System EFI, MFI nV-nVenturi Carburetor		Injection TC-Turbo Charged

Vehicle Model

XJ6 4.2

1980	AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET
------	-----	-----------	--------------	--------------	------	-------

Passe	nger Cars 🔲 Light	-Duty Ti	rucks	☐ Medium-Duty	√ Vehicles 🛛	Gas 🔘 🛭	iesel
Manuf	acturer <u>Jaguar Rove</u>	r Trium	h Inc.			Page 1A	
Engin	e Family 4.2 FI		<u> </u>	CID-Type2	58 - L-6	Engine Code 4.29	FC-80
ECS (Special Features)	TWC/CL	(EFI)	+	10% (A/C)	Yes_XN	lo
Engine Code	Code (If Coded see Weight attachment) Class	Trans.	Weight	Ign. System CA, VA, EI	Fuel System E.F.I.	EGR Valve	Label Ident.
		Class (Inertia)	Mfgr. Part No.	Mfgr. Part No.	Part No.		
	XJ6 4.2	A-3	4250	Lucas 41798 B.L. Part No. DAC 2085	Lucas/Bosch Control Unit 83637 B.L. Part No. DAC 2223	N.A.	EAC 3473

Comments. See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model, equipment and inertia weight class.

e of Issue -