State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-23 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by Health and Safety Code Sections 43100, 43102, 43103, and 43835; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for 1981 model-year gasoline-powered passenger cars.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)
BMT2.6V2BC9	155.92 (2.6)	Air Injection - Valve Combustion Chamber Valve Exhaust Gas Recirculation Oxidation Catalyst

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the certification emission values to be listed on the window decal required by California Assembly-Line Test Procedures for 1981 model-year vehicles:

Engine Family	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	Grams per Mile	Grams per Mile	Grams per Mile
BMT2.6V2BC9	0.29	3.2	0.6

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles", amended June 26, 1980.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That Mitsubishi Motors Corporation has provided to the Executive Officer all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of August, 1980.

K. D. Drachand, Chief

Mobile Source Control Division

1981 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

nufacturer _	Mitsubishi	Executive Order No.	<u>A-86-23</u> Page	
Engine Family	BMT2.6V2BC9	Evaporative Family _	BMT2.6C	
ABBREVIATIONS		Engine CID (Liters)	155.92 (2.6)	

Ignition System
CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System
AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Special Features
CCV-Combustion
Chamber Valve
CFI-Central Fuel
Injection
DI-Diesel Injection
EFI-Electronic
Fuel Injection
MFI-Mechanical Fuel
Injection
TC-Turbocharged

Fuel System
CFI, DI, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Model	<u>CarLine</u>
3H-23	*Plymouth Sapporo
2H-23	*Dodge Challenger

*Add 10% to dyno test Hp for air conditioning usage.

•							
	1981 A	IR RESOU	RCES BOA	RD SUPPLEMENTA		#A <u>-86-23</u>	
<u>X</u> Passe	nger Cars Li	ght-Duty	Trucks	Medium-Du	ıty Vehicles	_X Gas	Diesel
Manuf	acturer <u>Mitsul</u>	oishi			Page	ρ. 2	
Engin	ne Family <u>BMT2.</u>	5V2BC9			Engine Code	See Below	
ECS (Special Features) AIV, CCY, EGR, OC Type 155.92 (2.6) 14				4			
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System CA,VA,EI	Fuel System	EGR Valve	Label Ident.
	a c caeriment c y		, ne rg. o	Part No.	Part No.	Part No.	Part No.
2.6 C-M	2H-23 3H-23	M-5	3125	Distributor T4T62077	32-35DID TA-52	K5T50998	VEC I MD034304
							Vac. Hose MD034315
*A-2.6 C-M							
2.6 C-A		A-3			32-35DID TA-53		VEC I MD034 304
		<u> </u>					Vac. Hose
							MD034316
*A-2.6 C-A							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue -

^{*}Add 10% to dyno test HP for air conditioning usage.