State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-30 Relating to Certification of New Motor Vehicles

DR. ING. H.C.F. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Order G-45-3, and G-45-4;

IT IS ORDERED AND RESOLVED: That 1982 model-year Dr. Ing. h.c.f. Porsche, Aktiengesellschaft exhaust emission control systems are certified as described below for gasoline-powered passenger cars.

Engine Family	Displace	ment	Exhaust Emission Control Systems
	Cubic Inches	(Liters)	(Special Features)
CPR273V6FD00	273	(4.5)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1982 model-year vehicles:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.29	2.2	0.5		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed in El Monte, California this 13th day of

day of August, 1981

K. D. Drachand, Chief Mobile Source Control Division

1982 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	Executive Order No.	PageI
Engine Family CPR273V6FD00	Evaporative FamilyG	
	Engine CID (Liters) 273 (4.5)	·
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop	Special Features CCV-Combustion Chamber Valve CFI-Central Fuel

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

ESAC-Electronic Spark Advance

Control VA-Vacuum Advance

VR-Vacuum Retard

VV-Variable Venturi

CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three Way Catalyst System

A-19-30

CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel

MFI-Mechanical Fuel Injection TC-Turbocharged

Injection-

Prechamber

Vehicle Models

Porsche

928

DRIVE SYSTEM: Front Engine/Rear Drive

Issue Date:

08/14/81

Revised:

•			• •	*	Pa	ge 2	
r brie.	1982 A	IR RESOU	RCES BOA	RD SUPPLEMENT		<u></u>	
	nger Cars Li		Trucks	Medium-Du	uty Vehicles	<u>x</u> Gas A -19-30	Diesel
Engin	e Family <u>CPR273</u> Special Features)						
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Wei g ht	Ign. System EI Part No.	Fuel System EFI Part No.	EGR Valve	Label Ident. Part No.
128/15-16(M5)	928*	M5	3625	Distributor 0 237 405- 020	Fuel Inject. Air Flow Meter 0 280 203- 015	N/A	VECI 928 006- 401 27
128/16(A3)		A3	3750		Control Unit 0 280 002- 103 Injectors 0 280 150-	·	
	·				154		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Revisions:

08/14/81