State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-68 Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1983 model-year American Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks.

Engine Family	Displacement Cubic Inches (Liters)	Exhaust Emission Control Systems (Special Features)		
DAM151T2FCA4	151 (2.5)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop		

Vehicle Models, Transmissions, Engine Codes and Evaporative Emission Control Families as listed on attachments.

The following are the emission standards for this engine family to be listed on the window decal required by California Assembly-Line Test Procedures for 1983 model-year vehicles:

Equivalent Inertia Weight	Hydrocarbon s Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.39	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.28	4.9	0.9

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of July, 1982.

K. D. Drachand, Chief

Mobile Source Control Division

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer	American Motors Corporation	Executive Order No.	A-17-68
		-	DT-151A-1S
Engine Family_	DAM151T2FCA4	_ Evaporative Family	DT-151C-1P
-		_	
		Engine CID (Liters)_	151 (2.5)

ABBREVIATIONS:

Ignition System

CA - Centrifugal Advance

EEC - Electronic Engine Control

EI - Electronic Ignition

ESAC - Electronic Spark Advance Control

VA - Vacuum Advance

VR - Vacuum Retard

Exhaust Emissions Control System

AIP - Air Injection-Pump

AIV - Air Injection-Valve

CL - Closed Loop

EGR - Exhaust Gas Recirculation

EM - Engine Modification

OC - Oxidation Catalyst System TR - Thermal Reactor

TWC - Three-Way Catalyst System

Fuel System

CFI, CL, DID DIP, EFI, MFI nV - nVenturi Carburetor

VV - Variable Venturi Special Features

CCV - Combustion Chamber Valve

CFI - Central Fuel Injection DID - Diesel Injection-Direct

DIP - Diesel Injection-Prechamber

MFI - Mechanical Fuel Injection

TC - Turbocharged

MODELS:	BODY CODE:	MODELS:	BODY CODE:
Eagle Sedan	35	Jeep CJ-5	85
Eagle Wagon	38	Jeep CJ-7	87
Eagle SX/4	53	Jeep Scrambler	88
Post Office	DJ5L	•	

DRIVE SYSTEM:

Front Engine - Transmission - Transfer Case - Front and Rear Axle (All Except DJ5L)

Front Engine - Transmission - Rear Axle Drive (DJ5L)

1983 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passer	nger Cars Light-D	uty Tr	ucks <u>X</u> M	edium-D	uty Vehicles_	Gas_X	Diesel
Manufa	acturer American M	otors (Corporati	on	E.0	No. A- <u>17-</u>	68
Engine	Family DAM151T2FC	A4	<u></u>	(CID (Liter) 1	Гуре <u>151 (2</u>	.5) I-4
ECS (S	Special Features) <u>E</u>	GS(CL)	+ EGR + '	TWC			
Engine Code	Vehicle Models (If Coded See Attachment)	 Trans			Fuel System Part No.		Ident.
ואו	35,38,53,85,87,88	M4 M5	1103527		8933000601		8933000398 8953001063 8953001064
1A1	DJ5L	A3			8933000475	3242107	8953001054
1M2	35,38,53	M4 M5			8933000601	3237108	8933000932
1A2	53	А3			8933000475	3242107	8933000396
1A3	53	A3			8933000475	3242107	8933000397
comments							

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Note: Add 10% to dyno test HP for air conditioning usage.

Date of Issue: Revised:

011981